


FOR CONCINNY  
LENGTH: 0.94"




LF450111  
LF450112



SEAT USED: 647140

FOR MILWAUKEE  
LENGTH: 1.04"




GASKET: 895100

LF450011  
LF450012



SEAT USED: LF649040


FOR SPEAKMAN  
LENGTH: 1.07"



Nickel Plated Stem  
Chrome Plated Pkg Nut


LF400111  
LF200111 Stem Only

FOR CRANE  
LENGTH: 1.15"



400201  
200201 Stem Only


FOR CRANE  
LENGTH: 1.15"



GASKET: 890160 O-RING INCLUDED

400211  
200201 Stem Only


FOR ELJER  
LENGTH: 1.16"



GASKET: 895060

400101


FOR GERBER  
LENGTH: 1.19"



GASKET: 895150

400381

FOR GRAND HAVEN  
LENGTH: 1.19"




GASKET: 895160

LF450021



SEAT USED: LF649270


FOR ELJER  
LENGTH: 1.19"



16  
3-15


Nickel Plated Gland

LF450031  
LF450032



SEAT USED: LF648320

FOR CONCINITY  
LENGTH: 1.19"




LF450161  
LF450162




SEAT USED: 647140

FOR DELTA  
LENGTH: 1.20"




200141

FOR SPEAKMAN  
LENGTH: 1.24"



400220

FOR ARROWHEAD  
LENGTH: 1.24"



Nickel Plated Gland


GASKET: 895100

LF450041  
LF450042



SEAT USED: LF648230

FOR ELJER  
LENGTH: 1.25"



GASKET: 890160 O-RING INCLUDED


400131

FOR LAWLER  
LENGTH: 1.25"




LF200751

FOR ELJER  
LENGTH: 1.25"




Nickel Plated Gland

LF450231  
LF450232



SEAT USED: LF648320

FOR ELJER  
LENGTH: 1.25"




GASKET: 890160 O-RING INCLUDED

LF450851  
LF450852




SEAT USED: LF648320

FOR ELJER  
LENGTH: 1.25"




GASKET: 890160 O-RING INCLUDED

LF450861  
LF450862



SEAT USED: LF648320

FOR BURLINGTON  
LENGTH: 1.26"



16

Nickel Plated Gland


GASKET: 895100

LF450061  
LF450062



SEAT USED: LF648700


FOR STERLING FAUCET  
LENGTH: 1.31"



GASKET: 895100

400181


FOR SAVOY  
LENGTH: 1.31"



GASKET: 895100

400291

FOR STREAMLINER  
LENGTH: 1.34"




16

Nickel Plated Gland

GASKET: 895100

LF450131  
LF450132

FOR INDIANA  
LENGTH: 1.34"




18

Nickel Plated Gland


GASKET: 890170 O-RING INCLUDED

450971



SEAT USED: LF648560

FOR INDIANA  
LENGTH: 1.34"




18

Nickel Plated Gland


GASKET: 890170 O-RING INCLUDED

LF451011  
LF451012



SEAT USED: LF648560

FOR CRANE  
LENGTH: 1.35"




12

Nickel Plated Gland

GASKET: 895180

400411  
400412

FOR SAYCO  
LENGTH: 1.36"




16

Nickel Plated Gland


GASKET: 890160 O-RING INCLUDED

LF450091  
LF450092



SEAT USED: LF647450 or LF647610

FOR INDIANA  
LENGTH: 1.36"




18

Chrome Plated Gland

GASKET: 890170 O-RING INCLUDED

LF450501  
LF450502

FOR SAYCO  
LENGTH: 1.36"



16

Nickel Plated Gland


GASKET: 890160 O-RING INCLUDED

LF451271  
LF451272



SEAT USED: LF647450


FOR SAYCO  
LENGTH: 1.37"



Nickel Plated Gland


GASKET: 890160 O-RING INCLUDED

400271



SEAT USED: LF647450


FOR SAYCO  
LENGTH: 1.37"



GASKET: 890170 O-RING INCLUDED

400281

FOR KOHLER  
LENGTH: 1.37"




16  
1-5

Nickel Plated Gland


GASKET: 895100

LF450051  
LF450052



SEAT USED: LF648070

FOR STERLING FAUCET  
LENGTH: 1.37"




16  
1-5

GASKET: 890180 O-RING INCLUDED

LF450401  
LF450402

FOR UNION BRASS  
LENGTH: 1.38"




18  
3-3

GASKET: 895100


LF450071  
LF450072

FOR ELJER  
LENGTH: 1.38"



GASKET: 895100


400331  
200331



SEATS USED: LF649720,  
LF649780, LF649890,  
LF649900 or LF649940



FOR WEST BRASS (JAPAN)  
LENGTH: 1.39"




GASKET: 895100

LF450081  
LF450082



SEAT USED: LF649600

FOR WEST BRASS (ITALY)  
LENGTH: 1.39"



GASKET: 895100


LF450121  
LF450122



SEAT USED: LF649600

Ceramic Conversion for:  
Aqua-Seal

FOR AM STD  
LENGTH: 1.39"




GASKET: 890180 O-RING INCLUDED

SEAL: 898500


DISC SET: 112530-PKG

LF450931  
LF450932



SEAT INCLUDED: LF646950


FOR ARTISTIC BRASS  
LENGTH: 1.40"



SEAL: 898500  
DISC SET: 112530-PKG

LF450941  
LF450942

FOR BRIGGS  
LENGTH: 1.40"




GASKET: 895100

LF452031  
LF452032




SEAT USED: LF648120

FOR PRICE PFISTER  
LENGTH: 1.41"




GASKET: 895100

LF451031  
LF451032




SEAT USED: LF648270

FOR INDIANA  
LENGTH: 1.41"




GASKET: 890170 O-RING INCLUDED

LF451121  
LF451122




SEAT USED: LF648560

FOR PRICE PFISTER  
LENGTH: 1.42"




GASKET: 895100

LF451041  
LF451042



SEAT USED: LF648270

FOR ARROWHEAD  
LENGTH: 1.43"




GASKET: 895100

LF452021  
LF452022




SEAT USED: LF648230

FOR MILWAUKEE  
LENGTH: 1.43"




GASKET: 895100

LF451301  
LF451302




SEAT USED: LF649040

FOR CRANE  
LENGTH: 1.43"




GASKET: 895180

LF451021  
LF451022




SEAT USED: LF648200 or LF649770

FOR ELJER  
LENGTH: 1.44"




400251

FOR CRANE  
LENGTH: 1.44"




GASKET: 895100

LF451061  
LF451062



SEAT USED: LF649430

FOR CENTRAL  
LENGTH: 1.44"




GASKET: 895100

LF451071  
LF451072




SEAT USED: LF648550

FOR ROYAL BRASS  
LENGTH: 1.44"




GASKET: 890160 O-RING INCLUDED

LF451131  
LF451132




SEAT USED: LF648260 or LF648440

FOR DICK BROS.  
LENGTH: 1.45"




LF253011  
LF253012




SEAT USED: LF649760

FOR GERBER  
LENGTH: 1.45"




GASKET: 895150

LF451051  
LF451052




SEAT USED: LF649150

FOR HARCRAFT  
LENGTH: 1.45"




GASKET: 895040

LF451101



SEAT USED: LF648670


FOR HARCRAFT  
LENGTH: 1.45"



GASKET: 895100

LF451241  
LF451242


FOR GERBER  
LENGTH: 1.45"



GASKET: 895150

LF451251  
LF451252

FOR UNION BRASS  
LENGTH: 1.45"




GASKET: 895100

LF452121  
LF452122



SEAT USED: LF649150

FOR STERLING FAUCET  
LENGTH: 1.46"




400511  
400512




SEAT USED: LF648170

FOR ARROWHEAD  
LENGTH: 1.46"




GASKET: 895100

LF450101  
LF450102



SEAT USED: LF648230


FOR INDIANA  
LENGTH: 1.46"



GASKET: 890180 O-RING INCLUDED

LF451141  
LF451142

FOR BARNES  
LENGTH: 1.47"




GASKET: 895100

LF452051  
LF452052



SEAT USED: LF648350


FOR MANSFIELD  
LENGTH: 1.48"



GASKET: 895100

LF450981  
LF450982

FOR SPEAKMAN  
LENGTH: 1.48"




GASKET: 895150

LF451081  
LF451082



SEAT USED: LF648760


FOR PHOENIX  
LENGTH: 1.49"



GASKET: 895100

400431

FOR SAYCO  
LENGTH: 1.49"




Chrome Plated  
Gland

GASKET: 890170 O-RING INCLUDED  
SEAL: 898540  
DISC SET: 112530-PKG


LF451231  
LF451232

FOR WATER SAVER  
LENGTH: 1.50"




LF251341

FOR SEARS  
LENGTH: 1.50"




GASKET: 890180 O-RING INCLUDED

LF451091  
LF451092



SEAT USED: LF648900

FOR CENTRAL  
LENGTH: 1.50"




GASKET: 895100

LF452041  
LF452042



SEAT USED: LF648550


UNKNOWN  
LENGTH: 1.52"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF450991  
LF450992

FOR PRICE PFISTER  
LENGTH: 1.53"




Nickel Plated  
Stem

GASKET: 895100

LF450951  
LF450952


FOR ARTISTIC BRASS  
LENGTH: 1.53"



SEAL: 898500  
DISC SET: 112530-PKG

LF451191  
LF451192

FOR STERLING FAUCET  
LENGTH: 1.54"




All Plastic  
Unit

GASKET: 890180 O-RING INCLUDED


452290

FOR T & S  
LENGTH: 1.55"



LF107910

UNKNOWN  
LENGTH: 1.54"




24  
3-18

Chrome Plated Unit

GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF451201  
LF451202


Single Lead  
FOR PHOENIX  
LENGTH: 1.55"



17  
3-7


GASKET: 890170 O-RING INCLUDED

LF451211  
LF451212



SEAT USED: LF648040

FOR PHOENIX  
LENGTH: 1.55"



Single Lead

17  
3-7


GASKET: 891150 O-RING INCLUDED

LF451221  
LF451222



SEAT USED: LF649190

FOR AM BRASS  
LENGTH: 1.55"




17  
3-7

18 TPI Gland


GASKET: 895100

LF451111  
LF451112



SEAT USED: LF648410

FOR STREAMWAY  
LENGTH: 1.55"




17  
3-7

20 TPI Gland


GASKET: 895100

LF451161  
LF451162



SEAT USED: LF649190

FOR AM BRASS  
LENGTH: 1.55"



17  
3-7

20 TPI Gland

GASKET: 895100

LF451161  
LF451162



SEAT USED: LF648410

FOR PHOENIX  
FOR STREAMWAY  
LENGTH: 1.55"



17  
3-7

Double Lead

GASKET: 890170 O-RING INCLUDED

LF451171  
LF251111 Stem Only



SEAT USED: LF649190

FOR PHOENIX  
LENGTH: 1.55"



17  
3-7

Single Lead


GASKET: 890170 O-RING INCLUDED

LF451181



SEAT USED: LF649190


FOR STERLING FAUCET  
LENGTH: 1.55"



GASKET: 890180 O-RING INCLUDED

LF451401  
LF451402

FOR AM BRASS  
LENGTH: 1.55"




GASKET: 895100

LF452071  
LF452072



SEAT USED: LF648410

FOR STREAMWAY  
LENGTH: 1.55"




GASKET: 895100

LF452171  
LF452172



SEAT USED: LF649190


FOR YUGO  
LENGTH: 1.56"



GASKET: 895100

LF452191  
LF452192


FOR STERLING FAUCET  
LENGTH: 1.56"



GASKET: 890180 O-RING INCLUDED

LF452300  
252300 Stem Only

FOR BORG-WARNER  
FOR GRAND HAVEN  
LENGTH: 1.56"




GASKET: 890160 O-RING INCLUDED

LF452861




SEAT USED: LF649050

FOR CRANE  
LENGTH: 1.57"



452821  
252821 Stem Only


FOR AUBURN BRASS  
LENGTH: 1.57"



GASKET: 890160 O-RING INCLUDED  
SEAL: 893030  
DISC SET: 151380-PKG

LF450901  
LF450902


FOR GLACIER BAY  
LENGTH: 1.58"



GASKET: 890150 O-RING INCLUDED

400231

FOR BURLINGTON  
LENGTH: 1.58"




16  
1-6

LF253061  
LF253062




SEAT USED: LF648700

FOR DICK BROS.  
LENGTH: 1.59"




16  
1-6

LF253161  
LF253162



SEAT USED: LF649760

UNKNOWN  
LENGTH: 1.59"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF451261  
LF451262

FOR AM STD  
LENGTH: 1.59"




16

LF452011  
LF452012  
LF252081 Stem Only  
LF252082 Stem Only



SEAT USED: LF648350

FOR AM STD  
LENGTH: 1.59"




16

LF452081  
LF452082  
LF252081 Stem Only  
LF252082 Stem Only



SEAT USED: LF648350


FOR ADVANCED TABCO  
LENGTH: 1.60"



GASKET: 890170 O-RING INCLUDED

400241


FOR MIXET  
LENGTH: 1.60"



400721

Single Lead


FOR DICK BROS.  
LENGTH: 1.60"



LF252251

Double Lead


FOR DICK BROS.  
LENGTH: 1.60"



LF253151  
LF253152

Gland turns  
clockwise  
into valve body

FOR CHG  
FOR ADVANCED TABCO  
LENGTH: 1.61"



Chrome Plated Unit

GASKET: 895100


LF455411  
LF455412



SEAT USED: LF648270

Gland turns  
counter-clockwise  
into valve body

FOR CHG  
FOR ADVANCED TABCO  
LENGTH: 1.61"



Chrome Plated Unit


GASKET: 895100

LF455462



SEAT USED: LF648270


FOR ELJER  
LENGTH: 1.62"



200351




FOR DICK BROS.  
LENGTH: 1.62"




16  
1-6

LF252151  
LF252152



SEAT USED: LF649760

FOR AM STD  
LENGTH: 1.62"




16

Nickel Plated Gland


GASKET: 890160 O-RING INCLUDED

LF453041  
LF453042



SEAT USED: LF648350


FOR SEARS  
LENGTH: 1.63"



GASKET: 890180 O-RING INCLUDED


400261

FOR PRICE PFISTER  
LENGTH: 1.63"



400301  
200301 Stem Only


FOR PRICE PFISTER  
LENGTH: 1.63"



12  
1-2


LF252401

FOR SPEAKMAN  
LENGTH: 1.63"




20  
2-4

LF253071  
LF253072



SEAT USED: LF648760

FOR PRICE PFISTER  
LENGTH: 1.63"




12  
1-2

GASKET: 895100  
SEAT INCLUDED: LF648310

LF451001

UNKNOWN  
LENGTH: 1.63"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF451281  
LF451282

FOR SAVOY  
LENGTH: 1.63"




15  
1-13

Chrome Plated Gland


GASKET: 895150

LF452201  
LF452202




SEAT USED: LF649740

FOR SAVOY  
LENGTH: 1.63"




GASKET: 895150

LF452211  
LF452212



SEAT USED: LF649740


FOR BRIGGS  
LENGTH: 1.63"



GASKET: 895100


LF453031  
LF453032

FOR PRICE PFISTER  
LENGTH: 1.63"




GASKET: 895100

LF453051  
LF453052



SEAT USED: LF648270


FOR SPEAKMAN  
LENGTH: 1.64"



Chrome Plated Stem

252911

FOR MOEN  
STEM LENGTH: 1.48"




11/16-20 TPI Gland

GASKET: 895110 INCLUDED

400311

FOR MOEN  
STEM LENGTH: 1.48"




11/16-27 TPI Gland

GASKET: 895110 INCLUDED

400321

FOR MOEN  
STEM LENGTH: 1.48"




3/4-20 TPI Gland

GASKET: 895110 INCLUDED

400341

FOR WEST BRASS  
LENGTH: 1.64"



16  
1-6


Chrome Plated Stem

LF252111  
LF252112



SEAT USED: LF649600

FOR INDIANA  
LENGTH: 1.64"




18  
3-3

Chrome Plated Gland


GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF451901  
LF451902




GASKET: 890200 O-RING INCLUDED

LF453141




SEAT USED: LF648350



201211  
201212



SEAT USED: 648370



GASKET: 895160

LF452091  
LF452092




SEAT USED: LF648170

Gland turns  
clockwise  
into valve body



Knurled lock ring also available


952900



GASKET: 890170 O-RING INCLUDED


SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF452601  
LF452602




GASKET: 895100

LF452901  
LF452902



SEAT USED: LF648270

Also available as chrome plated unit  
**LF452901-CP/ LF452902-CP**



GASKET: 895100

LF452922




SEAT USED: LF648270

Gland turns  
counter-clockwise  
into valve body



FOR GERBER  
LENGTH: 1.65"




GASKET: 895150

LF453171  
LF453172




SEAT USED: LF649150

UNKNOWN  
LENGTH: 1.66"



200611


FOR WILLOUGHBY  
LENGTH: 1.66"



GASKET: 890190 O-RING INCLUDED

LF400451


FOR HARCRAFT  
LENGTH: 1.67"



Chrome Plated Stem

LF254021  
LF254022


FOR SUNRISE / PRO PLUS  
LENGTH: 1.67"



GASKET: 895100

LF453251  
LF453252


UNKNOWN  
LENGTH: 1.68"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF452611  
LF452612

FOR ADVANCED TABCO  
LENGTH: 1.68"




Chrome Plated Gland

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF452621  
LF452622


FOR CAMBRIDGE  
LENGTH: 1.68"



Chrome Plated Unit


GASKET: 890170 O-RING INCLUDED

LF452961  
LF452962




SEAT USED: LF646940

FOR AM STD  
LENGTH: 1.69"




GASKET: 891130

453181  
253181 Stem Only



SEAT USED: LF648990

FOR MICHIGAN BRASS  
LENGTH: 1.69"




Chrome Plated Unit

GASKET: 891120 O-RING INCLUDED


400621  
400622

FOR STERLING FAUCET  
LENGTH: 1.69"




16  
1-5

400711  
400712



SEAT USED: LF648170

UNKNOWN  
LENGTH: 1.69"




20  
3-20


GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF452381  
LF452382

Also available with locknut:  
LF453091-N / LF453092-N



FOR AM STD  
LENGTH: 1.69"



22  
1-4


GASKET: 891130

LF453091  
LF453092



SEAT USED: LF648990

FOR AM STD  
LENGTH: 1.69"




22  
1-4

Chrome Plated Stem


GASKET: 891130

LF453101  
LF453102



SEAT USED: LF648990

FOR AM STD  
LENGTH: 1.69"



16

Chrome Plated Unit

LF454011  
LF454012


LF254011 Stem Only

LF254012 Stem Only




SEAT USED: LF648100

FOR ACORN  
LENGTH: 1.70"



LF400190


FOR MIXET  
LENGTH: 1.70"



GASKET: 895060 INCLUDED

400371

FOR ROYAL BRASS  
LENGTH: 1.70"




GASKET: 890160 O-RING INCLUDED  
SEAL: 898540  
DISC SET: 112530-PKG

LF451501  
LF451502

Chrome Plated Gland


FOR EMCO  
LENGTH: 1.70"




GASKET: 895180

LF452701  
LF452702

Also available with  
stainless steel knurled ring:  
LF453021-SS / LF453022-SS  
Also available with locknut:  
LF453021-N / LF453022-N



FOR AM STD  
LENGTH: 1.70"




LF453021  
LF453022




SEAT USED: LF648990

FOR URREA  
LENGTH: 1.70"




LF453401


FOR AM STD  
LENGTH: 1.71"




453191




SEAT USED: LF648990



LF454181  
LF454182



GASKET: 895100  
LF454191  
LF454192




GASKET: 895100  
LF455401  
LF455402




Also available as chrome plated unit

400471-CP  
200471-CP Stem Only




GASKET INCLUDED: 895270  
SEAL: 898500  
DISC SET: 112530-PKG  
LF455901  
LF455902



GASKET: 891230 O-RING INCLUDED


400471  
200471 Stem Only  
500470-KIT Retainer & Spring Only



GASKET: 890160 O-RING INCLUDED

LF454071  
LF254071 Stem Only

FOR PRICE PFISTER  
LENGTH: 1.73"



12  
1/2

Nickel Plated Gland


GASKET: 895100

LF454121  
LF454122



SEAT USED: LF648270

FOR SAYCO  
LENGTH: 1.74"




Nickel Plated Stem

GASKET: 890160 O-RING INCLUDED

400121

FOR AM STD  
LENGTH: 1.74"




16

Special w/ Hex Gland


SEAT: LF647910  
OR LF649650

452991



SEAT USED: LF647910 or LF649650

FOR SEARS  
LENGTH: 1.74"




17  
3-7

LF254141  
LF254142



SEAT USED: LF648700

FOR AM STD  
LENGTH: 1.74"




16

LF453001  
LF453002



SEAT USED: LF647910 or LF649650

FOR MILWAUKEE  
LENGTH: 1.74"



16  
3-15

LF453121  
LF453122




SEAT USED: LF649040

GASKET: 199930




FOR MILWAUKEE  
LENGTH: 1.74"




GASKET: 199930

LF453241  
LF453242



SEAT USED: LF649040


FOR CRANE  
LENGTH: 1.74"



GASKET: 895250


LF453300

FOR INDIANA  
LENGTH: 1.74"




GASKET: 890170 O-RING INCLUDED

LF454031  
LF454032




SEAT USED: LF648560

FOR STERLING FAUCET  
LENGTH: 1.74"



GASKET: 895160

LF455131  
LF455132




SEAT USED: LF648170

FOR SYMMONS  
LENGTH: 1.75"




400661  
200661 Stem Only

FOR STERLING FAUCET  
LENGTH: 1.75"




454241  
454242



SEAT USED: LF648170

Also available as nickel plated unit  
LF454111/ LF454112

FOR PRICE PFISTER  
LENGTH: 1.75"




Chrome Plated Stem

LF255161  
LF255162




SEAT USED: LF648270

FOR SPEAKMAN  
LENGTH: 1.75"




Chrome Plated Stem

LF256011  
LF256012



SEAT USED: LF648760


FOR GERBER  
LENGTH: 1.75"



Nickel Plated Gland


GASKET: 895150

LF453111  
LF453112



SEAT USED: LF649150

FOR ARROWHEAD  
LENGTH: 1.75"



Nickel Plated Gland


GASKET: 895100

LF454091  
LF454092



SEAT USED: LF648230


FOR BRIGGS  
LENGTH: 1.75"



Nickel Plated Unit


GASKET: 895100

LF454101  
LF454102



SEAT USED: LF648120

LENGTH: 1.75"




Nickel Plated Unit

LF454161  
LF454162



SEAT USED: LF648170

FOR SEARS  
LENGTH: 1.75"




GASKET: 895150

LF454171  
LF454172




SEAT USED: LF648700

FOR SEARS  
LENGTH: 1.75"




LF454221  
LF454222



SEAT USED: LF648700

FOR SEARS  
LENGTH: 1.75"




LF454231  
LF454232



SEAT USED: LF648700


FOR STREAMWAY  
LENGTH: 1.75"



GASKET: 891150 O-RING INCLUDED


LF454302

FOR UNION BRASS  
LENGTH: 1.75"




GASKET: 895100

LF455011  
LF455012



SEAT USED: LF648480

FOR SEARS  
FOR MILWAUKEE  
LENGTH: 1.75"




GASKET: 894670

LF455021  
LF455022




SEAT USED: LF648700

FOR STERLING FAUCET  
LENGTH: 1.75"




GASKET: 895160

LF455031  
LF455032



SEAT USED: LF648170

FOR SEARS  
LENGTH: 1.75"



3-10


Nickel Plated Unit

LF455041  
LF455042



SEAT USED: LF648700


FOR STERLING FAUCET  
LENGTH: 1.75"



1-5


GASKET: 895160

LF455051  
LF455052



SEAT USED: LF648170


FOR STERLING FAUCET  
LENGTH: 1.75"



1-5


Chrome Plated Unit

LF455071  
LF455072




SEAT USED: LF648170

FOR AM STD  
LENGTH: 1.75"




16

LF455081  
LF455082  
LF255081 Stem Only  
LF255082 Stem Only



SEAT USED: LF648350


FOR MICHIGAN BRASS  
LENGTH: 1.75"



16


GASKET: 895140

LF455091  
LF455092



SEAT USED: LF648210


FOR DONNER  
LENGTH: 1.75"



GASKET: 890180 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF455301  
LF455302


FOR DONNER  
LENGTH: 1.75"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF455311  
LF455312


UNKNOWN  
LENGTH: 1.75"



GASKET: 890170 O-RING INCLUDED

LF455422

FOR PRICE PFISTER  
LENGTH: 1.76"




LF255061  
LF255062



SEAT USED: LF648270


FOR GERBER  
LENGTH: 1.76"



GASKET: 895140 INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG


LF455951  
LF455952

FOR AM STD  
LENGTH: 1.77"



400171


FOR PRICE PFISTER  
LENGTH: 1.77"



GASKET: 895400

400741  
200741 Stem Only


FOR BARDES  
LENGTH: 1.77"



3-10

LF254001  
LF254002


FOR STERLING FAUCET  
LENGTH: 1.77"



1-5


GASKET: 895160

LF452951  
LF452952



SEAT USED: LF648170

FOR BRADLEY  
LENGTH: 1.78"




3-10

Plastic Unit

453201

FOR PRICE PFISTER  
LENGTH: 1.78"




1-2  
(Less One Spline)

Nickel Plated Unit

GASKET: 895190 INCLUDED  
SEAL: 898540  
DISC SET: 112530-PKG

LF452801  
LF452802


FOR STERLING FAUCET  
LENGTH: 1.78"



1-5


GASKET: 895160

LF453081  
LF453082



SEAT USED: LF648170

UNKNOWN  
LENGTH: 1.78"




Nickel Plated Stem  
Chrome Plated Gland

GASKET: 895100

LF455141  
LF455142


UNKNOWN  
LENGTH 1.78"



GASKET: 890170 O-RING INCLUDED

LF455942


FOR DELTA  
LENGTH: 1.79"



GASKET: 895060 INCLUDED

400151

FOR SEARS  
LENGTH: 1.79"




LF255101  
LF255102




SEAT USED: LF648700

FOR MICHIGAN BRASS  
LENGTH: 1.79"




LF454151  
LF454152

FOR MOEN  
LENGTH: 1.79"




GASKET: 890180 O-RING INCLUDED

LF455362




GASKET: 890170 O-RING INCLUDED

**LF455962**




SEAT USED: LF647430



GASKET: 891140 O-RING INCLUDED


**400421**




GASKET: 891140 O-RING INCLUDED

**400921**

**200921** Stem Only




**LF255111**  
**LF255112**




GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

**LF456221**  
**LF456222**




**LF456971**  
**LF256971** Stem Only






GASKET: 895100


LF457071  
LF457072



SEAT USED: LF648270




LF457141  
LF457142



LF260131  
LF260132




SEAT USED: LF648350



LF455121  
LF455122  
LF255121 Stem Only  
LF255122 Stem Only




SEAT USED: LF648480



SEAL: 898500  
DISC SET: 112530-PKG


LF455981  
LF455982



GASKET: 890170 O-RING INCLUDED


SEAL: 898500  
DISC SET: 112530-PKG

LF456031  
LF456032




GASKET: 895100

LF456041



SEAT USED: LF648270

FOR GRAND HAVEN  
LENGTH: 1.81"



1-2


GASKET: 895100

LF456071  
LF456072



SEAT USED: LF649270

FOR CRANE  
LENGTH: 1.81"  
STEM LENGTH: 1.00"



STEM LENGTH: 0.87"




Shorter version stem available

LF103990

GASKET: 895250

LF458700  
LF258700 Stem Only

FOR LARDEN  
LENGTH: 1.82"




3-7

All Plastic Part

454351

FOR BARNES  
LENGTH: 1.82"



1-6


Nickel Plated Unit

LF456051  
LF456052




SEAT USED: LF648350

FOR SEARS  
LENGTH: 1.83"




400361

IMPORT  
LENGTH: 1.83"




Plastic Gland

456211  
456212




FOR GERBER  
LENGTH: 1.83"




GASKET: 895150

LF454131  
LF454132



SEAT USED: LF649150


FOR KINGSBURY  
LENGTH: 1.83"



GASKET: 890170 O-RING INCLUDED


LF455972

FOR DICK BROS.  
LENGTH: 1.84"



LF257001

FOR AM STD  
LENGTH: 1.84"




Chrome Plated Unit

LF456021  
LF456022


LF256021 Stem Only

LF256022 Stem Only



SEAT USED: LF648220

FOR ARROWHEAD  
LENGTH: 1.84"



Nickel Plated Gland


GASKET: 895100

LF457031  
LF457032



SEAT USED: LF648230

FOR DICK BROS.  
LENGTH: 1.85"




Chrome Plated Stem


LF257061  
LF257062




SEAT USED: LF649760




LF454051  
LF454052




GASKET: 895150  
LF456061  
LF456062  
LF256061 Stem Only  
LF256062 Stem Only



SEAT USED: LF648930




LF456141




GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF456481  
LF456482



GASKET: 890180 O-RING INCLUDED


LF460802



GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF456251  
LF456252


UNKNOWN  
LENGTH: 1.86"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF456271  
LF456272


UNKNOWN  
LENGTH: 1.86"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF456281  
LF456282


UNKNOWN  
LENGTH: 1.86"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF456291  
LF456292

FOR SAYCO  
LENGTH: 1.87"




GASKET: 895100

LF456081  
LF456082



SEAT USED: LF647450


FOR T & S  
LENGTH: 1.87"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF456261  
LF456262


FOR AM STD  
LENGTH: 1.87"



GASKET: 890180 O-RING INCLUDED

LF456302

FOR AM STD  
LENGTH: 1.87"




18  
3-30

GASKET: 890180 O-RING INCLUDED

LF456312

FOR GLACIER BAY  
LENGTH: 1.87"




All Brass Unit

GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF456341  
LF456342

FOR MOUNTAIN  
LENGTH: 1.87"




24  
3-19

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF456371  
LF456372

UNKNOWN  
LENGTH: 1.87"




20  
3-20

GASKET: 890170 O-RING INCLUDED


LF456462

FOR AM KITCHEN  
LENGTH: 1.87"




16  
1-5

LF457091  
LF457092



SEAT USED: LF648170


FOR MOUNTAIN  
LENGTH: 1.87"



16  
1-6


GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF456381  
LF456382




GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF456411  
LF456412




GASKET: 890170 O-RING INCLUDED


430010  
230010 Stem Only




LF256101  
LF256102




SEAT USED: LF648350



LF256111  
LF256112




SEAT USED: LF648550



LF256121  
LF256122




SEAT USED: LF649040



LF256251


UNKNOWN  
LENGTH: 1.88"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF455381  
LF455382

FOR BELVEDERE  
LENGTH: 1.88"




GASKET: 895150

LF456131  
LF456132



SEAT USED: LF648500


FOR GLACIER BAY  
LENGTH: 1.88"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R  
DISC SET: 115520-PKG

LF456201  
LF456202


FOR GLACIER BAY  
LENGTH: 1.88"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R  
DISC SET: 115520-PKG

LF456231  
LF456232


FOR P.E. GUERIN  
LENGTH: 1.88"



GASKET: 895100

LF456321  
LF456322

FOR BURLINGTON  
LENGTH: 1.88"




LF457011  
LF457012




SEAT USED: LF648700







LF257111  
LF257112




LF456821  
LF456822





GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG


LF456881  
LF456882



LF457021  
LF457022




LF457161  
LF457162  
LF257161 Stem Only  
LF257162 Stem Only



258211


FOR INDIANA  
LENGTH: 1.91"



GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG


400811  
400812

FOR PRICE PFISTER  
LENGTH: 1.91"




Chrome Plated Stem

LF257051  
LF257052



SEAT USED: LF648270

FOR GLACIER BAY  
LENGTH: 1.91"




Plastic Gland

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF456351  
LF456352

FOR DORNBRACHT  
LENGTH: 1.91"




GASKET: 890170 O-RING INCLUDED

LF456362



SEAT USED: LF647110

FOR AM STD  
LENGTH: 1.91"



3-14

LF457101

LF457102


LF257101 Stem Only

LF257102 Stem Only



SEAT USED: LF648220

FOR PRICE PFISTER  
LENGTH: 1.91"




Nickel Plated Unit

GASKET: 895190

LF457201

LF457202

FOR PRICE PFISTER  
LENGTH: 1.91"




12  
1-2

Nickel Plated Stem

GASKET: 895190

LF457221  
LF457222

UNKNOWN  
LENGTH: 1.91"




24  
3-28

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF459131  
LF459132

FOR MILWAUKEE  
LENGTH: 1.92"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF456401  
LF456402

UNKNOWN  
LENGTH: 1.92"




24  
3-28

GASKET: 890170 O-RING INCLUDED

LF456422

FOR WOLVERINE  
LENGTH: 1.92"




15  
3-27

Chrome Plated Stem  
Nickel Plated Gland & Bonnet


GASKET: 890190 O-RING INCLUDED

LF457081  
LF457082



SEAT USED: LF649200

FOR COYNE DELANEY  
LENGTH: 1.93"




Chrome Plated Unit

GASKET INCLUDED: 895370

460302


FOR DOBO  
LENGTH: 1.93"



GASKET: 890170 O-RING INCLUDED  
SEAL: 853030  
DISC SET: 151380-PKG

**LF456391**  
**LF456392**


FOR SIMBOLO  
LENGTH: 1.92"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

**LF456911**  
**LF456912**


FOR NICOLAZZI  
LENGTH: 1.92"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

**LF456921**  
**LF456922**


FOR AQUASOURCE  
LENGTH 1.94"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

**LF457311**  
**LF457312**


FOR OMNI  
LENGTH: 1.95"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898540  
DISC SET: 112530-PKG


**LF458821**  
**LF458822**

FOR CHATSWORTH  
LENGTH: 1.94"



GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R  
DISC SET: 109850-PKG

**400971**  
**400972**




GASKET: 890170 O-RING INCLUDED

**LF457282**




SEAT USED: LF647580



**LF458041**  
**LF458042**  
**LF258041** Stem Only  
**LF258042** Stem Only




SEAT USED: LF647230




GASKET: 890180 O-RING INCLUDED

**LF458171**  
**LF458172**




GASKET: 890210 O-RING INCLUDED

**LF458241**  
**LF458242**  
**LF258041** Stem Only  
**LF258042** Stem Only




GASKET: 895100

**LF458301**




GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

**LF458431**  
**LF458432**




GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

**LF458801**  
**LF458802**




GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

**LF458811**  
**LF458812**




GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

**LF458871**  
**LF458872**




**400591**  
**200591** Stem Only



GASKET: 891180 O-RING INCLUDED


**401072**



**LF258021**  
**LF258022**




FOR SISCO  
LENGTH: 1.95"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF456901  
LF456902


FOR BRIGGS  
LENGTH: 1.95"



LF457131  
LF457132  
LF257131 Stem Only  
LF257132 Stem Only



FOR ELJER  
LENGTH 1.95"




GASKET: 895160 INCLUDED

LF457242




FOR MILWAUKEE  
LENGTH: 1.95"




GASKET: 199930

LF457301




FOR GLACIER BAY  
LENGTH: 1.95"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF457611  
LF457612

FOR PRICE PFISTER  
LENGTH: 1.95"




GASKET: 895060

LF458051



Comes with handle screw:  
# 899230

FOR ELJER  
LENGTH: 1.95"




GASKET: 895120

LF458101  
LF458102  
LF258101 Stem Only  
LF258102 Stem Only



SEAT USED: LF648160


FOR KALLISTA  
LENGTH: 1.95"



GASKET: 891150 O-RING INCLUDED


LF458502

FOR AM STD  
LENGTH: 1.96"



257351

FOR GERBER  
LENGTH: 1.96"




LF259021  
LF259022




SEAT USED: LF649150

FOR SAYCO  
LENGTH: 1.96"




GASKET: 895100

LF458061  
LF458062  
LF258061 Stem Only  
LF258062 Stem Only



SEAT USED: LF647450

FOR AM STD  
LENGTH: 1.96"




GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF458901  
LF458902

All Brass Unit - No Plastic




FOR SAYCO  
LENGTH: 1.96"




GASKET: 895100

- LF459081
- LF459082
- LF258061 Stem Only
- LF258062 Stem Only



SEAT USED: LF647450


FOR STREAMWAY  
LENGTH: 1.97"




GASKET: 891150 O-RING INCLUDED

- 454041
- 454042

FOR DICK BROS.  
LENGTH: 1.97"




- LF257271
- LF257272



SEAT USED: LF649760


FOR RAPETTI  
FOR ELJER  
LENGTH 1.97"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 124290-PKG

- LF457361
- LF457362


FOR BROADWAY  
LENGTH 1.97"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

- LF457601
- LF457602


FOR ARTISTIC BRASS  
LENGTH 1.97"



GASKET: 895100 INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG


- LF458151
- LF458152

FOR ARTISTIC BRASS  
LENGTH: 1.97"




SEAL: 898500  
DISC SET: 112530-PKG  
**LF458161**  
**LF458162**

FOR URREA  
LENGTH: 1.97"




GASKET: 895180  
**LF458401**

FOR KOHLER  
LENGTH: 1.98"



GASKET: 891140 O-RING INCLUDED  
**400911**  
**200911** Stem Only


FOR CRANE  
LENGTH: 1.97"



Also available with chrome plated bonnet  
**461541-CP**


**461541**  
**261541** Stem Only

FOR DICK BROS.  
LENGTH: 1.98"



**LF256711**


FOR PRICE PFISTER  
LENGTH: 1.98"




GASKET: 891100 O-RING INCLUDED  
**LF456331**  
**LF456332**

Chrome Bonnet  
available separately

757500



FOR SIGN OF THE CRAB  
LENGTH: 1.98"



16  
3-16

Chrome Plated Stem


Also available with polished brass stem

LF457501-PB / LF457502-PB

GASKET: 890160 O-RING INCLUDED

LF457501  
LF457502

FOR ELJER  
LENGTH: 1.98"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF457701  
LF457702

FOR SIGN OF THE CRAB  
LENGTH: 1.99"




16  
3-16

GASKET: 890180 O-RING INCLUDED

LF457721  
LF457722


FOR SEARS  
FOR RICHARD RHEEM  
LENGTH: 1.99"



12  
3-10

LF458131  
LF458132

FOR BRIGGS  
LENGTH: 2.00"




18  
3-3

Chrome Plated Stem

LF255181  
LF255182


FOR PEGASUS  
FOR SIGN OF THE CRAB  
LENGTH: 2.00"




16  
3-16

GASKET: 890160 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG


LF457901  
LF457902




SEAT USED: LF648700 or LF647620



LF256701  
LF256702




LF260071  
LF260072




GASKET: 895100

LF453501  
LF453502




LF457121  
LF457122  
LF257121 Stem Only  
LF257122 Stem Only



GASKET: 890170 O-RING INCLUDED


LF457262



GASKET: 895100

LF458072


FOR STERLING FAUCET  
LENGTH: 2.00"



LF458091  
LF458092  
LF258091 Stem Only  
LF458092 Stem Only




FOR T & S  
LENGTH: 2.00"



LF458201  
LF458202  
LF258201 Stem Only  
LF258202 Stem Only




FOR MUELLER  
LENGTH: 2.00"



LF459011  
LF459012  
LF259011 Stem Only  
LF259012 Stem Only


FOR KOHLER  
LENGTH: 2.00"



LF459041  
LF459042  
LF259041 Stem Only  
LF259042 Stem Only




FOR MUELLER  
LENGTH: 2.00"



LF459061  
LF459062  
LF259061 Stem Only  
LF259062 Stem Only


FOR FOREMOST  
LENGTH: 2.00"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF459271  
LF459272


UNKNOWN  
LENGTH: 2.00"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG


**LF459431**  
**LF459432**

FOR CENTRAL  
LENGTH: 2.01"




Chrome Plated Stem

**LF258081**  
**LF258082**




SEAT USED: LF648550

FOR INDIANA  
LENGTH: 2.01"




Chrome Plated Stem

**LF259031**  
**LF259032**



SEAT USED: LF648560


FOR GLACIER BAY  
LENGTH: 2.00"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

**LF458341**  
**LF458342**


FOR SEARS  
LENGTH: 2.02"



GASKET: 890170 O-RING INCLUDED

**LF458281**  
**LF458282**


FOR PORCHER  
LENGTH: 2.02"



Chrome Plated Gland

**LF458602**


FOR PAINI  
LENGTH 2.02"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF458891  
LF458892


FOR BALOCCHI  
LENGTH 2.02"




GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF459341  
LF459342

FOR STERLING FAUCET  
LENGTH: 2.03"




LF259071  
LF259072




SEAT USED: LF648170

FOR FRANKE



Not Available  
USE LF458941/LF458942


FOR FRANKE  
LENGTH: 2.03"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF458941  
LF458942


FOR SEARS  
LENGTH 2.03"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF459171  
LF459172

FOR SEARS  
LENGTH 2.03"




18  
3-30

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF459181  
LF459182

UNKNOWN  
LENGTH 2.03"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF459281  
LF459282

UNKNOWN  
LENGTH: 2.03"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF459381  
LF459382

FOR SEPCO  
LENGTH: 2.04"




15  
3-27

SEAL: 898500  
DISC SET: 112530-PKG

LF458841  
LF458842

UNKNOWN  
LENGTH 2.04"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF459161  
LF459162

IMPORT  
LENGTH 2.04"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 124290-PKG  
FITS ALL BODIES  
WHERE 459201/459202  
ARE USED  
1/2 Turn Ceramic

LF459211  
LF459212

FOR SEARS  
LENGTH 2.04"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF459201  
LF459202

Also available with  
nickel plated gland  
LF459201-NP / LF459202-NP

FOR CONCINITY  
LENGTH 2.04"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-W  
DISC SET: 151380-PKG

LF459231  
LF459232

Chrome Plated Unit

FOR SIGN OF THE CRAB  
LENGTH: 2.04"



16  
3-16


GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF459371  
LF459372

Chrome Plated Stem



FOR SPRINGHOUSE  
LENGTH: 2.04"




16  
3-16

GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF459771  
LF459772

FOR ARSELUX  
LENGTH: 2.04"




19  
1-7

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG


LF461501  
LF461502

FOR MILWAUKEE  
LENGTH: 2.05"




16  
3-15

LF259051  
LF259052



SEAT USED: LF649040


FOR METCRAFT  
LENGTH: 2.05"



GASKET: 890170 O-RING INCLUDED

LF400751

FOR SAYCO  
LENGTH: 2.05"




16  
2-3

GASKET: 890160 O-RING INCLUDED  
SEAT INCLUDED: 652360

LF452361  
LF452362

FOR MILWAUKEE  
LENGTH: 2.05"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF458191  
LF458192

FOR BELMONT  
LENGTH: 2.05"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF459261  
LF459262

FOR KOHLER  
LENGTH: 2.05"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG


LF459331  
LF459332

Nickel Plated Gland

Also available with

19pt Kohler Adapter Broach #121230  
LF460331 / LF460332

FOR OTTONE & MELODA  
LENGTH: 2.05"




GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF459691  
LF459692

Thread:  
21/32-19

Chrome Plated Stem


FOR DORNBRACHT  
LENGTH: 2.05"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF459751  
LF459752

FOR PRICE PFISTER  
LENGTH: 2.06"




12  
1-2

Chrome Plated Stem

LF260081  
LF260082

UNKNOWN  
LENGTH: 2.06"




GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF457291  
LF457292

16  
2-3


FOR HELVIX  
LENGTH: 2.06"



19  
1-7

LF458992

FOR KRONIN BY VIOLA  
LENGTH: 2.06"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF459291  
LF459292


FOR EMCO  
LENGTH: 2.07"



16  
3-15

LF184561  
LF184631 Stem Only

FOR BARNES  
LENGTH: 2.07"



16  
1-6


Chrome Plated Stem

LF263101  
LF263102



SEAT USED: LF648350

UNKNOWN  
LENGTH 2.07"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF458861  
LF458862

FOR DELTA  
LENGTH: 2.07"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF459191  
LF459192


FOR MANGORI  
LENGTH: 2.07"



20  
11/32  
3-34


SEAL: 898500  
DISC SET: 112530-PKG  
LF459471  
LF459472

FOR BRIGGS  
LENGTH: 2.08"




GASKET: 895370

401461  
201461 Stem Only



SEAT USED: 647650

FOR NICOLAZZI  
LENGTH: 2.08"




24  
3-28

GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401011  
401012


FOR AM BRASS  
LENGTH: 2.08"



Chrome Plated Stem

LF260501

FOR AM BRASS  
LENGTH: 2.08"



17  
3-7


GASKET: 895100

LF458141  
LF458142



SEAT USED: LF648410

FOR WELLINGTON  
LENGTH: 2.08"



30  
3-35


GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF459351  
LF459352

Nickel Plated Unit

Comes with handle screw:  
# 899230


FOR KALLISTA  
LENGTH: 2.08"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF459401  
LF459402


FOR ZURN  
LENGTH: 2.08"



SEAL: 898590  
DISC SET: 151380-PKG

LF459441  
LF459442


FOR AVILION  
FOR FRANKE  
LENGTH: 2.08"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF459491  
LF459492


FOR CRANE  
CERAMIC CONVERSION FOR DIAL-EZE  
LENGTH: 2.08"



GASKET: 895250 INCLUDED  
DISC SET: 151380-PKG

LF459521  
LF459522


FOR ROHL  
FOR FRANKE  
LENGTH: 2.08"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF459541  
LF459542


UNKNOWN  
LENGTH: 2.08"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF459591  
LF459592


FOR PAUL  
FOR PHYLRICH  
LENGTH: 2.08"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF461901  
LF461902


FOR SANTEC  
LENGTH: 2.08"




GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF461911  
LF461912

FOR BORG-WARNER  
LENGTH: 2.09"



LF459091  
LF459092




SEAT USED: LF649050

Comes with handle screw:  
# 899230

CERAMIC 1/4 TURN


FOR KALLISTA  
LENGTH: 2.09"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF459391  
LF459392


FOR CHICAGO  
LENGTH: 2.09"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898590  
DISC SET: 151380-PKG

LF459411  
LF459412


UNKNOWN  
LENGTH: 2.09"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG


LF459531  
LF459532

FOR PRICE PFISTER  
LENGTH: 2.10"




LF259251

FOR ELK  
LENGTH: 2.10"




LF261101  
LF261102

FOR METCRAFT  
LENGTH: 2.10"



LF400441


FOR METCRAFT  
LENGTH: 2.10"



GASKET: 895100 INCLUDED

LF400461


FOR SISCO  
LENGTH: 2.10"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF459221  
LF459222


FOR JADO  
LENGTH 2.10"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF459301  
LF459302

FOR SANTEC  
LENGTH: 2.10"




Nickel Plated Unit

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF459311  
LF459312


FOR BROADWAY  
LENGTH: 2.10"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF459321  
LF459322


FOR SEARS  
LENGTH: 2.10"




GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF459581  
LF459582

FOR AM STD  
LENGTH: 2.11"




IMPORT  
LENGTH: 2.11"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF459421  
LF459422


UNKNOWN  
LENGTH: 2.11"



SEAL: 898510  
DISC SET: 151380-PKG

LF459641  
LF459642

UNKNOWN  
LENGTH: 2.11"



SEAL: 898510  
DISC SET: 151380-PKG


LF459671  
LF459672



SEAT USED: LF648350



FOR ARMONIA  
LENGTH: 2.11"




20  
3-14

19 TPI Gland Fine Thread

GASKET: 890180 O-RING INCLUDED

LF460172

FOR ARMONIA  
LENGTH: 2.11"




20  
3-14

14 TPI Gland Coarse Thread

GASKET: 890180 O-RING INCLUDED

LF460182

FOR REID WATSON  
LENGTH: 2.12"




16  
1-5

GASKET: 890210 O-RING INCLUDED  
SEAL: 898530  
DISC SET: 109850-PKG

401151  
401152

FOR KOHLER  
LENGTH: 2.12"



19  
1-7

Chrome Plated Stem  
Plastic Plunger


Also available with  
Brass Plunger

SEAT: LF649460 INCLUDED

LF459101  
LF459102  
LF259101 Stem Only  
LF259102 Stem Only

LF459101-B / LF459102-B

FOR KOHLER  
LENGTH: 2.12"




19  
1-7

Chrome Plated Stem & Bonnet  
Plastic Plunger

GASKET: 890210 O-RING INCLUDED  
SEAT: LF649460 INCLUDED

LF459141  
LF459142  
LF259101 Stem Only  
LF259102 Stem Only

FOR GROHE  
LENGTH: 2.12"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF459501  
LF459502

FOR KOHLER  
 CERAMIC CONVERSION FOR LF459101/2  
 LENGTH: 2.12"




Chrome Plated Stem

DISC SET: 151380-PKG


LF459601  
 LF459602

FOR ELJER  
 LENGTH: 2.12"




Nickel Plated Stem

LF460091  
 LF460092  
 LF260091 Stem Only  
 LF260092 Stem Only



SEAT USED: LF648160

FOR ELJER  
 LENGTH: 2.12"



Nickel Plated Stem


GASKET: 895120

LF460111  
 LF460112  
 LF260091 Stem Only  
 LF260092 Stem Only



SEAT USED: LF648160

FOR AM STD  
 LENGTH: 2.12"



Chrome Plated Stem


GASKET: 891130

LF460121



SEAT USED: LF648990

FOR ELJER  
 LENGTH: 2.12"




Nickel Plated Stem  
 Chrome Plated Bonnet

LF460191  
 LF460192  
 LF260091 Stem Only  
 LF260092 Stem Only



SEAT USED: LF648160


UNKNOWN  
 LENGTH: 2.12"



3-23


GASKET: 890170 O-RING INCLUDED  
 SEAL: 898570-R/B  
 DISC SET: 151380-PKG

LF460371  
 LF460372



FOR MIXET  
LENGTH: 2.13"

400731



FOR AM STD  
LENGTH: 2.13"


20  
3-14

3/8" SHANK

Chrome Plated Stem

LF260031  
LF260032

USES BARREL:  
LF647021/LF647022




FOR REID WATSON  
LENGTH: 2.13"

16  
1-5

GASKET: 890180 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF459451  
LF459452




FOR GROHE  
LENGTH: 2.13"

20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF459701  
LF459702





FOR AM STD  
LENGTH: 2.13"

22  
1-4

Chrome Plated Unit

LF460021  
LF460022  
LF260021 Stem Only  
LF260022 Stem Only

SEAT USED: LF648360




FOR CRANE  
LENGTH: 2.13"

12  
1-1


Chrome Plated Stem  
Nickel Plated Bonnet

LF460041  
LF460042




SEAT USED: LF648960 or LF649820

FOR CENTRAL  
LENGTH: 2.13"




Chrome Plated Unit

LF460061  
LF460062  
LF260061 Stem Only  
LF260062 Stem Only




SEAT USED: LF648550

FOR STERLING FAUCET  
LENGTH: 2.13"




LF460101  
LF460102



SEAT USED: LF648170

FOR KOHLER  
LENGTH: 2.13"




Chrome Plated Unit

LF460161  
LF460162  
LF260161 Stem Only  
LF260162 Stem Only



SEAT USED: LF648730


FOR ACORN  
LENGTH: 2.14"



Chrome Plated Unit

461922

FOR AM BRASS  
LENGTH: 2.14"



3-7


Chrome Plated Stem

LF260011  
LF260012



SEAT USED: LF648410

FOR AM BRASS  
LENGTH: 2.14"



3-7


Chrome Plated Stem

LF260211  
LF260212



SEAT USED: LF648410


FOR ELJER  
LENGTH: 2.14"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF459571  
LF459572

FOR KINGSTON BRASS  
LENGTH: 2.14"




GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG


LF459711  
LF459712

Comes with handle screw:  
# 899230

FOR KALLISTA  
LENGTH: 2.14"




LF459801  
LF459802



SEAT USED: LF648850-M


FOR MUELLER  
LENGTH: 2.15"



Chrome Plated Stem

201141


UNKNOWN  
LENGTH: 2.15"



Dorf Style Gland

LF458981

FOR SAYCO  
LENGTH: 2.15"



Chrome Plated Gland


GASKET: 890170 O-RING INCLUDED

LF459111  
LF459112



SEAT USED: LF647450

FOR OTTONE & MELODA  
LENGTH: 2.15"




20  
3-20

M16 x 1.5  
Nipple

GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF460841  
LF460842

FOR DORNBRACHT  
LENGTH: 2.16"




20  
3-20

401082



SEAT USED: LF647120

FOR DELTA  
LENGTH: 2.16"




20  
3-20

SEAL: 898520  
DISC SET: 109850-PKG


401101  
401102

FOR GERBER  
LENGTH: 2.20"




16  
2-3

LF261111  
LF261112



SEAT USED: LF649150


FOR ACORN  
LENGTH: 2.16"



GASKET: 890160 O-RING INCLUDED

LF400571  
LF200571 Stem Only

UNKNOWN  
LENGTH: 2.16"




32  
3-23

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF459361  
LF459362

FOR SAVOY  
LENGTH: 2.16"



15  
1-13


Chrome Plated Gland

Also available with monel seat LF648850-M  
LF459631-M / LF459632-M

GASKET: 895150  
SEAT INCLUDED: LF648850

LF459631  
LF459632

FOR PRINCIPE  
LENGTH: 2.16"




20  
11/32  
3-34

GASKET: 895100

LF459812


FOR BRIGGS  
LENGTH: 2.16"



18  
3-3


GASKET: 895100

LF461011  
LF461012




SEAT USED: LF648120

FOR AM STD  
LENGTH: 2.16"



18  
3-30

All Brass Unit




Available with Handle  
Bushing and Screw  
LF461721

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF461701  
LF461702

FOR SEPCO  
LENGTH: 2.16"




15  
3-27

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF462451  
LF462452


FOR SAYCO  
LENGTH 2.17"




16  
2-3

GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401051  
401052




LF261161  
LF261162




GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG


LF459661  
LF459662



LF460291  
LF460292




SEAT USED: LF646940 or LF647420




GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF460611  
LF460612




GASKET: 890170 O-RING INCLUDED

LF463332




SEAT USED: LF647210



GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

401121  
401122






FOR KOHLER  
LENGTH: 2.18"

20  
3-20

GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

401271  
401272




FOR SEARS  
LENGTH: 2.18"

12  
3-10

All Plastic Unit

459461 Red  
459462 Blue




FOR STERLING FAUCET  
LENGTH: 2.18"

16  
1-5

Nickel Plated Gland

GASKET: 890180 O-RING INCLUDED

LF458181  
LF458182




UNKNOWN  
LENGTH: 2.18"

20  
3-20


GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF459561  
LF459562

Also available with cap nut  
LF461171-N / LF461172-N



Replaces Midcor  
Cartridge




FOR DICK BROS.  
LENGTH: 2.18"

12  
1-2

Chrome Plated Unit

LF459901  
LF259901 Stem Only




FOR ORION  
LENGTH: 2.18"

12  
1-2

GASKET: 895100

LF460601



FOR SEARS  
LENGTH: 2.19"


12  
3-10

Nickel Plated Stem

DISC SET: 151380-PKG

LF461171  
LF461172

FOR WATER SAVER  
LENGTH: 2.18"




Chrome Plated Stem  
Stainless Steel Seat

SEAT INCLUDED: LF648600

LF461301  
LF461302

FOR WATER SAVER  
LENGTH: 2.18"




Chrome Plated Stem  
Stainless Steel Seat

SEAT INCLUDED: LF648600

LF461311  
LF461312

FOR WATER SAVER  
LENGTH: 2.18"




Nickel Plated Stem

DISC SET: 151380-PKG

LF461321  
LF461321

FOR BRIGGS  
LENGTH: 2.19"




Chrome Plated Stem

201221



SEAT USED: LF649790

FOR DICK BROS.  
LENGTH: 2.19"




Chrome Plated Stem

LF258111  
LF258112




SEAT USED: LF649760

FOR DICK BROS.  
LENGTH: 2.19"




Chrome Plated Stem

LF261061  
LF261062




SEAT USED: LF649760

FOR AM BRASS  
LENGTH: 2.19"




Chrome Plated Unit

LF460241  
LF460242  
LF260241 Stem Only  
LF260242 Stem Only




SEAT USED: LF648410

FOR SEARS  
LENGTH: 2.19"




DISC SET: 151380-PKG

LF461071  
LF461072



SEATS USED: LF648000, LF648570, LF648680 & LF649620

FOR SYSTEM  
LENGTH: 2.19"




GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF460711  
LF460712


Also available with cap nut

LF461171-N / LF461172-N



Replaces Midcor  
Cartridge

FOR SEARS  
LENGTH: 2.19"




Nickel Plated Stem

DISC SET: 151380-PKG


LF461171  
LF461172

LENGTH: 2.20"




Chrome Plated Stem

401131  
201131 Stem Only



SEAT USED: 648190

FOR DORNBRACHT  
LENGTH: 2.20"



GASKET: 890170 O-RING INCLUDED


LF459512



SEAT USED: LF647110

Double Lead

FOR PRICE PFISTER  
LENGTH: 2.20"



GASKET: 895060


LF461031  
LF461032



SEAT USED: LF648270


Single Lead

FOR PRICE PFISTER  
LENGTH: 2.20"




GASKET: 895060

LF461231



SEAT USED: LF648270

FOR CRANE  
LENGTH: 2.20"




Chrome Plated Unit

LF461041

LF461042


LF261041 Stem Only

LF261042 Stem Only



SEAT USED: LF649430 or LF649770


FOR ROHL  
LENGTH: 2.21"



GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401031  
401032


FOR HAWS  
LENGTH: 2.21"



Chrome Plated Stem

LF262161


FOR JADO  
LENGTH 2.22"



GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG


401161  
401162

FOR SEARS  
LENGTH: 2.22"



459621 Red  
459622 Blue

FOR SEARS  
LENGTH: 2.22"




LF463021  
LF263021 Stem Only




SEAT USED: LF648700

FOR SEARS  
LENGTH: 2.22"




LF463031  
LF463032  
LF263031 Stem Only  
LF263032 Stem Only



SEAT USED: LF648700

FOR DORNBRACHT  
LENGTH: 2.52"




GASKET: 890170 O-RING INCLUDED

LF463872



SEAT USED: LF647110


FOR SIGN OF THE CRAB  
LENGTH: 2.23"



GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

400981  
400982


Comes with handle screw: # 899230



GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG


401091  
401092

FOR STERLING FAUCET  
LENGTH: 2.23"




Chrome Plated Stem

LF261051  
LF261052



SEAT USED: LF648170


FOR KALLISTA  
LENGTH: 2.23"



GASKET: 890170 O-RING INCLUDED

LF460652


FOR KALLISTA  
LENGTH: 2.23"



GASKET: 890170 O-RING INCLUDED

LF460672

FOR BRASSCRAFT  
LENGTH: 2.23"




All Brass Unit

SEAL: 898510  
DISC SET: 124290-PKG

LF460721

FOR T & S  
LENGTH: 2.23"




Chrome Plated Unit

GASKET: 895260 INCLUDED

LF462400


UNKNOWN  
LENGTH: 2.24"



GASKET: 895400

191041


FOR LAWLER  
LENGTH: 2.24"



Chrome Plated Stem

201021

FOR STERLING FAUCET  
LENGTH: 2.24"



1-5


GASKET: 895160

401111  
401112



SEAT USED: LF648170

FOR SPEAKMAN  
LENGTH: 2.24"



2-4


Chrome Plated Stem

LF263041  
LF263042



SEAT USED: LF648930

UNKNOWN  
LENGTH: 2.24"




3-20

Chrome Plated Unit

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF460341  
LF460342

FOR NEWPORT  
LENGTH: 2.24"




3-20

Chrome Plated Stem

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF460361  
LF460362


FOR ARMONIA  
LENGTH: 2.24"



3-14

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG


LF461861  
LF461862



UNKNOWN  
LENGTH: 2.25"

GASKET: 890170 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401441  
401442




FOR ACORN  
LENGTH: 2.25"

GASKET: 895570

483121


Chrome Plated Bonnet



FOR PUBCO  
LENGTH: 2.25"

Chrome Plated Stem

LF262041  
LF262042




UNKNOWN  
LENGTH: 2.25"

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF461341  
LF461342

Chrome Plated Unit




FOR ROYAL BRASS  
LENGTH: 2.25"

Chrome Plated Unit

LF461831  
LF461832  
LF261831 Stem Only  
LF261832 Stem Only




SEAT USED: LF648260



FOR ROYAL BRASS  
LENGTH: 2.25"

Chrome Plated Unit


LF461841  
LF461842  
LF261841 Stem Only  
LF261842 Stem Only



SEAT USED: LF648260

Also available with handle ABRF132601

LF462201-32601  
LF462202-32601



FOR FISHER  
LENGTH: 2.25"


Nickel Plated Stem  
Chrome Plated Bonnet

GASKET: INCLUDED

LF462201  
LF462202  
LF262201 Stem Only  
LF262202 Stem Only



UNKNOWN  
LENGTH: 2.25"




16  
3-16

Chrome Plated Unit

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF462311  
LF462312


FOR WOLVERINE  
LENGTH: 2.25"



15  
3-27


Chrome Plated Stem  
Nickel Plated Bonnet

LF463081  
LF463082  
LF263081 Stem Only  
LF263082 Stem Only



SEAT USED: LF649200

FOR AM STD  
LENGTH: 2.25"



16

Chrome Plated Stem

LF461091  
LF461092  
LF261091 Stem Only  
LF261092 Stem Only




SEAT USED: LF648350

Also available with handle ABRFI32601

LF462211-32601  
LF462212-32601

FOR FISHER  
LENGTH: 2.25"



12  
3-31


Nickel Plated Stem  
Chrome Plated Bonnet

LF462211  
LF462212  
LF262211 Stem Only  
LF262212 Stem Only

Also available with handle ABRFI32601

LF462031-32601  
LF462032-32601

FOR FISHER  
LENGTH: 2.26"




12  
1-2


Nickel Plated Stem  
Chrome Plated Bonnet

LF462031  
LF462032  
LF262031 Stem Only  
LF262032 Stem Only


FOR MIXET  
LENGTH 2.27"




400901




SEAT USED: LF649380



LF138921  
LF136401 Stem Only




LF261151  
LF261152




LF263061  
LF263062

Packing Nut pictured for identification purposes only




GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG


LF462541  
LF462542




201181




201201




261131



263281




462702




GASKET: 890170 O-RING INCLUDED

LF461951  
LF461952




DISC SET: 151380-PKG

LF459611  
LF459612




GASKET: 895400


462561




LF263231  
LF263232




LF263241



LF264231  
LF264232




SEAT USED: LF649040




GASKET: INCLUDED


LF462221  
LF462222  
LF262221 Stem Only  
LF262222 Stem Only




LF462231  
LF462232  
LF262231 Stem Only  
LF262232 Stem Only



LF462571  
LF462572




LF463051  
LF463052



SEAT USED: LF649450

FOR ELJER  
LENGTH: 2.29"



Nickel Plated Stem


GASKET: 895330

LF463071  
LF463072  
LF263071 Stem Only  
LF263072 Stem Only



SEAT USED: LF648160


FOR ELJER  
LENGTH: 2.29"



Nickel Plated Stem


GASKET: 895120

LF463171  
LF463172  
LF263071 Stem Only  
LF263072 Stem Only



SEATS USED: LF648160, LF648520 & LF648620

FOR ELJER  
LENGTH: 2.30"



Chrome Plated Stem


LF260201  
LF260202

FOR AM STD  
LENGTH: 2.30"




LF261120

FOR MILWAUKEE  
LENGTH: 2.29"




Chrome Plated Stem

LF263181  
LF263182



SEAT USED: LF649040


FOR CENTRAL  
LENGTH: 2.30"



SEAT INCLUDED:  
LF647850

LF462051  
LF462052


FOR CENTRAL  
LENGTH: 2.30"



SEAT INCLUDED:  
LF647850

LF462151  
LF462152


UNKNOWN  
LENGTH: 2.30"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF462431  
LF462432


FOR ALTMANS  
LENGTH: 2.30"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF462411  
LF462412


UNKNOWN  
LENGTH: 2.30"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF462641  
LF462642


FOR PEGASUS  
LENGTH: 2.30"



GASKET: 890160 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG


LF462901  
LF462902

FOR TANNER  
LENGTH: 2.31"




GASKET: 895370

468031




GASKET: 890210 O-RING INCLUDED  
 SEAL: 898510-W  
 DISC SET: 151380-PKG

401171  
 401172




LF262341  
 LF262342




GASKET: 890170 O-RING INCLUDED  
 SEAL: 898570-R/B  
 DISC SET: 151380-PKG

LF461401  
 LF461402




GASKET: 895250

LF462011  
 LF462012  
 LF262011 Stem Only  
 LF262012 Stem Only




GASKET: 895100

LF462121




GASKET: 890170 O-RING INCLUDED  
 SEAL: 898510  
 DISC SET: 151380-PKG

LF462551  
 LF462552




GASKET: 890210 O-RING INCLUDED  
SEAL: 898610  
DISC SET: 109850-PKG


401041  
401042



LF262021  
LF262022




SEAT USED: LF649240



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG


LF459721  
LF459722




LF462061




SEAT USED: LF648350



LF462131  
LF262131 Stem Only



SEAT USED: LF648960 or LF648430




GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF462501  
LF462502



FOR SPEAKMAN  
LENGTH: 2.32"




20  
3-20

Chrome Plated Unit

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF462511  
LF462512

UNKNOWN  
LENGTH: 2.33"




16  
3-15

Chrome Plated Stem

201191  
201192

FOR ADVANCED TABCO  
LENGTH: 2.34"




Chrome Plated Unit

GASKET: 890180 O-RING INCLUDED

LF464450  
LF264450 Stem Only

FOR DISHMASTER  
LENGTH: 2.34"




17

Chrome Plated Stem

LF263191  
LF263192

FOR HARCRAFT  
LENGTH: 2.34"




12  
1-2

16  
1-6

Nickel Plated Gland


GASKET: 895040 INCLUDED

LF462091



SEAT USED: LF648670

FOR KOHLER  
LENGTH: 2.34"




16  
1-6

Nickel Plated Gland


GASKET: 895060

LF462101  
LF462102



SEAT USED: LF648070

FOR KOHLER  
LENGTH: 2.34"



16  
1-6

Nickel Plated Gland


GASKET: 895060

LF462141  
LF462142




SEAT USED: LF648070

FOR DORNBRACHT  
LENGTH: 2.34"



20  
3-20




Comes with 20pt Grohe  
adapter: 103200

GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF462601  
LF462602

FOR TWYFORD BATHROOM  
LENGTH: 2.35"




16  
1-6

GASKET: 895370

401372

Supplied with  
12pt. Broach

FOR CALIFORNIA BRASS  
LENGTH: 2.33"




12  
1-2

Chrome Plated Stem

LF263141  
LF263142

UNKNOWN  
LENGTH: 2.35"




20  
3-14

GASKET: 890180 O-RING INCLUDED

LF459482

FOR CRANE  
LENGTH: 2.35"




16  
1-6

Chrome Plated Unit

LF461931  
LF261931 Stem Only

FOR BURLINGTON  
LENGTH: 2.35"



16  
1-6


Nickel Plated Gland

LF462111  
LF462112



SEAT USED: LF648700


FOR AM STD  
STEM LENGTH: 2.36"



SEAT INCLUDED: LF649870

LF152150 Stem Only  
LF124660 Repair Kit


FOR BARDES  
LENGTH: 2.36"



12  
3-10

LF264241  
LF264242

FOR PIEL  
LENGTH 2.36"




18  
3-30

GASKET: 895150 INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF462661  
LF462662

FOR DELTA (CER-TECK)  
FOR CAMBRIDGE  
LENGTH: 2.36"




16  
1-6

Chrome Plated Unit

LF462711  
LF462712


FOR PERLICK  
LENGTH: 2.36"



12  
3-10


GASKET: 890180 O-RING INCLUDED

LF463351  
LF463352



SEAT USED: LF663350

FOR SEARS  
LENGTH: 2.37"




12  
3-10

LF461081  
LF461082

Also available less seat  
LF461081-LS/ LF461082-LS


FOR SEARS  
LENGTH: 2.37"



12  
3-10

LF461181  
LF461182

FOR SPRINGHOUSE  
LENGTH: 2.37"




16  
3-16

GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R  
DISC SET: 115520-PKG

LF462681  
LF462682


FOR BRIGGS  
LENGTH: 2.37"



18  
3-3

LF463111  
LF463112

FOR ACORN  
LENGTH: 2.37"




Plastic Sleeve

LF463270

Also available less bonnet  
LF463260

FOR PIAZZA  
LENGTH: 2.37"




20  
3-14

LF463702

GASKET: 890180 O-RING INCLUDED


UNKNOWN  
LENGTH: 2.38"




19/64

Chrome Plated Stem


201331



SEAT USED: LF648120




LF115960



LF158310




SEAT USED: LF647560




19  
1-7

LF263151  
LF263152



SEAT USED: LF647230




16  
1-6

LF263311  
LF263312




SEAT USED: LF648550




17  
3-7

LF464211  
LF464212  
LF264211 Stem Only  
LF264212 Stem Only



SEAT USED: LF649240




16  
2-3

LF263121  
LF263122




SEAT USED: LF649150

FOR UNION BRASS  
LENGTH: 2.39"



LF264191  
LF264192


UNKNOWN  
LENGTH: 2.39"



GASKET: 890180 O-RING INCLUDED


LF460272

FOR SAVOY  
LENGTH: 2.39"




GASKET: 895400

LF462081  
LF462082



SEAT USED: LF649740

FOR CRANE  
LENGTH: 2.39"




LF462611  
LF462612




SEAT USED: LF649920

FOR DICK BROS.  
LENGTH: 2.39"




LF463091  
LF263091 Stem Only

FOR MUELLER  
LENGTH: 2.40"



263341


FOR SHERLE WAGNER  
LENGTH: 2.40"




GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

401381  
401382

FOR CENTRAL  
LENGTH: 2.40"




LF263211  
LF263211




SEAT USED: LF648550

FOR STERLING BRASS  
LENGTH: 2.40"




LF263511

FOR STERLING BRASS  
LENGTH: 2.40"




LF263521  
LF263522

FOR CRANE  
LENGTH: 2.40"




LF462071  
LF462072



SEAT USED: LF648340


FOR ROYAL BRASS  
LENGTH: 2.40"



LF463221  
LF463222  
LF263221 Stem Only  
LF263222 Stem Only

Comes with handle screw:  
# 899230


FOR ROYAL BRASS  
LENGTH: 2.40"



Chrome Plated Unit

LF463251  
LF463252  
LF263251 Stem Only  
LF263252 Stem Only


FOR KALLISTA  
LENGTH: 2.40"



GASKET: 895350

LF463602


FOR HELVEX  
LENGTH: 2.40"



DISC SET: 151380-PKG

LF463801  
LF463802


FOR BRIGGS  
LENGTH: 2.41"



Chrome Plated Stem

201231


UNKNOWN  
LENGTH: 2.41"



GASKET: 890210 INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

400961  
400962

UNKNOWN  
LENGTH: 2.41"




GASKET: 890210 INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

400991  
400992




FOR SHERLE WAGNER  
LENGTH: 2.41"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG


LF462521  
LF462522

FOR INDIANA  
LENGTH: 2.41"




GASKET: 890170 O-RING INCLUDED

LF464131  
LF464132




SEAT USED: LF648560

FOR AM STD  
LENGTH: 2.42"




464221  
264221 Stem Only




SEAT USED: LF648990

FOR CENTRAL  
LENGTH: 2.42"




LF463201  
LF463202

FOR CENTRAL  
LENGTH: 2.42"




LF463211  
LF463212

FOR AM STD  
LENGTH: 2.42"




GASKET: 891130

LF464011  
LF464012  
LF264011 Stem Only  
LF264012 Stem Only



SEAT USED: LF648990


FOR SHERLE WAGNER  
LENGTH: 2.43"



GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG


401581  
401582

FOR AM STD  
LENGTH: 2.43"




Chrome Plated Stem

LF463131  
LF463132




SEAT USED: LF648990

IMPORT  
LENGTH: 2.43"




LF463302

UNKNOWN  
LENGTH: 2.44"




152981

FOR HARCRAFT  
LENGTH: 2.44"



430040  
230040 Stem Only

FOR ACORN  
LENGTH: 2.44"




464552

Also available less bonnet

464542

Also available as a RH/LH Kit  
**LF463321-2**  
 Kit includes: (1) 263321, (1) 263322, (1) 604520  
 Available: Stem Only  
**LF263321 / LF263322**


FOR SEPCO  
 LENGTH: 2.44"




GASKET: 891180 O-RING INCLUDED  
 SEAL: 898520  
 DISC SET: 109850-PKG

**401251**  
**401252**

FOR BRADLEY  
 LENGTH: 2.44"




**LF173770**




SEAT USED: LF647560

FOR WOLVERINE  
 LENGTH: 2.44"




**LF463321**  
**LF463322**

FOR WOLVERINE  
 LENGTH: 2.44"



**LF463321-N**  
**LF463322-N**


UNKNOWN  
 LENGTH: 2.44"




GASKET: 890170 O-RING INCLUDED  
 SEAL: 898570-R/B  
 DISC SET: 151380-PKG

**LF463661**  
**LF463662**


FOR PRICE PFISTER  
 LENGTH: 2.45"



**401321**  
**201351** Stem Only




401351  
201351 Stem Only




GASKET: 891150 O-RING INCLUDED

431100





GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG



401291  
401292



LF263401




LF263411  
LF263412



GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF463641  
LF463642


FOR SPEAKMAN  
LENGTH: 2.45"



GASKET: 895400


LF463731  
LF263731 Stem Only

FOR BRADLEY  
LENGTH: 2.46"



LF126480

FOR AM BRASS  
LENGTH: 2.46"



LF264271  
LF264272


Also available as a RH/LH Kit

LF463361-2


Kit includes: (1) 263361, (1) 263362, (1) 604520

Available: Stem Only

LF263361 / LF263362




FOR SUPER GRIF  
LENGTH 2.46"



GASKET: 890190 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG


LF463621  
LF463622

FOR WOLVERINE  
LENGTH: 2.47"



LF463361  
LF463362


FOR SPEAKMAN  
LENGTH: 2.48"



201301




SEAT USED: 648190




20  
3-20

GASKET: 895160 INCLUDED

401342



SEAT USED: LF647690




12  
3-10

Chrome Plated Stem


201431



SEAT USED: LF648700




230650



16  
1-6

GASKET: 890170 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG


401261  
401262



18  
3-3

Chrome Plated Stem

LF264281  
LF264282




18  
3-25

Thread:  
25/32-18

GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG


LF401361  
LF401362

Individual items available  
 Stem Ext. 29/32": #128350-PB  
 & 128350-CP  
 Ext. Adapt. Screw: #103310



GASKET: 890170 O-RING INCLUDED  
 SEAL: 898580-R/B  
 DISC SET: 151380-PKG


LF462841  
 LF462842



GASKET: 890170 O-RING INCLUDED  
 SEAL: 898510-W  
 DISC SET: 151380-PKG


LF463651  
 LF463652

Also available with chrome plated stem extension  
**LF463651-CP / LF463652-CP**




DISC SET: 151380-PKG


LF463811  
 LF463812



LF463841  
 LF463842  
 LF263841 Stem Only  
 LF263842 Stem Only




LF463851  
 LF263851 Stem Only



401551  
 SEAT USED: LF648990

FOR SUPER GRIF  
LENGTH: 2.50"




20  
11/32  
3-34

Chrome Plated Gland

GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401281  
401282


FOR BRIGGS  
LENGTH: 2.50"



18  
3-3


Chrome Plated Stem

LF263161  
LF263162




SEAT USED: LF648950

FOR SEARS  
LENGTH: 2.50"




12  
3-10

LF264111  
LF264112



SEAT USED: LF648700

FOR AM BRASS  
LENGTH: 2.50"



17  
3-7


Chrome Plated Stem

LF264261




SEAT USED: LF648410

FOR AM STD  
LENGTH: 2.50"



LF264300

FOR KOHLER  
LENGTH: 2.50"



19  
1-7

Chrome Plated Stem  
Plastic Plunger

SEAT INCLUDED:  
LF649460


LF460051  
LF460052  
LF260051 Stem Only  
LF260052 Stem Only

Also available with  
Brass Plunger

LF460051-B / LF460052-B




FOR KOHLER  
LENGTH: 2.50"



GASKET: 890210 O-RING INCLUDED  
SEAT INCLUDED: LF649460

LF460251-B  
LF460252-B  
LF260051 Stem Only  
LF260052 Stem Only

FOR KOHLER  
LENGTH: 2.50"




GASKET: 890180 O-RING INCLUDED  
SEAT INCLUDED: LF649460


LF460261  
LF460262  
LF260051 Stem Only  
LF260052 Stem Only

LF460261-B / LF460262-B

FOR BRIGGS  
LENGTH: 2.50"




LF464031  
LF464032  
LF264031 Stem Only  
LF264032 Stem Only



SEAT USED: LF648250

FOR SPEAKMAN  
LENGTH: 2.51"




LF264081  
LF264082



SEAT USED: LF648760

FOR AM STD  
STEM LENGTH: 2.25"




GASKET: 861020 INCLUDED

LF461021  
LF461022  
LF261021 Stem Only  
LF261022 Stem Only

USES BARREL:  
LF647021/LF647022


FOR HARDEN  
LENGTH: 2.51"



GASKET: 890210 O-RING INCLUDED

LF463901  
LF463902

UNKNOWN  
LENGTH: 2.52"




430680  
230680 Stem Only

FOR SPEAKMAN  
LENGTH: 2.52"




LF264430

FOR HARCRAFT  
LENGTH: 2.52"




GASKET: 895040 INCLUDED

LF464021  
LF464022



SEAT USED: LF648670


UNKNOWN  
LENGTH: 2.52"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG


LF464351  
LF464352

UNKNOWN  
LENGTH: 2.53"




230890


FOR AM STD  
LENGTH: 2.53"




264851



LF264291




LF265171



GASKET: 890180 O-RING INCLUDED

LF464151  
LF464152




GASKET: 895100

LF464161  
LF464162




SEAT USED: LF648040




SEAT INCLUDED: LF649880

LF464041  
LF464042




SEAT INCLUDED: LF649880

LF464441  
LF464442




230670




GASKET: 890200 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401421  
401422




GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG



401481  
401482



LF138990




LF264091  
LF264092



LF265011  
LF265012




FOR SPEAKMAN  
LENGTH: 2.54"



Chrome Plated Unit


GASKET: 895180

LF464051  
LF464052  
LF264051 Stem Only  
LF264052 Stem Only



SEAT USED: LF648930

FOR STREAMWAY  
LENGTH: 2.54"




GASKET: 895100

LF464121  
LF464122



SEAT USED: LF648040

FOR DONNER  
LENGTH: 2.54"




Chrome Plated Gland

GASKET: 890180 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG


LF464371  
LF464372

FOR NIBCO  
LENGTH: 2.55"



230730


FOR ARMONIA  
LENGTH: 2.55"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF462861  
LF462862


FOR ARMONIA  
LENGTH: 2.55"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF462881  
LF462882

FOR ARMONIA  
LENGTH: 2.55"




20  
3-14

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF462891  
LF462892


FOR ROYAL BRASS  
LENGTH: 2.55"



16  
3-15


GASKET: 895100

LF463861



SEAT USED: LF648260

FOR AM BRASS  
LENGTH: 2.55"



17  
3-7


GASKET: 895100

LF463981  
LF463982



SEAT USED: LF648140


FOR AM BRASS  
LENGTH: 2.55"



17  
3-7


GASKET: 895100

LF464001  
LF464002



SEAT USED: LF648140

IMPORT  
LENGTH: 2.55"




15  
3-27

GASKET: 891160 INCLUDED

LF464391  
LF464392


FOR GERBER  
LENGTH: 2.56"



GASKET: 895400

401241  
201241 Stem Only

FOR CENTRAL  
LENGTH: 2.56"



16  
1-6


LF464101  
LF464102  
LF264101 Stem Only  
LF264102 Stem Only



SEAT USED: LF648550


METERING

FOR WILLOUGHBY  
LENGTH: 2.56"




LF465480

FOR ACORN  
LENGTH: 2.57"




LF130680



SEAT USED: LF647560


FOR MUELLER  
LENGTH: 2.57"



16  
1-6

401401  
201401 Stem Only


FOR MUELLER  
LENGTH: 2.57"




12  
1-2

401451  
201451 Stem Only

FOR AM STD  
LENGTH: 2.57"




LF264250



SEAT USED: LF649190

Individual items available  
 Stem Ext.: #118760  
 Esc Cap Nut: #124940

FOR MILWAUKEE  
 LENGTH: 2.57




20  
 3-20

GASKET: 890170 O-RING INCLUDED  
 SEAL: 898510-W  
 DISC SET: 151380-PKG

LF463941  
 LF463942


FOR MICHIGAN BRASS  
 LENGTH: 2.57



16

LF464141  
 LF464142


FOR PRICE PFISTER  
 LENGTH: 2.59"



12  
 1-2


GASKET: 895400

401311



SEAT USED: 648290

FOR MICHIGAN BRASS  
 LENGTH: 2.59




16

Chrome Plated Stem

LF465321  
 LF465322


FOR MOEN  
 LENGTH: 2.60"



All Plastic Unit

464300

FOR KOHLER  
 LENGTH: 2.60"




19  
 1-7


Chrome Plated Stem

LF264321






LF264411  
LF264412




SEAT USED: LF648260




GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF401391  
LF401392




GASKET: 895550

LF464071  
LF264071 Stem Only




GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF464341  
LF464342



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG


LF464361  
LF464362



GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF464381  
LF464382


FOR ROYAL BRASS  
LENGTH: 2.60"



16  
1-6


Chrome Plated Unit

LF464401  
LF464402  
LF264401 Stem Only  
LF264402 Stem Only



SEAT USED: LF648260

FOR REID WATSON  
LENGTH: 2.60"




16  
1-5

GASKET: 890170 O-RING INCLUDED

LF464501  
LF464502

FOR SIGN OF THE CRAB  
LENGTH: 2.60"




16  
3-16

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF464511  
LF464512


FOR POWERS  
LENGTH: 2.60"



15  
Small

201531

FOR FIAT  
LENGTH: 2.61"




20  
2-4

Chrome Plated Unit

GASKET: 895400

LF464201

FOR AM STD  
LENGTH: 2.62"




18

All Brass Unit - No Plastic


GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

401501  
401502




GASKET: 895140

LF464602




264331



GASKET: 890180 O-RING INCLUDED


430881



LF264700




SEAT USED: LF648260



LF463921  
LF463922

Individual items available  
Stem Ext. 1-1/16": #105270-PB  
& #105270-CP  
Ext. Adap. Screw: #103310




GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG


LF464661  
LF464662

Also available with chrome plated stem extension  
LF464661-CP / LF464662-CP


SLOW COMPRESSION



LF265031  
LF265032




LF464801  
LF464802



GASKET: 895200  
SEAT INCLUDED: 648750

LF464991  
LF464992


SLOW COMPRESSION



GASKET: 895200  
SEAT INCLUDED: 648750

LF465001  
LF465002


QUATURN



GASKET INCLUDED: 895200  
SEAT INCLUDED: 648750

LF465041  
LF465042


QUATURN



GASKET: 895200  
SEAT INCLUDED: 648750

LF465051  
LF465052

FOR PRICE PFISTER  
LENGTH: 2.65"



12  
1-2

GASKET: 895060


LF465091  
LF465092



SEAT USED: LF648270

NEW STYLE  
QUARTURN

FOR CHICAGO  
LENGTH: 2.65"




Nickel Plated Stem

GASKET: 895200  
SEAT INCLUDED: 648750

LF465221  
LF465222

SLOW COMPRESSION  
CONTROL-A-FLOW

FOR CHICAGO  
LENGTH: 2.65"




Nickel Plated Stem

GASKET: 895200  
SEAT INCLUDED: 648750

LF465231  
LF465232

QUARTURN  
CONTROL-A-FLOW

FOR CHICAGO  
LENGTH: 2.65"




Nickel Plated Stem

GASKET: 895200  
SEAT INCLUDED: 648750

LF465241  
LF465242

NEW STYLE  
SLOW COMPRESSION

FOR CHICAGO  
LENGTH: 2.65"




Nickel Plated Stem

GASKET: 895200  
SEAT INCLUDED: 648750

LF465281  
LF465282


NON-METERING

FOR WILLOUGHBY  
LENGTH: 2.65"



LF465470


FOR CENTRAL  
LENGTH: 2.66"



GASKET: 895400

401611  
201611 Stem Only


FOR CENTRAL  
LENGTH: 2.66"



GASKET: 895400

401621  
201611 Stem Only


FOR BROADWAY  
LENGTH: 2.66"



20  
2-4

430540

FOR SIGN OF THE CRAB  
LENGTH: 2.66"




16  
3-16

Chrome Plated Stem

GASKET: 891150 O-RING INCLUDED

430761

FOR CRANE  
LENGTH: 2.66"




1/4

Chrome Plated Stem

LF264461


FOR CENTRAL  
LENGTH: 2.66"



16  
1-6


GASKET: 895100

LF464811  
LF464812



SEAT USED: LF648550

FOR RICHARD RHEEM  
LENGTH: 2.66"




GASKET: 895100

LF465081  
LF465082




FOR STERLING FAUCET  
LENGTH: 2.67"



LF264861  
LF264862


FOR CRANE  
CERAMIC CONVERSION FOR DIAL-EZE  
LENGTH: 2.67"




GASKET: 895250 INCLUDED  
DISC SET: 151380-PKG

LF464311  
LF464312


FOR T & S  
LENGTH: 2.67"



LF465021  
LF465022  
LF265021 Stem Only  
LF265022 Stem Only




FOR RICHARD RHEEM  
LENGTH: 2.67"




LF465111  
LF465112




FOR T & S  
LENGTH: 2.67"



LF465181  
LF265181 Stem Only






16  
3-15

GASKET: 890160 O-RING INCLUDED

LF465381



SEAT USED: LF648320




12  
1-2

GASKET: 890160 O-RING INCLUDED

LF465391  
LF465392




SEAT USED: LF648320



16  
1-6

201411




16  
3-16

Chrome Plated Stem

GASKET: 890180 O-RING INCLUDED


431052



24  
3-28

GASKET: 891150 INCLUDED

LF464712




18  
3-3

Chrome Plated Stem

GASKET: 895150


LF465061  
LF465062



SEAT USED: LF649160




FOR WATTS  
LENGTH: 2.70"



130990

FOR CHASE  
LENGTH: 2.70"




16  
1-6

Chrome Plated Stem

LF264171

FOR BARBER WILSON  
LENGTH: 2.70"




16  
3-16

GASKET: 890190 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF464571  
LF464572

FOR STERLING FAUCET  
LENGTH: 2.71"




16  
1-5

Chrome Plated Stem

LF264871  
LF264872


FOR CRANE  
LENGTH: 2.69"



\*\*\*NO LONGER AVAILABLE, USE LF465150\*\*\*


LF265140

FOR AM STD  
LENGTH: 2.71"



12  
1-2


LF464901  
LF464902



SEAT USED: LF648990

FOR DORNBRACHT  
LENGTH: 2.72"

20  
3-20



Comes with 20pt Grohe  
adapter: 103200

GASKET: 895560


401762



SEAT USED: LF647120

UNKNOWN  
LENGTH: 2.72"

16  
3-16




GASKET: 891180 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401561  
401562

IMPORT  
LENGTH: 2.72"

24  
3-18




GASKET: 891180 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401591  
401592

Also available less gland  
LF117621

FOR ACORN  
LENGTH: 2.72"




GASKET: 895400  
SEAT INCLUDED: LF601780

LF401781  
LF254071 Stem Only

FOR ELJER  
LENGTH: 2.72"

16  
3-15



Nickel Plated Stem

GASKET: 895330


LF465071  
LF465072  
LF265071 Stem Only  
LF265072 Stem Only



SEAT USED: LF648160

FOR ELJER  
LENGTH: 2.72"

16  
3-15



Nickel Plated Stem


GASKET: 895120

LF465571  
LF465572  
LF265071 Stem Only  
LF265072 Stem Only



SEAT USED: LF648160

FOR ELJER  
LENGTH: 2.73"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF464921  
LF464922

FOR AM STD  
LENGTH: 2.74"




16

401631  
401632



SEAT USED: LF647910 or LF649650

FOR SIGNATURE HARDWARE  
LENGTH: 2.74"




32  
3-23

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF464421  
LF464422

FOR SEACREST  
LENGTH: 2.68"




Nickel Plated Unit

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF464611  
LF464612

FOR ALTMANS  
LENGTH 2.74"




16  
3-16

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF464911  
LF464912


FOR PRICE PFISTER  
LENGTH: 2.74"



12  
1-2


GASKET: 895060

LF465291



SEAT USED: LF648270

FOR DONNER  
LENGTH: 2.75"




24  
3-19

GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401491  
401492

FOR ALTMANS  
LENGTH: 2.75"




32  
3-23

GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401571  
401572

FOR ALTMANS  
LENGTH 2.75"




16  
3-16

GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401641  
401642

FOR NEWPORT  
LENGTH: 2.75"




16  
3-16

GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401651  
401652

Also available in a Chrome Plated Unit  
401651-CP / 401652-CP

FOR BRIGGS  
LENGTH: 2.75"




18  
3-3

Chrome Plated Stem

LF265201

FOR ELJER  
LENGTH: 2.75"




16  
3-15

Chrome Plated Stem

LF265601  
LF265602

FOR TANNER  
LENGTH: 2.77"




5/16  
Tapered

GASKET: 894860 INCLUDED

465251

Extension Available  
#135000

FOR KOHLER  
LENGTH 2.77"



20  
3-20


Nickel Plated Gland

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF464941

CERAMIC 1/4 TURN

FOR CHICAGO  
LENGTH: 2.77"




Nickel Plated Stem

GASKET: 890170 O-RING INCLUDED  
SEAL: 898590  
DISC SET: 151380-PKG

LF465461  
LF465462


FOR AM STD  
LENGTH: 2.78"



Chrome Plated Stem

201711


UNKNOWN  
LENGTH: 2.78"



16  
1-6

230860

FOR AM STD  
LENGTH: 2.78"




16

LF465101  
LF465102  
LF265101  
LF265102




SEAT USED: LF648350




GASKET: 895100 INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG


401661  
401662



LF265421




LF456090  
LF256090 Stem Only



GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF465331  
LF465332




GASKET: 895100

LF466091  
LF466092  
LF266091 Stem Only  
LF266092 Stem Only



SEAT USED: LF647450




GASKET: 895100

LF466191  
LF466192  
LF266091 Stem Only  
LF266092 Stem Only




SEAT USED: LF647450




FOR BRIGGS  
LENGTH: 2.81"

Chrome Plated Stem

LF465271  
LF265271 Stem Only



SEAT USED: LF648250




FOR ZURN  
LENGTH: 2.81"

Nickel Plated Stem

SEAL: 898590  
DISC SET: 151380-PKG


LF465441  
LF465442



FOR RICHARD RHEEM  
LENGTH: 2.82"


GASKET: 895100

LF465191  
LF465192



SEAT USED: LF648130

FOR T & S  
LENGTH: 2.83"




Chrome Plated Stem & Bonnet  
Also available with handle ABRIS33410  
LF453131-3341 / LF453132-3341

LF464061  
LF464062  
LF264061 Stem Only  
LF264062 Stem Only

USES BARREL:  
LF664061/LF664062

FOR T & S  
LENGTH: 2.83"




Chrome Plated Stem

LF464061-LB  
LF464062-LB  
LF264061 Stem Only  
LF264062 Stem Only

USES BARREL:  
LF664061/LF664062


IMPORT  
LENGTH: 2.83"



GASKET: 890180 INCLUDED


LF464962

Individual items available  
 Stem Ext. 1-1/4": #105340-PB  
 & 105340-CP  
 Ext. Adap. Screw: #103310




GASKET: 895060

LF465131  
 LF465132




SEAT USED: LF648070




GASKET: 890170 O-RING INCLUDED  
 SEAL: 898510-W  
 DISC SET: 151380-PKG

LF465561  
 LF465562




231090




LF128000


FOR METCRAFT  
 LENGTH: 2.85"








LF266211  
LF266212




GASKET: 891140 O-RING INCLUDED  
DISC SET: 151380-PKG

LF465401  
LF465402




GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF465341  
LF465342




GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF465371  
LF465372




201510



201540


FOR SPEAKMAN  
LENGTH: 2.88"



Chrome Plated Stem

201681


FOR AM STD  
LENGTH: 2.88"



Chrome Plated Stem

265611


FOR DORNBRACHT  
LENGTH: 2.88"



GASKET: 890210 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

401691  
401692


FOR ACME  
LENGTH: 2.88"



GASKET: 895100

LF465301  
LF465302

FOR SOHO  
LENGTH: 2.88"



Chrome Plated Stem

GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

LF465351  
LF465352


Also available with polished brass stem

**LF465351-PB / LF465352-PB**

Also available with polished nickel stem

**LF465351-PN / LF465352-PN**


FOR LIBERTY  
LENGTH: 2.89"



GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF465431  
LF465432


FOR STERLING FAUCET  
LENGTH: 2.89"



16  
1-5

LF465621  
LF465622

FOR LIBERTY  
LENGTH: 2.89"




18  
3-25

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF465711  
LF465712

FOR CRANE  
LENGTH: 2.90"




12  
1-1

GASKET: 895250

LF465121  
LF465122  
LF265121 Stem Only  
LF265122 Stem Only

FOR THG  
LENGTH 2.90"




20  
3-20

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF465581  
LF465582

FOR CHG  
STEM LENGTH: 2.56"




20  
2-4

Chrome Plated Stem & Bonnet

LF466481  
LF466482

UNKNOWN  
LENGTH: 2.91"




24  
3-28

GASKET: 891210 O-RING INCLUDED

401922

Chrome Plated Unit

FOR HELVIX  
LENGTH: 2.48"




19  
1-7

Chrome Plated Stem

430992

FOR ROHL  
LENGTH: 2.91"




24

GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

401601  
401602

Extension Available  
#135000

FOR KOHLER  
LENGTH: 2.91"




20  
3-20

GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

401671  
401672

FOR FEDERAL HUBER  
LENGTH: 2.91"




5/16

Chrome Plated Stem

LF266021  
LF266022

FOR AM STD  
LENGTH: 2.92"




22  
1-4

Chrome Plated Stem

GASKET: 891130

LF466041  
LF466042


FOR CRANE  
LENGTH: 2.92"



12  
3-10


Chrome Plated Stem

LF466051  
LF466052




SEAT USED: LF648990

FOR AM STD  
LENGTH: 2.92"




GASKET: 891130

LF466141  
LF466142



SEAT USED: LF648990

FOR ELJER  
LENGTH: 2.93"




GASKET: 890160 O-RING INCLUDED

LF465801  
LF465802




SEAT USED: LF648320

FOR SPEAKMAN  
LENGTH: 2.94"




201701

IMPORT  
LENGTH: 2.94"




401722

IMPORT  
LENGTH: 2.94"




430160


FOR AM STD  
LENGTH: 2.94"




430442




**LF266031**  
 USES BARREL:  
 LF647031




**LF266151**  
**LF266152**  
 USES BARREL:  
 LF647041/LF647042




**LF266171**  
**LF266172**



**LF466081**  
**LF266081** Stem Only




**230030**



GASKET: 895250 INCLUDED

**LF465150**  
**LF265150** Stem Only


FOR CRANE  
LENGTH: 2.95"



GASKET: 895250 INCLUDED

LF465160  
LF265150 Stem Only

FOR KRONIN BY VIOLA  
LENGTH: 2.94"




20  
3-20

GASKET: 895150 INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF466251  
LF466252

FOR PHYLRICH  
LENGTH: 2.96"



16  
1-6


GASKET: 895270 INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG

LF466201  
LF466202

Also available with Polished Chrome Stem

LF466201-CP / LF466202-CP

FOR DORF  
LENGTH: 2.97"




GASKET: 895370 INCLUDED  
DISC SET: 124290-PKG

LF465941  
LF465942

Also available with Chrome Plated Stem  
LF465941-CP / LF465942-CP

FOR AM STD  
LENGTH: 2.97"




22  
1-4

SEAT USED: LF648990


Chrome Plated Stem

LF466011  
LF466012

Also available with locknut:  
LF466011-N / LF466012-N



FOR STERLING FAUCET  
LENGTH: 2.97"



16  
1-5

LF466061  
LF466062


LF266061 Stem Only

LF266062 Stem Only



SEAT USED: LF648170

FOR SPEAKMAN  
LENGTH: 2.97"




Chrome Plated Stem

GASKET: 895400

LF467171  
LF467172  
LF267171 Stem Only  
LF267172 Stem Only


FOR BRADLEY  
LENGTH: 2.98"



Chrome Plated Unit  
Plastic Retainer


401731  
201731 Stem Only

FOR HARCRAFT  
LENGTH: 2.98"




GASKET: 895040 INCLUDED

LF465411



SEAT USED: LF648670

FOR AUBURN BRASS  
LENGTH: 2.98"




Nickel Plated Gland

SEAT USED: LF649120

GASKET: 890160 O-RING INCLUDED  
DISC SET: 151380-PKG

LF465451  
LF465452


FOR STERLING FAUCET  
LENGTH: 2.98"



GASKET: 895100

LF465631  
LF465632


UNKNOWN  
LENGTH: 2.98"




GASKET: 895330

LF465702






201841




GASKET: 895100

430271




SEAT USED: LF648320




GASKET: 895100

430281




SEAT USED: LF648320




GASKET: 895100

401741

401742




SEAT USED: LF648320




GASKET: 895100

401791

401792



SEAT USED: LF648320




GASKET: 895400

401861


401862

201861 Stem Only


201862 Stem Only




LF266071  
LF266072




LF466301




GASKET: 890190 O-RING INCLUDED  
430450




GASKET: 894860 INCLUDED  
466341




GASKET: 895100  
LF465211  
LF465212



GASKET: 895450  
402071  
202071 Stem Only



FOR PRICE PFISTER  
LENGTH: 3.00"



12  
1-2


GASKET: 895550

430071-NS



SEAT USED: 648370

FOR PRICE PFISTER  
LENGTH: 3.02"



12  
1-2


GASKET: 895550

430071



SEAT USED: 648370

FOR MICHIGAN BRASS  
LENGTH: 3.03"




12  
3-5

LF466101  
LF466102



SEAT USED: LF648210

FOR STERLING FAUCET  
LENGTH: 3.03"



16  
1-5


GASKET: 895160

LF466111  
LF466112



SEAT USED: LF648170


FOR REID WATSON  
LENGTH: 3.04"




16  
1-5

Teflon Sleeve

230470



FOR T & S  
LENGTH: 3.04"




20  
2-4

Nickel Plated Stem

SEAL: 898510  
DISC SET: 151380-PKG


LF466401  
LF466402

FOR PRICE PFISTER  
LENGTH: 3.04"




GASKET: 895060

LF467051  
LF467052



SEAT USED: LF648270


FOR POWERS  
LENGTH: 3.05"



Chrome Plated Stem


201870

FOR KOHLER  
LENGTH: 3.05"




Triple Lead

202171



SEAT USED: 647220

FOR ARMONIA  
LENGTH: 3.23"




19 TPI Gland Fine Thread

GASKET: 890180 O-RING INCLUDED


401822

FOR PRICE PFISTER  
LENGTH: 3.05"




GASKET: 895400

402311




SEAT USED: 648290

FOR BARNES  
LENGTH: 3.05"




Chrome Plated Stem


LF266121  
LF266122




SEAT USED: LF648350




LF267021  
LF267022




LF467301  
LF467302




401811



401901  
201901 Stem Only




402201  
202201 Stem Only




LF265651  
LF265652






LF464181  
LF464182  
LF264181 Stem W/ Spring  
LF264182 & Retainer  
LF118481 Stem Only  
LF118482

USES BARREL:  
LF664061/LF664062




LF464181-LB  
LF464182-LB  
LF264181 Stem W/ Spring  
LF264182 & Retainer

USES BARREL:  
LF664061/LF664062




GASKET: 890170 O-RING INCLUDED

430050  
230050 Stem Only




GASKET: 894860 INCLUDED

466371



GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

401881  
401882




GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

LF466461  
LF466462

Individual items available  
Stem Ext. 1-1/2": #121860-PB  
& 121860-CP  
Ext. Adap. Screw: #103310


Also available with chrome plated stem extension  
LF466461-CP / LF466462-CP



IMPORT  
LENGTH: 3.08"

GASKET: 895160

LF466532



FOR CASE  
LENGTH: 3.08"

2-4

Chrome Plated Stem


GASKET: 895290

LF467401

LF467402

LF267401 Stem Only

LF267402 Stem Only




FOR SPEAKMAN  
LENGTH: 3.09"

5/16

Chrome Plated Stem

LF267521




FOR DOLPHIN  
LENGTH: 3.09"

3-16

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF466421

LF466422




UNKNOWN  
LENGTH: 3.09"

3-23

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

LF466441

LF466442




FOR SHERLE WAGNER  
LENGTH: 3.09"

3-16

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG


LF466521

LF466522




DISC SET: 151380-PKG

LF467031  
LF467032




GASKET: 890170 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG

402351  
402352




LF266381  
LF266382




GASKET: 891150 O-RING INCLUDED

401832




GASKET: 895160 INCLUDED

402012



GASKET: 895100


402001  
402002




SEATS USED: LF648090 or LF649890




Also available less bonnet  
**LF466490**



**LF267061**  
**LF267062**




**LF466500**




GASKET: 890170 O-RING INCLUDED

**430022**




GASKET: 890170 O-RING INCLUDED  
 SEAL: 898510  
 DISC SET: 151380-PKG

**LF466921**  
**LF466922**




GASKET: 890170 O-RING INCLUDED  
 SEAL: 898500  
 DISC SET: 151380-PKG

**LF467381**  
**LF467382**



**LF266511**


FOR PRICE PFISTER  
LENGTH: 3.15"



12  
1-2


GASKET: 895060

LF467251



SEAT USED: LF648270

FOR TANNER  
LENGTH: 3.16"




5/16  
Tapered

GASKET: 895540

466601

FOR CENTRAL  
LENGTH: 3.17"




LF267150



SEAT USED: LF648790


FOR T & S  
LENGTH: 3.17"



Chrome Plated Unit w/ Button

LF467210

FOR T & S  
LENGTH: 3.18"




20  
2-4

Chrome Plated Stem

LF268401


FOR REID WATSON  
LENGTH: 3.19"



16  
1-5


GASKET: 890170 O-RING INCLUDED

LF466701  
LF466702



SEAT USED: LF649410

FOR JAMECO  
LENGTH: 3.20"




20  
3-20

GASKET: 890170 O-RING INCLUDED

430392

FOR PRICE PFISTER  
LENGTH: 3.22"




GASKET: 895400

402621

202621 Stem Only

FOR PRICE PFISTER  
LENGTH: 3.22"




GASKET: 895400


402671

202621 Stem Only

FOR SPEAKMAN  
LENGTH: 3.22"




LF267140



SEAT USED: 649110


FOR SPEAKMAN  
LENGTH: 3.23"



11/32

Chrome Plated Stem


LF267201



20

Comes with 20pt Grohe  
adapter: 103200

FOR DORNBRACHT  
LENGTH: 3.24"



20  
3-20


GASKET: 890170 O-RING INCLUDED

402242



SEAT USED: LF647110


FOR ACORN  
LENGTH: 3.24"



Plastic Sleeve


468490

FOR ILLINOIS  
LENGTH: 3.24"



483421


UNKNOWN  
LENGTH: 3.25"



GASKET: 890170 O-RING INCLUDED

402472

FOR BRIGGS  
LENGTH: 3.25"




Chrome Plated Stem


GASKET: 895370

402611


202611 Stem Only



SEAT USED: 648630



FOR I. W. INDUSTRIES  
LENGTH: 3.26"



5-Port

4-Port


430560 4-Port

230560 Stem Only

430570 5-Port

230570 Stem Only

FOR AM STD  
LENGTH: 3.26"




402321


402322

202321 Stem Only

202322 Stem Only




SEAT USED: LF648990



Cap Nut  
# 702510  
available

FOR UNION BRASS  
LENGTH: 3.26"




18  
3-3

GASKET: 895100  
SEAL: 898510  
DISC SET: 151380-PKG

402511  
402512

FOR ELIZABETHAN CLASSIC  
LENGTH: 3.27"




16  
3-16

Polished Brass Stem

GASKET: 890180 O-RING INCLUDED

431552

FOR HARDEN  
LENGTH: 3.27"




16  
3-16

GASKET: 890210 O-RING INCLUDED

402421  
402422

FOR BRIGGS  
LENGTH: 3.27"




18  
3-3

Chrome Plated Stem

LF267121

FOR SPEAKMAN  
LENGTH: 3.27"




Comes with a plastic  
Speakman handle bushing  
20  
2-4

Chrome Plated Unit

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF466901  
LF466902

FOR SPEAKMAN  
LENGTH: 3.27"




20  
3-20

Chrome Plated Unit

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

LF466911  
LF466912

FOR BURLINGTON  
LENGTH: 3.27"



16  
1-6


GASKET: 895100

LF467071  
LF467072



SEAT USED: LF648700


FOR AM STD  
CERAMIC CONVERSION FOR  
COLONY S/V UNIT (SHORT)  
LENGTH: 3.28"



16


GASKET: 890180 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

402441



SEAT USED: 646960


FOR STERLING FAUCET  
LENGTH: 3.29"




16  
1-5

GASKET: 895150

402411




SEAT USED: LF648170



SEAT USED: LF648530 or LF648570


FOR SEARS  
LENGTH: 3.29"



LF467041/ LF467042


12  
3-10

IMPORT  
LENGTH: 3.31"



402522  
GASKET: 895450


12  
1-2



FOR CRANE  
LENGTH: 3.31"

402431/ 402432  
GASKET: 895250


12  
1-1



FOR SPEAKMAN  
LENGTH: 3.31"

LF267661


20  
2-4




FOR AM STD  
LENGTH: 3.31"

LF268041/ LF268042

22  
1-4



SEAT USED: LF648700 or LF648590



FOR SEARS  
LENGTH: 3.33"


402701/ 402702  
202701/ 202702 Stem Only

12  
3-10



Chrome Plated Stem

FOR SEARS  
LENGTH: 3.33"




LF268011/ LF268012



Chrome Plated Unit

FOR KOHLER  
LENGTH: 3.33"




LF467081/ LF467082  
LF267081/ LF267082

Stem Only



FOR SHERLE WAGNER  
LENGTH: 3.33"




LF467501/ LF467502

GASKET: 895100



Polished Brass Stem

FOR PHYLRICH  
LENGTH: 3.33"



LF468101/ LF468102

GASKET: 895270 INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG




Also available with chrome plated stem  
LF468101-CP/ LF468102-CP



Plastic Retainer  
Chrome Plated Stem


FOR BRADLEY  
LENGTH: 3.34"



201771

12  
1-2

IMPORT  
LENGTH: 3.34"




LF402681/ LF402682

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

16  
3-16

Chrome Plated Stem

UNKNOWN  
LENGTH: 3.34"




LF466811

GASKET: 895100

18  
3-25

FOR AM STD  
LENGTH: 3.34"

Chrome Plated Stem





LF468261/ LF468262


LF268061/ LF268062 Stem Only

GASKET: 818010

22  
1-4




402752



Comes with 20pt Grohe  
adapter: 103200

IMPORT  
LENGTH: 3.35"




LF466822

GASKET: 895100



FOR CRANE  
LENGTH: 3.36"




430631



Chrome Plated Stem

FOR BARNES  
LENGTH: 3.36"




LF269121/ LF269122



Nickel Plated Stem

FOR CHICAGO  
LENGTH: 3.36"




**LF467091/ LF467092** QUATURN

GASKET: 895200  
SEAT INCLUDED: 648750

Nickel Plated Stem

FOR CHICAGO  
LENGTH: 3.36"




**LF467101/ LF467102** SLOW COMPRESSION


GASKET: 895200  
SEAT INCLUDED: 648750

Chrome Plated Stem

FOR ELJER  
LENGTH: 3.36"



SEAT USED: LF648620



Also available with polished brass stem

**LF467111-PB**  
**LF467111-PB**  
**LF267111-PB** Stem Only  
**LF267111-PB** Stem Only




**LF467111/ LF467112**  
**LF267111/ LF267112** Stem Only


GASKET: 895330

Chrome Plated Stem

FOR SHERLE WAGNER  
LENGTH: 3.36"



SEAT USED: LF648620




**LF467111-PB/ LF467112-PB**

GASKET: 895330


Nickel Plated Stem  
Chrome Plated Bonnet

FOR CHICAGO  
LENGTH: 3.36"




**LF467191/ LF467192** QUATURN

GASKET: 895200  
SEAT INCLUDED: 648750



LF648520




LF648620

SEAT USED: LF648520 or LF648620

Chrome Plated Stem

FOR ELJER  
LENGTH: 3.36"




**LF467611/ LF467612**  
**LF267111/ LF267112** Stem Only

GASKET: 895120




Also available with polished brass stem

**LF467611-PB**  
**LF467611-PB**  
**LF267611-PB** Stem Only  
**LF267611-PB** Stem Only



LF648520




LF648620

SEAT USED: LF648520 or LF648620

Chrome Plated Stem

FOR SHERLE WAGNER  
LENGTH: 3.36"



**LF467611-PB/ LF467612-PB**

GASKET: 895120




FOR POWERS  
LENGTH: 3.37"

Chrome Plated Stem




**117520**





SEAT USED: LF649500




FOR MILWAUKEE  
LENGTH: 3.37"

**402591**


GASKET: 199930

12

1-1



SEAT USED: LF648760



FOR SPEAKMAN  
LENGTH: 3.37"

**430111**


**230111** Stem Only

GASKET: 895160

20

2-4

Polished Brass Stem



FOR BROADWAY  
LENGTH: 3.38"

**402651/ 402652**

GASKET: 890210 O-RING INCLUDED

SEAL: 898610-R/B

DISC SET: 109850-PKG


Also available with  
polished chrome stem

**402651-CP**


**402652-CP**

20

2-4



Escutcheon Nut  
# 302740  
available




FOR LABONGE  
LENGTH: 3.25"

**LF466712**


16

1-6




202690

Special 12pt Broach w/  
2 splines missing on each  
side to make an 8pt Broach




402642

GASKET: 890170 O-RING INCLUDED




402601/ 402602

GASKET: 890170 O-RING INCLUDED  
SEAL: 898500  
DISC SET: 112530-PKG



Comes with 20pt Grohe  
adapter: 103200




402661/ 402662

GASKET: 890210 O-RING INCLUDED  
SEAL: 898530  
DISC SET: 109850-PKG



19TPI Gland Fine Thread

FOR ARMONIA  
LENGTH: 3.52"



402532


GASKET: 890180 O-RING INCLUDED



3-14

14 TPI Gland Coarse Thread

FOR ARMONIA  
LENGTH: 3.52"




402542

GASKET: 890180 O-RING INCLUDED



3-14

FOR AM STD  
LENGTH: 3.39"




430662



Chrome Plated Stem

FOR CRANE  
LENGTH: 3.39"




LF268091/ LF268092



1-6

Nickel Plated Stem

FOR CHICAGO  
LENGTH: 3.39"




**LF467131/ LF467132**

NEW STYLE  
QUATURN

GASKET: 895200  
SEAT INCLUDED: 648750

Nickel Plated Stem

FOR CHICAGO  
LENGTH: 3.39"




**LF467221/ LF467222**

NEW STYLE  
SLOW COMPRESSION

GASKET: 895200  
SEAT INCLUDED: 648750

FOR SPEAKMAN  
LENGTH: 3.40"




**LF468501**  
**LF268501** Stem Only

20  
2-4



SEAT USED: LF648760

UNKNOWN  
LENGTH: 3.41"




**401751**  
GASKET: 895330






SEAT USED: 648800

Chrome Plated Stem




FOR LOGAN  
LENGTH: 3.42"

**402811**  
**202811** Stem Only  
GASKET: 895400



SEAT USED: 648800

Chrome Plated Unit




FOR LOGAN  
LENGTH: 3.42"

**402811-N**  
**202811** Stem Only  
GASKET: 895400 INCLUDED



FOR AM STD  
LENGTH: 3.42"




**LF268300**



SEAT USED: LF648040


20 TPI Gland



FOR STREAMWAY  
LENGTH: 3.43"



**402721**  
GASKET: 895100






**402821**  
GASKET: 890170 O-RING INCLUDED

16  
1-5




**402711/ 402712**  
GASKET: 895100

17  
3-7




**402762**  
GASKET: 895160

9/32




**403071**

20  
3-14



SEAT USED: LF649140




FOR GERBER  
LENGTH: 3.44"


402771/ 402772

GASKET: 895180

16  
2-3




SEAT USED: 649110



FOR SPEAKMAN  
LENGTH: 3.44"


LF267900



FOR HARCRAFT  
LENGTH: 3.45"

430140  
230140 Stem Only

12  
1-2




FOR HARDEN  
LENGTH: 3.45"

LF468201/ LF468202

GASKET: 891140 O-RING INCLUDED  
DISC SET: 151380-PKG

16  
3-16




FOR SHERLE WAGNER  
LENGTH: 3.45"


16  
3-16

**LF468521/ LF468522**


GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG



FOR METCRAFT  
LENGTH: 3.46"



**LF114090**  
**LF114020** Cartridge Only




FOR JADO  
LENGTH: 3.46"

20  
3-20

**402841/ 402842**

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG




FOR HARCRAFT  
LENGTH: 3.46"



12  
1-2

**LF466131**  
**LF266131** Stem Only

GASKET: 895040 INCLUDED





SEAT USED: LF648670



Individual items available  
Stem Ext. 1 7/8": #102890-PB  
& 102890-CP  
Ext. Adap. Screw: #103310



1-6 Also available with chrome plated stem extension

LF468461-CP/ LF468462-CP



Polished Brass Stem

FOR BROADWAY  
LENGTH: 3.47"



Escutcheon Nut  
# 302740  
available

LF402741


LF402742

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

Also available with  
polished chrome stem  
LF402741-CP  
LF402742-CP

20  
2-4

FOR BARBER WILSON  
LENGTH: 3.47"




LF468571/ LF468572

GASKET: 890190 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

16  
3-16

FOR BARBER WILSON  
LENGTH: 3.47"




LF468581/ LF468582

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

16  
3-16

FOR STREAMWAY  
LENGTH: 3.48"




430060

230060 Stem Only

GASKET: 890170 O-RING INCLUDED

17  
3-7


FOR STREAMWAY  
LENGTH: 3.48"



**430080**  
**230080** Stem Only  
GASKET: 890170 O-RING INCLUDED

17  
3-7


FOR FEDERAL HUBER  
LENGTH: 3.50"



**202801**

5/16


FOR FEDERAL HUBER  
LENGTH: 3.50"



**202851**

12  
1-2

FOR FEDERAL HUBER  
LENGTH: 3.50"




**202871**

16  
1-6


Chrome Plated Stem

FOR CRANE  
LENGTH: 3.48"



LF267161

Supplied with  
12pt. Broach




12

1-2

Chrome Plated Stem

FOR SAVOY  
LENGTH: 3.49"




LF468021/ LF468022

GASKET: 895100


15

1-13



SEAT USED: LF648130


FOR KOHLER  
LENGTH: 3.50"



402991

202991 Stem Only

FOR AUBURN BRASS  
LENGTH: 3.51"




403021/ 403022

GASKET: 890200 O-RING INCLUDED


16

2-3



SEAT USED: 647740







FOR AM STD  
LENGTH: 3.50"

LF268121

12  
1-2



SEAT USED: 649300




FOR INDIANA  
LENGTH: 3.52"


402901/ 402902

GASKET: 895150

18  
3-3



SEAT USED: LF648350




Chrome Plated Stem

FOR BARNES  
LENGTH: 3.52"

LF268001/ LF268002

16  
1-6




UNKNOWN  
LENGTH: 3.53"


402571/ 402572

GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

20  
3-20



FOR DORNBRACHT  
LENGTH: 3.53"




20

Comes with 20pt Grohe  
adapter: 103200


20  
3-20

402861/ 402862

GASKET: 890210 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG



SEAT USED: 649300




FOR REID WATSON  
LENGTH: 3.53"

16  
1-5

402921/ 402922

GASKET: 895150




UNKNOWN  
LENGTH: 3.54"

20  
11/32  
(Not European)  
3-34

LF468221/ LF468222

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG




FOR KROIN BY VOLA  
LENGTH: 3.54"

20  
3-20

LF468251/ LF468252

GASKET: 895150 INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG




FOR PAUL  
LENGTH: 3.55"

16  
3-16

402931/ 402932

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG


Chrome Plated Cap Nut



FOR CHICAGO  
LENGTH: 3.55"

LF468320


Chrome Plated Stem



FOR AM STD  
LENGTH: 3.56"

26

203131



UNKNOWN  
LENGTH: 3.56"


16  
1-6

402782

GASKET: 895140




SEAT USED: LF649040



FOR MILWAUKEE  
LENGTH: 3.56"

403001  
203001 Stem Only  
GASKET: 199930




FOR PHOENIX  
LENGTH: 3.56"

430771  
GASKET: 890170 O-RING INCLUDED



SEAT USED: LF649760




Chrome Plated Stem  
FOR DICK BROS.  
LENGTH: 3.56"

Single Lead

LF268211/ LF268212



SEAT USED: LF649760




Chrome Plated Stem  
FOR DICK BROS.  
LENGTH: 3.56"


Double Lead

LF269031/ LF269032







SEAT USED: LF649760




403011/ 403012  
203011/ 203012 Stem Only




LF468071/ LF468072  
LF268071/ LF268072 Stem Only



SEAT USED: 647440




203101



203111


13/32 - 20 TPI



SEAT USED: 647440

Chrome Plated Stem

FOR FEDERAL HUBER  
LENGTH: 3.58"




203141

5/16


Chrome Plated Stem

FOR FEDERAL HUBER  
LENGTH: 3.58"




203151

12  
1-2



SEAT USED: 648370


FOR PRICE PFISTER  
LENGTH: 3.58"



430091

GASKET: 895550


12  
1-2



UNKNOWN  
LENGTH: 3.58"

468231

GASKET: 894970 INCLUDED




FOR ELJER  
LENGTH: 3.58"

**402911/ 402912**

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG


**20**  
3-20



SEAT USED: LF649760

Chrome Plated Stem

FOR DICK BROS.  
LENGTH: 3.58"




**LF269091/ LF269092**

**16**  
1-6

Plastic Stem

FOR STERLING FAUCET  
LENGTH: 3.59"




5/16

**403220**  
**203220** Stem Only

GASKET: 890190 O-RING INCLUDED

FOR GERBER  
FOR DANFOSS  
FOR TEMPRESS  
FOR DORNBRACHT  
LENGTH: 3.59"

Old Style - Automatic




**430790**

GASKET: 894120 O-RING INCLUDED

Chrome Plated Unit

FOR SPEAKMAN  
LENGTH: 3.59"



Comes with a plastic  
Speakman handle bushing


**402951/ 402952**

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG




Chrome Plated Unit

FOR SPEAKMAN  
LENGTH: 3.59"



**402961/ 402962**

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG



FOR JADO  
LENGTH: 3.59"



**402971/ 402972**


GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

FOR AM STD  
LENGTH: 3.59"




**LF268310**





**430131**  
GASKET: 895100


16  
3-15



**431681**  
GASKET: 890210 O-RING INCLUDED


18  
3-30

USES BARREL:  
LF647021/LF647022



**LF468701/ LF468702**  
**LF268701/ LF268702** Stem Only  
GASKET: 818010

20  
3-14




**230580**

20  
11/32  
3-34

USES BARREL:  
LF647021/LF647022

FOR AM STD  
STEM LENGTH: 3.34"

Chrome Plated Stem




LF468061/ LF468062  
LF268061/ LF268062 Stem Only  
GASKET: 818010




FOR AM STD  
LENGTH: 3.34"

Chrome Plated Stem




LF468261/ LF468262  
LF268061/ LF268062 Stem Only




SEAT USED: 647220

FOR KOHLER  
LENGTH: 3.62"

Triple Lead




202941



FOR CRANE  
LENGTH: 3.66"

Chrome Plated Bonnet




403121  
203121 Stem Only





SEAT USED: LF649930




FOR UNION BRASS  
LENGTH: 3.63"

**430151**  
GASKET: 895400




SEAT USED: LF648550



FOR CENTRAL  
LENGTH: 3.63"

**LF469021/ LF469022**  
**LF269021/ LF269022** Stem Only




FOR GLAUBER WEST COAST  
STEM LENGTH: 3.65"

**403891**  
**203891** Stem Only

Chrome Plated Unit



SEAT USED: LF647690




FOR ELJER  
LENGTH: 3.65"

**430192**  
GASKET: 895160 INCLUDED




FOR ACORN  
LENGTH: 3.65"



LF402880

Chrome Plated Stem




UNKNOWN  
LENGTH: 3.65"

LF469221

LF269221 Stem Only

12  
1-2




UNKNOWN  
LENGTH: 3.66"


403062

GASKET: 895560

9/32



SEAT USED: LF648130




FOR SAVOY  
LENGTH: 3.66"

403321


GASKET: 895400

15  
1-13




Chrome Plated Stem

FOR BRIGGS  
LENGTH: 3.66"



LF269151/ LF269152




FOR BARBER WILSON  
LENGTH: 3.67"

404541




Chrome Plated Stem

FOR SPEAKMAN  
LENGTH: 3.69"



202980




FOR KALLISTA  
LENGTH: 3.70"


402792

GASKET: 895440





SEAT USED: 647130



FOR GROHE  
LENGTH: 3.70"

**402892**


GASKET: 895440 INCLUDED

20  
3-32

FOR CRANE  
LENGTH: 3.71"



SEAT USED: LF648340




**402731**

**202731** Stem Only

GASKET: 895370

FOR ARTISTIC BRASS  
LENGTH: 3.73"



**403041/ 403042**


GASKET: 890210 O-RING INCLUDED

SEAL: 898520

DISC SET: 109850-PKG

12  
1-2

FOR CIFIAL  
LENGTH: 3.74"




**430871**

GASKET: 891180 O-RING INCLUDED

20  
3-20

Chrome Plated Stem


FOR BRIGGS  
LENGTH: 3.74"



SEAT USED: LF648250

**LF269141**

18  
3-3




UNKNOWN  
LENGTH: 3.75"

**LF468441/ LF468442**

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG

32  
3-23




FOR SAVOY  
LENGTH: 3.74"

SEAT USED: LF648130

**LF468801/ LF468802**

GASKET: 895100

15  
1-13



FOR SAYCO  
LENGTH: 3.76"

SEAT USED: LF647450  
or LF647610


**403031**

**203031** Stem Only

GASKET: 890160 O-RING INCLUDED

16  
2-3


New Style - Manual







FOR ROHL  
FOR GERBER  
FOR DANFOSS  
FOR TEMPRESS  
LENGTH: 3.76"

**430850**

GASKET: 894120 O-RING INCLUDED




Chrome plated handle  
& sleeve available  
**128540**







SEAT USED: LF648130




FOR SAVOY  
LENGTH: 3.80"

**403561**

GASKET: 895400



SEAT USED: LF648760




FOR SPEAKMAN  
LENGTH: 3.81"

**403301**

**203301** Stem Only




SEAT USED: LF648760




FOR SPEAKMAN  
LENGTH: 3.81"

**403351**

**203351** Stem Only



SEAT USED: LF648350



FOR BARNES  
LENGTH: 3.81"

**LF269061/ LF269062**



UNKNOWN  
LENGTH: 3.81"




14  
5/16

**LF403461/ LF403462**

GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

FOR AM STD  
STEM LENGTH: 3.56"

Chrome Plated Stem




22  
1-4

**LF468081/ LF468082**  
**LF268081/ LF268082** Stem Only  
GASKET: 818010

USES BARREL:  
LF647021/LF647022

FOR ELJER  
LENGTH: 3.82"




20  
3-20

**403232**  
GASKET: 895160 INCLUDED

SEAT USED: LF647690



FOR SPEAKMAN  
LENGTH: 3.82"



20  
2-4

**403241**  
**203241** Stem Only  
GASKET: 895160


SEAT USED: LF648760



Comes with 20pt Grohe adapter: 103200


20  
3-20

**431630**  
GASKET: 891200 O-RING INCLUDED




**403401**  
**203401** Stem Only

SEAT USED: 648180



**LF269041/ LF269042**


16  
1-5



**LF468901/ LF468902**  
GASKET: 895200  
SEAT INCLUDED: 648750

FOR AM STD  
LENGTH: 3.83"

Chrome Plated Stem




SEAT USED: LF648350

LF469071/ LF469072  
LF269071/ LF269072 Stem Only

16

FOR MICHIGAN BRASS  
LENGTH: 3.86"

24 TPI Gland  
Chrome Plated Gland




SEAT USED: LF648210

403421/ 403422  
GASKET: 890160 O-RING INCLUDED

12  
3-5

FOR WOLVERINE  
LENGTH: 3.86"

20 TPI Gland  
Chrome Plated Gland




SEAT USED: LF648210


403541/ 403542  
GASKET: 890160 O-RING INCLUDED

12  
3-5

FOR AM STD  
LENGTH: 3.87"




406101  
GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG





Chrome Plated Stem

FOR KOHLER  
LENGTH: 3.87"




LF269081/ LF269082



Chrome Plated Stem


FOR SPEAKMAN  
LENGTH: 3.88"



203470



FOR PHOENIX  
LENGTH: 3.88"




230370




Chrome Plated Stem

FOR MILWAUKEE  
LENGTH: 3.88"




402632  
202632 Stem Only







**403531**  
**203531** Stem Only  
 GASKET: 895400



**403781**  
 GASKET: 890150 O-RING INCLUDED



**430181**  
 GASKET: 895150




**LF269161/ LF269162**



Chrome Plated Stem


FOR HARCRAFT  
LENGTH: 3.88"




LF270011/ LF270012

12  
1-2

CERAMIC CONVERSION FOR AM STD COLONY (LONG)  
LENGTH: 3.90"



SEAT INCLUDED: 646960




403481

GASKET: 890180 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG


16

Chrome Plated Stem

FOR SPHINX  
LENGTH: 3.90"



SEAT USED: LF649520




202221/ 202222


18  
3-3

Chrome Plated Stem

FOR SPHINX  
LENGTH: 3.90"




SEAT USED: LF649520



202271/ 202272

12  
1-2

FOR KOHLER  
LENGTH: 3.91"



231151


19

1-7

FOR STERLING FAUCET  
LENGTH: 3.91"




SEAT USED: LF648170



403931/ 403932

GASKET: 890170 O-RING INCLUDED


5/16



SEATS USED: LF648090 or LF649020

Chrome Plated Stem

FOR UNION BRASS  
LENGTH: 3.91"



LF469051/ LF469052

LF269051/ LF269052 Stem Only

GASKET: 895150


18

3-3

FOR STERLING FAUCET  
LENGTH: 3.92"



SEAT USED: LF648170




403331

GASKET: 890170 O-RING INCLUDED

16

1-5






UNKNOWN  
LENGTH: 3.92"

**403631/ 403632**  
GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG


16  
1-6



FOR JACUZZI  
LENGTH: 3.92"


**403821/ 403822**  
GASKET: 890190 O-RING INCLUDED  
SEAL: 898550  
DISC SET: 151380-PKG

3/8 - 27 TPI



FOR AM STD  
LENGTH: 3.92"

**LF270030**




SEAT USED: LF648440




FOR ROYAL BRASS  
LENGTH: 3.93"

**403441**  
GASKET: 895100

16  
1-6




SEAT USED: LF648440




FOR ROYAL BRASS  
LENGTH: 3.93"

**403521**

GASKET: 890160 O-RING INCLUDED




SEAT USED: LF648440




FOR ROYAL BRASS  
LENGTH: 3.93"

**403621**

GASKET: 895100



SEAT USED: LF648170




FOR STERLING FAUCET  
LENGTH: 3.94"

**403511/ 403512**

GASKET: 895150




SEAT USED: 647190







Triple Lead  
Chrome Plated Stem

FOR KOHLER  
LENGTH: 3.95"

**203211**






DISC SET: 151380-PKG  
GASKET: 895370 INCLUDED

Also available with a Polished Chrome Plated Stem  
LF469301-CP / LF469302-CP

Polished Gold Stem




FOR DORF  
LENGTH: 3.96"

3/8 - 26 TPI

Nut Also available

369500




**LF469501/ LF469502**

DISC SET: 151380-PKG  
GASKET: 895370

Also available with a Polished Chrome Plated Stem  
**LF469501-CP / LF469502-CP**

FOR PRICE PFISTER  
LENGTH: 3.97"

Chrome Plated Unit



**403551**

**203551** Stem Only




1-2

FOR STERLING FAUCET  
LENGTH: 3.98"



SEAT USED: LF648170



**403921**


GASKET: 890170 O-RING INCLUDED




1-5

Chrome Plated Stem

FOR ELJER  
LENGTH: 3.98"



SEAT USED: LF649640



**430251**

**230251** Stem Only


GASKET: 895320



3-15



SEAT USED: LF648410



18 TPI Gland


FOR AM BRASS  
LENGTH: 3.98"

**403601 / 403602**

GASKET: 895100



SEAT USED: LF648410




20 TPI Gland


FOR AM BRASS  
LENGTH: 3.98"

**403611/ 403612**

GASKET: 895100



SEAT USED: LF649010




Chrome Plated Stem

FOR DICK BROS.  
FOR STERLING BRASS  
LENGTH: 3.99"


**403961/ 403962**  
**203961/ 203962** Stem Only

GASKET: 895370

Supplied with  
12pt. Broach




SEAT USED: LF648120



FOR BRIGGS  
LENGTH: 3.99"


**404111/ 404112**






404421/ 404422  
GASKET: 895400

FOR P.E. GUERIN  
LENGTH: 3.99"




404431/ 404432  
GASKET: 895400

FOR P.E. GUERIN  
LENGTH: 3.99"




LF269201/ LF269202

FOR CENTRAL  
LENGTH: 3.99"



204030


FOR SPEAKMAN  
LENGTH: 4.00"



404121  
GASKET: 895150


SEAT USED: LF649270

12  
1-2




430350  
230350 Stem Only

17  
3-7



469702

5/16  
TAPERED




469712

5/16  
TAPERED

Chrome Plated Stem

FOR DWYER  
LENGTH: 4.00"



LF270041/ LF270042


16  
1-6

Chrome Plated Stem

FOR AM BRASS  
LENGTH: 4.00"



SEAT USED: LF649240




LF470021/ LF470022  
LF270021/ LF270022

Stem Only

17  
3-7

UNKNOWN  
LENGTH: 4.01"




426812

GASKET: 890170 O-RING INCLUDED

20  
3-20

Chrome Plated Stem & Tube

FOR MOEN  
LENGTH: 4.01"



430460

GASKET: 890190 O-RING INCLUDED



SEAT USED: LF649640

Chrome Plated Stem

FOR ELJER  
LENGTH: 4.01"

16  
3-15

Also available with polished brass stem

404001/ 404002  
204001/ 204002 Stem Only

404001-PB/ 404002-PB  
204001-PB/ 204002-PB Stem Only

GASKET: 895330

SEAT USED: LF648620

Chrome Plated Stem

FOR ELJER  
LENGTH: 4.01"

16  
3-15

Also available with polished brass stem

404021/ 404022  
204001/ 204002 Stem Only

404021-PB/ 404022-PB  
204001-PB/ 204002-PB Stem Only

GASKET: 895120

SEAT USED: 648510  
or LF648120

LF648120

648510

FOR BRIGGS  
LENGTH: 4.02"

18  
3-3

404101/ 404102

GASKET: 895150





SEAT USED: LF648760


FOR SPEAKMAN  
LENGTH: 4.035"

20  
2-4


430121  
230121 Stem Only

GASKET: 895160






SEAT USED: 648810



FOR CENTRAL  
LENGTH: 4.04"

16  
1-6

404411/ 404412  
204401/ 204402 Stem Only  
GASKET: 895400




FOR TANNER  
LENGTH: 4.05"

5/16  
Tapered

470811  
GASKET: 894860 INCLUDED



SEAT USED: LF648930




FOR SPEAKMAN  
LENGTH: 4.05"

20  
2-4

LF470101/ LF470102  
LF270101/ LF270102 Stem Only  
GASKET: 890180 O-RING INCLUDED



SEAT USED: LF648960




FOR CRANE  
LENGTH: 4.05"

12  
3-10

LF470211  
GASKET: 895320



SEAT USED: LF648960




**LF470221**

GASKET: 895320

FOR CRANE  
LENGTH: 4.05"



SEAT USED: LF648320




**404211**


**204221** Stem Only

GASKET: 895100

FOR ELJER  
LENGTH: 4.06"



SEAT USED: LF648320 or LF648160




**404221/ 404222**


**204221/ 204222** Stem Only

GASKET: 895100

FOR ELJER  
LENGTH: 4.06"



SEAT USED: LF648320 or LF648160







**404241/ 404242**

**204241/ 204242** Stem Only


GASKET: 895100

FOR ELJER  
LENGTH: 4.06"




Old Style - Automatic with Brass Link

FOR ROHL  
FOR GERBER  
FOR DANFOSS  
FOR TEMPRESS  
LENGTH: 4.09"




431130

GASKET: 894120 O-RING INCLUDED



Chrome plated handle & sleeve available

128540



FOR SAVOY  
LENGTH: 4.10"


403341

GASKET: 895400  
SEAT INCLUDED: LF648850

Also available with monel seat 648850-M


403341-M

15  
1-13




FOR BRIGGS  
LENGTH: 4.10"

LF271011/ LF271012



SEAT USED: LF648250

18  
3-3



Chrome Plated Stem

FOR CENTRAL  
LENGTH: 4.10"


LF470351

GASKET: 895410

16  
1-6

Chrome Plated Push Button

FOR SYMMONS  
LENGTH: 4.11"




**430360**

GASKET: 895350 INCLUDED

FOR MUELLER  
LENGTH: 4.12"

Chrome Plated Unit



**406951**

**206951** Stem Only

Supplied with  
12pt. Broach




1-2

Chrome Plated Stem

FOR ART F  
LENGTH: 4.12"



SEAT USED: LF649430



Supplied with  
12pt. Broach



1-2


**404661/ 404662**

**204661/ 204662** Stem Only


GASKET: 895400

Chrome Plated Stem

FOR BLOCK BRASS  
LENGTH: 4.14"



SEAT USED: LF647000



1-2


**404751/ 404752**

**204751/ 204752** Stem Only

GASKET: 895290


Chrome Plated Stem

FOR SPEAKMAN  
LENGTH: 4.14"



204511


20  
2-4



FOR SAVOY  
LENGTH: 4.14"

405521

GASKET: 895400



UNKNOWN  
LENGTH: 4.14"


404301/ 404302

GASKET: 890170 O-RING INCLUDED  
SEAL: 898580-R/B  
DISC SET: 151380-PKG

16  
3-16

Chrome Plated Stem

FOR BLOCK BRASS  
LENGTH: 4.14"




404701/ 404702

204701/ 204702 Stem Only


GASKET: 895290

16  
1-6



SEAT USED: LF647000





FOR CENTRAL  
LENGTH: 4.15"

5/16


TAPERED

**470771**

GASKET: 895400



SEAT USED: LF648260



FOR ROYAL BRASS  
LENGTH: 4.15"


16

1-6

**LF470301/ LF470302**

GASKET: 890160 O-RING INCLUDED

CERAMIN CONVERSION FOR BROADWAY COMPRESSION  
LENGTH: 4.16"



20

2-4

**404621**


GASKET INCLUDED: 895550

SEAL: 898510

DISC SET: 151380-PKG



SEAT USED: LF648130



Chrome Plated Stem

FOR SAVOY  
LENGTH: 4.16"

15


1-13

**LF469011/ LF469012**


**LF269011/ LF269012** Stem Only

GASKET: 895100

FOR BRIGGS  
LENGTH: 4.17"




405391  
205391 Stem Only  
GASKET: 895340



FOR BLOCK BRASS  
LENGTH: 4.17"

430101  
230101 Stem Only  
GASKET: 895290


12  
1-2



FOR BLOCK BRASS  
LENGTH: 4.17"

430211  
230211 Stem Only  
GASKET: 895290


16  
1-6




FOR ACME  
LENGTH: 4.17"

LF469801  
LF269801 Stem Only  
GASKET: 895100


16  
1-6




**404810**  
**204810** Stem Only  
 GASKET: 890190 O-RING INCLUDED








**405051**  
**205051** Stem Only







**405821**  
**205821** Stem Only  
 GASKET: 895160




**LF471231/ LF471232**  
**LF271231/ LF271232** Stem Only  
 GASKET: 895100



Available: Stem Only  
**LF263321**  
**LF263322**  
 Also available as  
 a RH/LH Kit  
**LF404521-2**  
 Kit includes:  
 (1) 263321  
 (1) 263322  
 (1) 604520






Available: Stem Only  
**LF263361**  
**LF263362**

Also available as  
 a RH/LH Kit  
**LF404531-2**

Kit includes:  
 (1) 263361  
 (1) 263362  
 (1) 604520


**LF404531/ LF404532**  
 DISC SET: 151380-PKG



**15**  
 1-13


**403311** Also available with monel seat LF648850-M  
 GASKET: 895400SEAT  
 INCLUDED: LF648850

**403311-M**




**15**  
 1-13

**405631**  
**205631** Stem Only  
 GASKET: 895400




**16**  
 3-15

**430221**  
**230221** Stem Only  
 GASKET: 895100




SEAT USED: LF648320 or LF648160




SEAT USED: LF648320 or LF648160

Chrome Plated Sleeve

FOR ELJER  
LENGTH: 4.23"



**430341**  
**230341** Stem Only  
GASKET: 895100




FOR KALLISTA  
LENGTH: 4.23"

**430982**  
GASKET: 890210 O-RING INCLUDED



SEAT USED: LF649050

FOR BORG-WARNER  
LENGTH: 4.23"




**LF470801**




SEAT USED: 648370

FOR PRICE PFISTER  
LENGTH: 4.24"




**430301**  
**230301** Stem Only  
GASKET: 895550





SEAT USED: 648370




FOR PRICE PFISTER  
LENGTH: 4.24"




1-2

**430311**  
**230301** Stem Only  
GASKET: 895550



SEAT USED: 648370




FOR PRICE PFISTER  
LENGTH: 4.24"




1-2

**430331**  
**230301** Stem Only  
GASKET: 895560



SEAT USED: 648370




FOR PRICE PFISTER  
LENGTH: 4.24"




1-2

**405101/ 405102**  
**205101/ 205102** Stem Only  
GASKET: 895400



SEAT USED: 648370



FOR PRICE PFISTER  
LENGTH: 4.24"




1-2

**405111/ 405112**  
**205101/ 205102** Stem Only  
GASKET: 895400



CERAMIC CONVERSION FOR KOHLER TREND  
LENGTH: 4.24"




16  
1-6

404821/ 404822

GASKET: 895150 INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

Chrome Plated Stem / Plastic Plunger

FOR KOHLER  
LENGTH: 4.24"



19  
1-7

LF470701/ LF470702  
LF270701/ LF270702 Stem Only  
SEAT INCLUDED: LF649460

Also available with Brass Plunger


LF470701-B / LF470702-B

Also available with Brass Plunger &  
Polished Gold stem

LF470701-PG / LF470702-PG  
LF270701-PG / LF270702-PG Stem Only

Chrome Plated Stem / Plastic Plunger

FOR KOHLER  
LENGTH: 4.24"



19  
1-7

LF470711/ LF470712  
LF270701/ LF270702 Stem Only  
GASKET: 890180 O-RING INCLUDED  
SEAT INCLUDED: LF649460

Also available with Brass Plunger


LF470711-B / LF470712-B

Also available with Brass Plunger &  
Polished Gold stem

LF470711-PG / LF470712-PG  
LF270701-PG / LF270702-PG Stem Only

Chrome Plated Stem / Plastic Plunger

FOR KOHLER  
LENGTH: 4.24"



19  
1-7

LF470721/ LF470722  
LF270701/ LF270702 Stem Only  
GASKET: 890200 O-RING INCLUDED  
SEAT INCLUDED: LF649460

Also available with Brass Plunger

LF470721-B / LF470722-B

Also available with Brass Plunger &  
Polished Gold stem


LF470721-PG / LF470722-PG  
LF270701-PG / LF270702-PG Stem Only

Chrome Plated Escutcheon Tube #111460

FOR KOHLER  
LENGTH: 4.25"



SEAT USED: LF648070



1-6


404201/ 404202  
204201/ 204202 Stem Only  
GASKET: 895150

Plastic Escutcheon Nipple #119040

FOR KOHLER  
LENGTH: 4.25"



SEAT USED: LF648070



1-6


404231/ 404232  
204201/ 204202 Stem Only  
GASKET: 895150

Chrome Plated Escutcheon Tube #111460

FOR KOHLER  
LENGTH: 4.25"




SEAT USED: LF648070



1-6

404331/ 404332  
204201/ 204202 Stem Only  
GASKET: 895150


CERAMIC CONVERSION FOR KOHLER LF470701/2  
Chrome Plated Stem  
LENGTH: 4.25"



1-7


LF470741/ LF470742  
DISC SET: 151380-PKG

Also available with a Polished Gold Stem  
LF470741-PG / LF470742-PG




LF470951/ LF470952  
LF270951/ LF270952 Stem Only  
GASKET: 895100

16  
2-3



205731


26



405921  
205921 Stem Only  
GASKET: 895540


16  
1-6

USES BARREL:  
LF647021/LF647022



LF470201/ LF470202  
LF270201/ LF270202 Stem Only  
GASKET: 818010

20  
3-14




FOR ZURN  
FOR SYMMONS  
LENGTH: 4.27"

**205511** Stem Only  
GASKET: 895500 INCLUDED

12

Symmons Small



Also available with  
bonnet assembly  
#105671  
**405511**




FOR BURLINGTON  
LENGTH: 4.27"

**405811**  
**205811** Stem Only  
GASKET: 895100

16

1-6




FOR AM STD  
LENGTH: 4.28"

**205661**

12





1-2




FOR MELCLIFF  
LENGTH: 4.28"

**405311**  
**205311** Stem Only  
GASKET: 895550

14






FOR ARROWHEAD  
LENGTH: 4.37"

12  
1-2

406411 Not Available, Use 415501  
LENGTH: 5.15"



Chrome Plated Stem


FOR PRICE PFISTER  
LENGTH: 4.30"

LF272031/ LF272032



SEAT USED: LF648270

12  
1-2



FOR STERLING FAUCET  
LENGTH: 4.30"




SEAT USED: LF648170

LF471001/ LF471002

GASKET: 890170 O-RING INCLUDED


16  
1-5



FOR LEONARD  
LENGTH: 4.31"


405121  
205121 Stem Only

20  
3-14





405141  
205141 Stem Only

12  
Symmons Small





231640

12  
Symmons Small



405801  
205801 Stem Only  
GASKET: 895290

16  
1-6




405851  
205851 Stem Only  
GASKET: 895290

12  
1-2



SEAT USED: 648970



Chrome Plated Stem


FOR CENTRAL LENGTH: 4.32"

**430401**  
**230401** Stem Only  
GASKET: 895370

16  
1-6



SEAT USED: 648970




Chrome Plated Stem

FOR CENTRAL LENGTH: 4.32"

**430411**  
**230401** Stem Only  
GASKET: 895370

16  
1-6

Chrome Plated Shank & Pkg Nut




FOR SYMMONS LENGTH: 4.32"

**431160**  
**231160** Stem Only  
GASKET: 891220 O-RING INCLUDED

12  
Symmons Small

Chrome Plated Shank & Pkg Nut




FOR SYMMONS LENGTH: 4.32"

**431170**  
**231160** Stem Only  
GASKET: 891220 O-RING INCLUDED

12  
Symmons Small






**405191/ 405192**

GASKET: 890170 O-RING INCLUDED  
 SEAL: 898510-W  
 DISC SET: 151380-PKG


20  
 3-20



**405221/ 405222**

GASKET: 890170 O-RING INCLUDED  
 SEAL: 898510-W  
 DISC SET: 151380-PKG


20  
 3-20



**LF471041**  
**LF271041** Stem Only


GASKET: 895370

12  
 3-10



**Not Available, Use LF471041**

12  
 3-10




FOR ROHL  
LENGTH: 4.32"

**LF471401**  
SEAL: 898550  
DISC SET: 151380-PKG

24



SEAT USED: LF648960




FOR CRANE  
LENGTH: 4.33"

**LF471121**  
**LF271121** Stem Only  
GASKET: 895370

12  
1-2




SEAT USED: LF648960



FOR CRANE  
LENGTH: 4.33"

**LF471141/ LF471142**  
**LF271141/ LF271142** Stem Only  
GASKET: 895370

12  
3-10




FOR MILWAUKEE  
LENGTH: 4.34"

**205212**



5/16

Quadruple Lead  
Chrome Plated Stem


FOR KOHLER  
LENGTH: 4.34"



206161




SEAT USED: LF649500



FOR MILWAUKEE  
LENGTH: 4.34"

404901

GASKET: 199930




Chrome Plated Stem

UNKNOWN  
LENGTH: 4.34"

405321

205321 Stem Only

GASKET: 895560




Chrome Plated Stem

FOR LENHART  
LENGTH: 4.34"

405741


GASKET: 895450






**405701/ 405702**  
WAVE WASHER: 897110

16




**206211**

16  
1-6




**405181**  
GASKET: 890170 O-RING INCLUDED


16  
1-5



**430240**



SEAT USED: LF647690




FOR ELJER  
LENGTH: 4.35"

**430552**

GASKET INCLUDED: 895160

20  
3-20

SEAT USED: LF648230




FOR ARROWHEAD  
LENGTH: 4.37"

**LF271101**

12  
1-2

SEAT USED: LF648170




FOR STERLING FAUCET  
LENGTH: 4.38"

**430231**

GASKET: 890170 O-RING INCLUDED

16  
1-5

SEAT USED: LF648170





FOR STERLING FAUCET  
LENGTH: 4.38"

**430261**

GASKET: 890170 O-RING INCLUDED

5/16

SEAT USED: LF648170




FOR STERLING FAUCET  
LENGTH: 4.38"

**430291**

GASKET: 890170 O-RING INCLUDED



SEAT USED: LF648170





FOR STERLING FAUCET  
LENGTH: 4.38"

**430421**

GASKET: 890170 O-RING INCLUDED



SEAT USED: LF649050




FOR BORG-WARNER  
LENGTH: 4.38"

**406311/ 406312**



Chrome Plated Stem






FOR MUELLER  
LENGTH: 4.38"


**LF271061**

Supplied with  
12pt. Broach





FOR KOHLER  
LENGTH: 4.39"




LF273361/ LF273362



19  
1-7

Chrome Plated Stem

UNKNOWN  
LENGTH: 4.40"




205831

5/16

FOR HARCRAFT  
LENGTH: 4.40"



SEAT USED: LF648670




406001

GASKET: 895040 INCLUDED

12  
1-2

FOR FEDERAL HUBER  
LENGTH: 4.40"

Chrome Plated Stem



406351


206351 Stem Only

Supplied with  
12pt. Broach



12  
1-2





**410911/ 410912**

GASKET: 890190 O-RING INCLUDED  
 SEAL: 898550  
 DISC SET: 151380-PKG

3/8 - 27 TPI




Chrome Plated Stem

FOR WOLVERINE  
 LENGTH: 4.40"



SEAT USED: LF649200




**LF271081/ LF271082**




Chrome Plated Push Button

FOR SYMMONS  
 LENGTH: 4.47"



**430720**

GASKET: 895150 INCLUDED




FOR BRIGGS  
 LENGTH: 4.42"

**405902**

GASKET: 895150





430501  
203501 Stem Only


GASKET: 890170 O-RING INCLUDED

12  
1-2

FOR AM STD  
LENGTH: 4.44"



SEAT USED: LF648220



430602  
230602 Stem Only


22  
1-4

Chrome Plated Stem

FOR BARNES  
LENGTH: 4.44"



SEAT USED: LF648350



LF271031/ LF271032


16  
1-6

Chrome Plated Stem

FOR AM STD  
LENGTH: 4.44"




SEAT USED: LF648100




LF274041/ LF274042

16




**LF471501**  
**LF271501** Stem Only  
 GASKET: 895180

18  
 3-3






**LF471601/ LF471602**  
 SEAL: 898550  
 DISC SET: 151380-PKG

24  
 3-19



**406551**  
**206551** Stem Only

Supplied with  
 12pt. Broach  12  
 1-2



**406711**  
**206711** Stem Only  
 GASKET: 895400

15  
 1-13

Chrome Plated Stem

FOR PAUL  
LENGTH: 4.45"




406731/ 406732

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG



Chrome Plated Stem

FOR HARCRAFT  
LENGTH: 4.45"




LF473021/ LF473022

LF273021/ LF273022 Stem Only



FOR MILWAUKEE  
LENGTH: 4.46"




207512



One Piece Brass Stem

FOR PRICE PFISTER  
LENGTH: 4.46"



405411


GASKET: 895390 INCLUDED  
SEAL: 898550  
DISC SET: 151380-PKG



You can use the 647390 seat  
to convert the old Beau Art  
body to accept the 405411  
ceramic cartridge

FOR PRICE PFISTER  
LENGTH: 4.46"

One Piece Brass Stem




405421

SEAL: 898550  
DISC SET: 124290-PKG


12  
1-2

3/8M Bibb Washer

FOR SAVOY  
LENGTH: 4.45"



SEAT USED: LF648130




406701

206701 Stem Only  
GASKET: 895400

15  
1-13

Chrome Plated Stem & Tube


FOR MOEN  
LENGTH: 5.01"




430490

GASKET: 890190 O-RING INCLUDED

FOR REID WATSON  
LENGTH: 4.47"



SEAT USED: LF648560




430531

GASKET: 890220 O-RING INCLUDED

16  
1-5


FOR ORION  
LENGTH: 4.47"



LF473101

12  
1-2

FOR AM STD  
LENGTH: 4.48"




430692  
GASKET: 890170

18  
3-30



SEAT USED: LF648560


FOR INDIANA  
LENGTH: 4.49"



430511

18  
3-3

FOR STREAMWAY  
LENGTH: 4.49"




430521  
GASKET: 891160 O-RING INCLUDED

17  
3-7


Plastic Sleeve

FOR ACORN  
LENGTH: 4.49"



470052  
270052 Stem Only


FOR CENTRAL  
LENGTH: 4.50"



207221

16  
1-6


FOR BRADLEY  
LENGTH: 4.50"



230620

12  
3-10

FOR SAYCO  
LENGTH: 4.50"



430701  
230701 Stem Only (Includes Cage)  
GASKET: 890160 O-RING INCLUDED


16  
2-3

LF647610  
LF647450  
SEAT USED: LF647450  
or LF647610

LF647610

LF647450

SEAT USED: LF647450  
or LF647610



FOR SAYCO  
LENGTH: 4.50"

430751  
207251 Stem Only


GASKET: 890160 O-RING INCLUDED

12  
1-2

LF647610

LF647450

SEAT USED: LF647450  
or LF647610



FOR SAYCO  
LENGTH: 4.50"

407201/ 407202  
207201/ 207202 Stem Only


GASKET: 890160 O-RING INCLUDED

16  
2-3

LF647610

LF647450

SEAT USED: LF647450  
or LF647610




FOR SAYCO  
LENGTH: 4.50"

407251/ 407252  
207251/ 207252 Stem Only


GASKET: 890160 O-RING INCLUDED

12  
1-2



SEAT USED: LF649640

Chrome Plated Stem




FOR ELJER  
LENGTH: 4.50"

411211/ 411212  
211211/ 211212 Stem Only

GASKET: 895330


16  
3-15





SEAT USED: LF649640

Chrome Plated Stem




FOR ELJER  
LENGTH: 4.50"

411231/ 411232  
211211/ 211212 Stem Only  
GASKET: 895120

16  
3-15




SEAT USED: LF648200 or LF649770



FOR CRANE  
LENGTH: 4.50"

LF473031/ LF473032  
LF273031/ LF273032 Stem Only


16  
1-6



FOR BRADLEY  
LENGTH: 4.51"


208331

12




FOR DISNEY CRUISE  
LENGTH: 4.51"

405722  
GASKET: 895560




431071

15  
3-27




432071  
GASKET: 895320


20  
3-24



161320




SEAT KIT USED: 130540




207231

12  
Symmons Small



Chrome Plated Stem

FOR SPEAKMAN  
LENGTH: 4.52"



3/8


407011

207011 Stem Only

GASKET: 895450

FOR GLAUBER WEST COAST  
LENGTH: 4.52"


Chrome Plated Unit



408151


208151 Stem Only

Supplied with  
12pt. Broach



12  
1-2


UNKNOWN  
LENGTH: 4.52"



426862


GASKET: 890170 O-RING INCLUDED

12  
1-2



Chrome Plated Stem



FOR ARROWHEAD  
LENGTH: 4.52"



LF274201

12  
1-2

SEAT USED: LF648130




FOR SAVOY  
LENGTH: 4.52"

**LF471301**  
**LF471301** Stem Only  
GASKET: 895100



Chrome Plated Stem

UNKNOWN  
LENGTH: 4.53"




**206851**

Supplied with  
12pt. Broach



Chrome Plated Stem

FOR MILWAUKEE  
LENGTH: 4.53"





**403432**  
**203432** Stem Only



Chrome Plated Stem

FOR SPEAKMAN  
LENGTH: 4.53"

SEAT USED: LF648930




**407701**  
**207701** Stem Only  
GASKET: 895400



Chrome Plated Stem

FOR SPEAKMAN  
LENGTH: 4.53"


SEAT USED: LF648930



**407751**  
**207751** Stem Only  
GASKET: 895400




SEAT USED: LF648170



FOR STERLING FAUCET  
LENGTH: 4.53"

16  
1-5


407301/ 407302  
207301/ 207302 Stem Only  
GASKET: 895400




FOR PRICE PFISTER  
LENGTH: 4.54"

12  
1-2

430821  
GASKET: 895150



SEAT USED: LF649140




Chrome Plated Stem


FOR GERBER  
LENGTH: 4.55"

16  
2-3

LF477021/ LF477022  
LF277021/ LF277022 Stem Only  
GASKET: 890190 O-RING INCLUDED



SEAT USED: LF648170



FOR STERLING FAUCET  
LENGTH: 4.55"

16  
1-5


430801  
230801 Stem Only  
GASKET: 895560

FOR ELJER  
LENGTH: 4.55"

Chrome Plated Sleeve




SEAT USED: LF648320  
or LF648160




407801/ 407802  
207801/ 207802 Stem Only  
GASKET: 895100

FOR ELJER  
LENGTH: 4.55"

Chrome Plated Gland




SEAT USED: LF648320  
or LF648160




407821/ 407822  
207801/ 207802 Stem Only  
GASKET: 895100

FOR ELJER  
LENGTH: 4.55"




SEAT USED: LF648320  
or LF648160




407831/ 407832  
207801/ 207802 Stem Only  
GASKET: 895100

FOR ELJER  
LENGTH: 4.55"



Chrome Plated Sleeve



SEAT USED: LF648320  
or LF648160




407851/ 407852  
207851/ 207852 Stem Only  
GASKET: 895100



16  
2-3


LF473041/ LF473042  
LF273041/ LF273042 Stem Only  
GASKET: 895180



12  
1-2



LF474011/ LF474012  
GASKET: 895060

All Brass Stem - No Plastic




5/16

406741/ 406742  
GASKET: 890190 O-RING INCLUDED




18  
3-3

407501/ 407502  
207501/ 207502 Stem Only  
GASKET: 895370




Chrome Plated Unit

FOR BRIGGS  
LENGTH: 4.56"




407521/ 407522  
207501/ 207502 Stem Only  
GASKET: 895370




Chrome Plated Stem


FOR BRIGGS  
LENGTH: 4.56"



407551/ 407552  
207551/ 207552 Stem Only  
GASKET: 895370




405942  
GASKET: 890180 O-RING INCLUDED



406451  
206451 Stem Only


Supplied with  
12pt. Broach








SEAT USED: LF648170



FOR STERLING FAUCET  
LENGTH: 4.58"

**405841**  
GASKET: 890170 O-RING INCLUDED




FOR BURLINGTON  
LENGTH: 4.58"

**430710**  
**230710** Stem Only  
GASKET: 894620




SEAT USED: LF649430



FOR CRANE  
LENGTH: 4.58"

**430901**  
**230901** Stem Only  
GASKET: 895320




FOR HARDEN  
LENGTH: 4.58"

**408011/ 408012**  
GASKET: 891140 O-RING INCLUDED  
DISC SET: 151380-PKG



Chrome Plated Stem


FOR HARCRAFT  
LENGTH: 4.58"



LF274031/ LF274032



FOR PRICE PFISTER  
LENGTH: 4.59"




405441

GASKET: 895390 INCLUDED  
DISC SET: 124290-PKG



FOR EAST RIVER  
LENGTH: 4.59"



408711


208711 Stem Only

GASKET: 895150



Chrome Plated Stem

FOR LOGAN  
LENGTH: 4.59"




410011

210011 Stem Only


GASKET: 895430






**430482**  
GASKET: 895520 INCLUDED

20  
3-32




**430611**  
**230611** Stem Only  
GASKET: 895350

16  
1-6




SEAT USED: 649110



**LF274070**




SEAT USED: LF648550



**LF474021/ LF474022**  
**LF274021/ LF274022** Stem Only

16  
1-6


SEAT USED: LF648930



**LF475011/ LF475012**  
**LF275011/ LF275012** Stem Only  
 GASKET: 890180 O-RING INCLUDED

**20**  
 2-4


SEAT USED: LF649430



**408001**  
**208001** Stem Only

**12**


SEAT USED: LF649430



**408021**  
**208001** Stem Only

**12**


Chrome Plated Stem



**431441**  
 GASKET: 895570 INCLUDED

**20**  
 3-14

SEAT USED: LF649430




FOR CRANE  
LENGTH: 4.60"

408301/ 408302  
208301/ 208302 Stem Only

12  
1-2

SEAT USED: LF649430




LENGTH: 4.60"

LF408321/ LF408322  
LF208301/ LF208302 Stem Only } For Lavatory

12  
1-2

SEAT USED: LF649430




FOR CRANE  
LENGTH: 4.60"

408321/ 408322  
208301/ 208302 Stem Only } For Shower

12  
1-2


SEAT USED: LF647450



FOR SAYCO  
LENGTH: 4.60"

LF474051/ LF474052  
LF274051/ LF274052 Stem Only  
GASKET: 895100


16  
2-3



FOR SEARS  
LENGTH: 4.61"

430911  
230961 Stem Only






**430951**

GASKET: 890200 O-RING INCLUDED


12  
1-1



**430961**

**230961** Stem Only

FOR SEARS  
LENGTH: 4.61"




**430642**

GASKET: 890240 O-RING INCLUDED

FOR KALLISTA  
LENGTH: 4.62"

9/32



**430920**


**230920** Stem Only

GASKET: 890170 O-RING INCLUDED

FOR UNION BRASS  
LENGTH: 4.62"

Chrome Plated Push Button



FOR SYMMONS  
LENGTH: 4.63"



430830

GASKET: 895350 INCLUDED

SEAT USED: LF649200




LENGTH: 4.64"

407901

GASKET: 895150

15  
3-27




FOR ORION  
LENGTH: 4.64"

408411

GASKET: 895100

12  
1-2







FOR HARDEN  
LENGTH: 4.64"

408031/ 408032

GASKET: 891140 O-RING INCLUDED

16  
3-16




Also available with seat LF648070  
LF433121-S





1/2 Turn Ceramic  
Polished Gold Stem



FOR DORF  
LENGTH: 4.65"

3/8 - 26 TPI




**407941/ 407942**

DISC SET: 124290-PKG  
GASKET: 895370 INCLUDED

Also available with a Polished Chrome Plated Stem

**407941-CP / 407942-CP**

FOR CRANE  
LENGTH: 4.67"




**231031**



FOR CRANE  
LENGTH: 4.67"



SEAT USED: LF649430



**408201**


**208201** Stem Only



FOR CRANE  
LENGTH: 4.67"



SEAT USED: LF649430




**408211**

**208201** Stem Only


GASKET: INCLUDED






409151  
209151 Stem Only

12  
1-2





430931  
GASKET: 890180 O-RING INCLUDED

20  
3-20




430971  
GASKET: 895570 INCLUDED

16  
3-16




408801  
208801 Stem Only  
GASKET: 895450

20  
2-4



Chrome Plated Stem




FOR SPEAKMAN  
LENGTH: 4.68"



408851

208851 Stem Only

GASKET: 895450



FOR SAYCO  
LENGTH: 4.68"



408611/ 408612


GASKET: 890170 O-RING INCLUDED

SEAL: 898510

DISC SET: 151380-PKG



Chrome Plated Stem




FOR SPEAKMAN  
LENGTH: 4.68"



LF475111/ LF475112

LF275111/ LF275112 Stem Only

GASKET: 890180 O-RING INCLUDED




Chrome Plated Stem

FOR AM STD  
LENGTH: 4.69"



208811

FOR PRICE PFISTER  
LENGTH: 4.69"




208971


Supplied with  
12pt. Broach



FOR BRIGGS  
LENGTH: 4.69"



SEAT USED: LF648250




408701


GASKET: 895150



FOR BRIGGS  
LENGTH: 4.69"



SEAT USED: LF648250




408751

GASKET: 895150




FOR AM STD  
LENGTH: 4.69"




LF475201  
LF275201 Stem Only





208961


12  
1-2



407991

GASKET: 895400 INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

16  
1-6




413321

213321 Stem Only

GASKET: 895540


16  
1-6



404831/ 404832

GASKET: 890160 O-RING INCLUDED  
DISC SET: 151380-PKG


16  
2-3



**LF475021/ LF475022**  
 GASKET: 890170 O-RING INCLUDED

SEAT USED: LF648170


**16**  
 1-5



**LF475061/ LF475062**  
**LF275061/ LF275062** Stem Only  
 GASKET: 895100

SEAT USED: LF648550


**16**  
 1-6



Chrome Plated Stem  
**LF475081/ LF475082**  
**LF275081/ LF275082** Stem Only  
 GASKET: 895160

SEAT USED: LF648930

**20**  
 2-4



Polished Brass Stem  
**LF475091/ LF475092**  
**LF275091/ LF275092** Stem Only  
 GASKET: 895100


Also available with chrome plated stem  
**LF475091-CP/ LF475092-CP**  
**LF275091-CP/ LF275092-CP** Stem Only

**16**  
 1-6

SEAT USED: LF648550



SEAT USED: LF648930




LF475121/ LF475122  
 LF275081/ LF275082 Stem Only  
 GASKET: 895160

20  
 2-4




SEAT USED: LF648930




LF475131/ LF475132  
 LF275081/ LF275082 Stem Only  
 GASKET: 895160

20  
 2-4




208951


Supplied with  
 12pt. Broach



12  
 1-2




SEAT KIT USED: 106090




408621  
 208621 Stem Only  
 GASKET INCLUDED: 895500

16  
 1-6

FOR AM STD  
LENGTH: 4.71"




**419211**  
SEAL: 898510-W  
DISC SET: 151380-PKG




34

FOR ELJER  
LENGTH: 4.72"



**430321**  
**231001** Stem Only  
GASKET: 895100




16  
3-15


SEAT USED: LF648320 or LF648160

FOR ELJER  
LENGTH: 4.72"

Chrome Plated Sleeve



**431001**  
**231001** Stem Only  
GASKET: 895100



16  
3-15


SEAT USED: LF648320 or LF648160

FOR ELJER  
LENGTH: 4.72"

Chrome Plated Gland







**431021**  
**231001** Stem Only  
GASKET: 895100



16  
3-15


SEAT USED: LF648320 or LF648160





SEAT USED: LF647450

Chrome Plated Stem




FOR SAYCO  
LENGTH: 4.74"

16  
2-3

409611  
209611 Stem Only  
GASKET: 895100

Plastic Escutcheon Nipple




FOR KOHLER  
LENGTH: 4.74"

16  
1-6


430941  
GASKET: 890170 O-RING INCLUDED

FOR UNION BRASS  
LENGTH: 4.74"



431010  
231010 Stem Only  
GASKET: 890190 O-RING INCLUDED

FOR UNION BRASS  
LENGTH: 4.74"




431060  
GASKET: 890190 O-RING INCLUDED

18  
3-3

Chrome Plated Stem

FOR CRANE  
LENGTH: 4.75"





212511



Chrome Plated Stem


FOR SAYCO  
LENGTH: 4.75"



409801  
209801 Stem Only  
GASKET: 895400



FOR KALLISTA  
LENGTH: 4.75"





430782  
GASKET: 890240 O-RING INCLUDED




Chrome Plated Stem

FOR KOHLER  
LENGTH: 4.75"



LF276011/ LF276012






FOR HARCRAFT  
LENGTH: 4.75"

**LF475071**

GASKET: 895040 INCLUDED




Chrome Plated Stem



FOR MILWAUKEE  
LENGTH: 4.76"

**231331**




FOR SAYCO  
LENGTH: 4.76"

**431201**

**231201** Stem Only

GASKET: 895100



FOR SAYCO  
LENGTH: 4.76"

**431221**

**231201** Stem Only

GASKET: 895100



SEAT USED: LF647450

Chrome Plated Stem

FOR SAYCO  
LENGTH: 4.76"

16  
2-3

431341  
231341 Stem Only  
GASKET: 895100

FOR WATERWORKS  
LENGTH: 4.76"

20  
3-20

409941/ 409942  
GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

FOR WATERWORKS  
LENGTH: 4.76"

20  
3-20

409941-EN/ 409942-EN Escutcheon Nipple available separately  
127350  
GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

SEAT USED: LF647450  
or 648640

LF647650  
648640

Chrome Plated Stem


FOR SAYCO  
LENGTH: 4.77"

16  
2-3

431401  
231401 Stem Only  
GASKET: 895400

Stem also available less cage  
231401-1


FOR SPEAKMAN  
LENGTH: 4.77"



LF275900


FOR BEAR BRAND  
LENGTH: 4.78"

Chrome Plated Unit




409351  
209351 Stem Only

Supplied with  
12pt. Broach



Chrome Plated Stem  
18 TPI Gland

FOR UNION BRASS  
LENGTH: 4.78"




409701  
209701 Stem Only  
GASKET: 895370



Chrome Plated Stem  
20 TPI Gland

FOR UNION BRASS  
LENGTH: 4.78"




409711  
209701 Stem Only  
GASKET: 895370





SEAT USED: LF648760

Chrome Plated Stem




FOR SPEAKMAN  
LENGTH: 4.78"

431141  
231141 Stem Only




SEAT USED: LF648760

Chrome Plated Stem



FOR SPEAKMAN  
LENGTH: 4.78"

431191  
231191 Stem Only  
GASKET: 890180 O-RING INCLUDED




FOR AUBURN BRASS  
LENGTH: 4.78"

409921/ 409922  
GASKET: 890160 O-RING INCLUDED



Chrome Plated Stem





FOR MUELLER  
LENGTH: 4.78"


LF274061

Supplied with  
12pt. Broach






SEAT USED:  
LF648200  
or LF649770



FOR CRANE  
LENGTH: 4.78"


LF275031/ LF275032



Chrome Plated Stem

UNKNOWN  
LENGTH: 4.79"


406931  
206931 Stem Only  
GASKET: 895560



Chrome Plated Stem

UNKNOWN  
LENGTH: 4.79"

414521  
214521 Stem Only




Chrome Plated Stem

UNKNOWN  
LENGTH: 4.79"

414571  
214571 Stem Only







431301  
231301 Stem Only  
GASKET: 895320


Also available with  
Polished Brass stem  
431301-PB  
231301-PB Stem Only

12  
1-2

FOR ELJER  
LENGTH: 4.79"

Also available with 12pt broach  
431351  
231351 Stem Only


16  
3-15



431321  
231301 Stem Only  
GASKET: 895150

FOR ELJER  
LENGTH: 4.79"


16  
3-15



409811/ 409812  
209811/ 209812 Stem Only  
GASKET: 895150

FOR UNION BRASS  
LENGTH: 4.80"

18  
3-3




431041  
231041 Stem Only  
GASKET: 895290

FOR BLOCK BRASS  
LENGTH: 4.80"

16  
1-6

FOR STREAMWAY  
LENGTH: 4.80"




431310

231310 Stem Only

GASKET: 890170 O-RING INCLUDED



FOR WOLVERINE  
LENGTH: 4.80"




410101/ 410102

210101/ 210102 Stem Only

GASKET: 895450



FOR WOLVERINE  
LENGTH: 4.80"




410151/ 410152

210151/ 210152 Stem Only

GASKET: 895450




FOR DICK BROS.  
LENGTH: 4.81"



410861

210861 Stem Only

GASKET: 895400 INCLUDED




Chrome Plated Stem

FOR HAJOCA  
LENGTH: 4.81"

415321  
215321 Stem Only


16  
1-5



FOR KALLISTA  
LENGTH: 4.81"

431622  
GASKET: 890240 O-RING INCLUDED

20  
3-20




Chrome Plated Stem

FOR CENTRAL  
LENGTH: 4.81"

LF276101

16  
1-6




Chrome Plated Stem

UNKNOWN  
LENGTH: 4.82"

209451

12  
1-2

USES BARREL:  
LF647021/LF647022




LF476031/ LF476032  
LF276031/ LF276032 Stem Only LF476231/ LF476232  
GASKET: 818010

Also available less barrel

22  
1-4

USES BARREL:  
LF647021/LF647022




LF476041/ LF476042  
LF276031/ LF276032 Stem Only LF476241/ LF476242  
GASKET: 818010

Also available less barrel

22  
1-4

USES BARREL:  
LF647021/LF647022




LF476131/ LF476132  
LF276131/ LF276132 Stem Only LF476331/ LF476332  
GASKET: 818010

Also available less barrel

20  
3-14





USES BARREL:  
LF647021/LF647022




LF476141/ LF476142  
LF276131/ LF276132 Stem Only LF476341/ LF476342  
GASKET: 818010

Also available less barrel

20  
3-14






FOR SEPCO  
LENGTH: 4.83"

**410031/ 410032**

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

15  
3-27

Polished Brass Stem Extension



FOR PHYLRICH  
LENGTH: 4.83"


Individual items available  
Stem Ext. 3.25": #132150-PB  
& 132150-CP  
Ext. Adap. Screw: #103310

**410061/ 410062**

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

Also available with chrome plated stem  
**410061-CP/ 410062-CP**

16  
1-6



FOR PHYLRICH  
LENGTH: 4.83"


Individual items available  
Stem Ext. 3.25": #102960  
Ext. Adap. Screw: #103310

**410081/ 410082**

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

16  
1-6

Chrome Plated Stem




FOR LENHART  
LENGTH: 4.84"

**410411**

**210411** Stem Only


GASKET: 895450

16  
3-15




**410901**  
**210901** Stem Only  
 GASKET: 895340

**18**  
 3-3




**410951**  
**210951** Stem Only  
 GASKET: 895340

**12**  
 1-2







**411201**  
**211201** Stem Only  
 GASKET: 895370

**18**  
 3-3







**412101**  
**210901** Stem Only

**18**  
 3-3








Comes with handle screw:  
# 899230

FOR KALLISTA  
LENGTH: 4.85"



434201



FOR PRICE PFISTER  
LENGTH: 4.85"

Nickel Plated Stem




LF477201/ LF477202



FOR ACORN  
LENGTH: 4.86"

Stainless Steel Shank




LF138220

GASKET INCLUDED: 895550  
SEAT INCLUDED: LF647560


FOR BRIGGS  
LENGTH: 4.86"





Chrome Plated Unit








409551  
209551 Stem Only

Supplied with  
12pt. Broach










FOR BRIGGS  
LENGTH: 4.88"

18  
3-3

431512  
231502 Stem Only  
GASKET: 895370


FOR HOT & COLD STEM USE PRICE PFISTER 405111/405112



FOR CALIFORNIA BRASS  
LENGTH: 4.88"

12  
1-2


431701  
231701 Stem Only  
GASKET: 895400



FOR NEWPORT  
LENGTH: 4.88"

16  
3-16


411221/ 411222  
GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG




FOR ALTMANS  
LENGTH: 4.88"


16  
3-16

417311/ 417312  
GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG




413951  
213951 Stem Only

Supplied with  
12pt. Broach  12  
1-2




431461  
GASKET: 890170 O-RING INCLUDED

16  
1-5



431481  
GASKET: 890170 O-RING INCLUDED

16  
1-5




436180  
GASKET: 890200 O-RING INCLUDED



SEAT USED: LF649760

Chrome Plated Stem



FOR DICK BROS.  
LENGTH: 4.89"


LF276311/ LF276312



231530




FOR BRADLEY  
LENGTH: 4.90"




SEAT USED: 648630

Chrome Plated Stem




FOR BRIGGS  
LENGTH: 4.90"

411401  
211401 Stem Only  
GASKET: 895340



SEAT USED: 648630


Chrome Plated Stem



FOR BRIGGS  
LENGTH: 4.90"

411411  
211411 Stem Only  
GASKET: 895340





SEAT USED: 648630

Chrome Plated Stem


FOR BRIGGS  
LENGTH: 4.90"

**411451**  
**211451** Stem Only  
GASKET: 895340

12  
1-2

24 TPI Gland  
Chrome Plated Gland

FOR MICHIGAN BRASS  
LENGTH: 4.90"




**431210**  
GASKET: 890160 O-RING INCLUDED

12  
3-5

20 TPI Gland  
Chrome Plated Gland

FOR WOLVERINE  
LENGTH: 4.90"




**431240**  
GASKET: 890160 O-RING INCLUDED

12  
3-5



SEAT USED: LF648550




FOR CENTRAL  
LENGTH: 4.90"

**431921**  
**211011** Stem Only  
GASKET: 895100

16  
1-6



SEAT USED: LF648550



FOR PHYLRIK  
LENGTH: 4.90"


**431941**

GASKET: 895100



Chrome Plated Stem


CERAMIC CONVERSION FOR KOHLER 407001/2  
LENGTH: 4.90"



**407041/ 407042**

DISC SET: 151380-PKG

Also available with gold plated stem  
**407041-PG/ 407042-PG**



FOR JACUZZI  
LENGTH: 4.90"

**410921/ 410922**


GASKET: 890190 O-RING INCLUDED

SEAL: 898550

DISC SET: 151380-PKG



SEAT USED: LF648550




FOR CENTRAL  
LENGTH: 4.90"

**411011/ 411012**

**211011/ 211012** Stem Only

GASKET: 895100






FOR PHYLRICH  
LENGTH: 4.90"

16  
1-6


411031/ 411032  
GASKET: 895100



FOR BRIGGS  
LENGTH: 4.91"

8


411901  
211901 Stem Only  
GASKET: 895330



FOR BRIGGS  
LENGTH: 4.91"

12  
1-2

411951  
211951 Stem Only  
GASKET: 895330




FOR PHYLRICH  
LENGTH: 4.91"

16  
1-6

431951  
GASKET: 895100

Also available with chrome plated stem  
431951-CP




Chrome Plated Stem

FOR ACME  
LENGTH: 4.91"

**LF475001**  
**LF275001** Stem Only  
GASKET: 895100

16  
1-6



Polished Brass Stem


FOR PHYLRICH  
LENGTH: 4.91"

SEAT USED: LF648550

**411041/ 411042**  
**211041/ 211042** Stem Only  
GASKET: 895100

Also available with chrome plated stem  
**411041-CP/ 411042-CP**  
**211041-CP/ 211042-CP** Stem Only

16  
1-6




Chrome Plated Bonnet

FOR CRANE  
LENGTH: 4.92"

**411621**  
**211621** Stem Only

11/32




Chrome Plated Stem

FOR DICK BROS.  
LENGTH: 4.92"

SEAT USED: LF648950

**412051**  
**212051** Stem Only

Supplied with  
12pt. Broach



12  
1-2

SEAT USED: 647650

Chrome Plated Stem

FOR BRIGGS  
LENGTH: 4.92"

18

3-3

414201  
214201 Stem Only

SEAT USED: 647650

Chrome Plated Stem

FOR BRIGGS  
LENGTH: 4.92"

12

1-2

414251  
214251 Stem Only

SEAT USED: LF648930

Chrome Plated Stem

FOR SPEAKMAN  
LENGTH: 4.92"

20

2-4

LF475101/ LF475102  
LF275101/ LF275102 Stem Only

GASKET: 890180 O-RING INCLUDED

Chrome Plated Unit


FOR PUBCO  
LENGTH: 4.93"

Supplied with  
12pt. Broach


12

1-2

411151  
211151 Stem Only



SEAT USED: 648920



Chrome Plated Stem


FOR GOETZ  
LENGTH: 4.93"

**411551**  
**211551** Stem Only  
GASKET: 895560

Supplied with  
12pt. Broach



1-2



Chrome Plated Unit


FOR GOETZ  
LENGTH: 4.93"

**411561**  
**211551** Stem Only  
GASKET: 895560


Supplied with  
12pt. Broach



1-2



SEAT USED: LF648930  
or LF648760




Chrome Plated Stem

FOR SPEAKMAN  
LENGTH: 4.93"


**411701**  
**211701** Stem Only  
GASKET: 895180



2-4



SEAT USED: LF648930  
or LF648760



Chrome Plated Stem


FOR SPEAKMAN  
LENGTH: 4.93"

**411751**  
**211751** Stem Only  
GASKET: 895180



1-2

FOR STERLING FAUCET  
LENGTH: 4.93"




**431471**

GASKET: 890170 O-RING INCLUDED

5/16

FOR AM STD  
LENGTH: 4.93"




**431601**

INCLUDES WAVE WASHER: 897110

16

Chrome Plated Stem

FOR HARCRAFT  
LENGTH: 4.93"



**431801**


**231801** Stem Only

GASKET: 895100

12  
1-2

Chrome Plated Stem

FOR HARCRAFT  
LENGTH: 4.93"




**431811**

**231801** Stem Only

GASKET: 895100

12  
1-2


SEAT USED: LF649430



FOR CRANE  
LENGTH: 4.93"

12  
1-2

431901  
231901 Stem Only  
GASKET: 895550




FOR GLAUBER SALTER  
LENGTH: 4.93"

18  
3-3

LF476501  
LF276501 Stem Only

Chrome Plated Unit




FOR GOETZ  
LENGTH: 4.94"

20  
2-4

412211  
212211 Stem Only  
GASKET: 895370





Chrome Plated Unit



FOR GOETZ  
LENGTH: 4.94"

21/64


412221  
212221 Stem Only  
GASKET: 895370







Chrome Plated Stem




FOR SPEAKMAN  
LENGTH: 4.95"

412701  
212701 Stem Only




Chrome Plated Stem




FOR SPEAKMAN  
LENGTH: 4.95"

412751  
212751 Stem Only



FOR PHOENIX  
FOR STREAMWAY  
LENGTH: 4.95"

431821  
GASKET: 890170 O-RING INCLUDED



Chrome Plated Stem


FOR LEONARD  
LENGTH: 4.95"

432621  
GASKET: 895550





SEAT USED: 648970




FOR PHYLRICH  
LENGTH: 4.95"

**415641/ 415642**


GASKET: 895400

16

3-16



SEAT USED: LF648390



Chrome Plated Stem

FOR AM STD  
LENGTH: 4.95"

**LF478011/ LF478012**


**LF278011/ LF278012** Stem Only

22

1-4



SEAT USED: LF648130



Chrome Plated Stem

FOR SAVOY  
LENGTH: 4.96"

**412711**

**212801** Stem Only


GASKET: 895400

15

1-13



SEAT USED: LF648130



Chrome Plated Stem

FOR SAVOY  
LENGTH: 4.96"





**412721**





**212801** Stem Only


GASKET: 895400

15

1-13








**413111**  
**213111** Stem Only  
 GASKET: 895150


17/64




**412031/ 412032**  
 GASKET: 890210 O-RING INCLUDED  
 SEAL: 898520  
 DISC SET: 109850-PKG

Individual items available  
 Stem Ext. 3-1/4": #102960  
 Ext. Adap. Screw: #103310

16  
 1-6



Polished Brass Stem Extension




**412041/ 412042**  
 GASKET: 890210 O-RING INCLUDED  
 SEAL: 898520  
 DISC SET: 109850-PKG

Also available with chrome plated stem  
**412041-CP/ 412042-CP**


16  
 1-6

Individual items available  
 Stem Ext. 3.25": #132150  
 & 132150-CP  
 Ext. Adap. Screw: #103310

Chrome Plated Stem & Esc Tube




**412901**  
 GASKET: 895400




SEAT USED: 648370

12  
 1-2




Old Style, Use 413601



SEAT USED: LF649140


Chrome Plated Stem




FOR GERBER  
LENGTH: 4.98"

16  
2-3

413601  
213601 Stem Only  
GASKET: 895370




SEAT USED: LF648350




FOR AM STD  
LENGTH: 4.98"

16

414401/ 414402  
214401/ 214402 Stem Only  
WAVE WASHER: 897110




SEAT USED: 648970




FOR CENTRAL  
LENGTH: 4.98"

16  
1-6

415541/ 415542  
215541/ 215542 Stem Only  
GASKET: 895400



SEAT USED: 648970




FOR PHYLRICH  
LENGTH: 4.98"


16  
1-6

415541-CP/ 415542-CP  
215541-CP/ 215542-CP Stem Only  
GASKET: 895400

Also available with Polished Brass stem  
415541-PB/ 415542-PB  
215541-PB/ 215542-PB Stem Only



SEAT USED: 647640




FOR SYMMONS  
LENGTH: 4.99"


12  
Symmons Large

212111  
GASKET: 895490 INCLUDED


Chrome Plated Stem




FOR GLAUBER SALTER  
LENGTH: 4.99"

Supplied with  
12pt. Broach  12  
1-2

412451  
212451 Stem Only  
GASKET: 895370




SEAT USED: 648630



FOR BRIGGS  
LENGTH: 4.99"

18  
3-3

413001/ 413002  
213001/ 213002 Stem Only  
GASKET: 895340



SEAT USED: 648630

Chrome Plated Stem


FOR BRIGGS  
LENGTH: 4.99"

413051/ 413052  
213051/ 213052 Stem Only

12  
1-2

GASKET: 895340


Chrome Plated Stem



FOR CRANE  
LENGTH: 5.00"

212581

16




FOR GRAND HAVEN  
LENGTH: 5.00"

232220

12  
1-2

Chrome Plated Stem




FOR ROSS & GADE  
LENGTH: 5.00"

412241  
212241 Stem Only

GASKET: 895430

5/16

Chrome Plated Unit







UNKNOWN  
LENGTH: 5.00"

412641/ 412642


SEAL: 898510  
DISC SET: 151380-PKG

5/16  
TAPERED






FOR STERLING BRASS  
FOR DICK BROS.  
LENGTH: 5.00"



430812  
230812 Stem Only  
GASKET: 895560


Supplied with  
12pt. Broach  12  
1-2

Chrome Plated Stem

FOR SPEAKMAN  
LENGTH: 5.00"




SEAT USED: LF648930




431911  
231911 Stem Only  
GASKET: 895160

20  
2-4



SEAT USED: LF649150



FOR GERBER  
LENGTH: 5.00"


413311/ 413312  
213311/ 213312 Stem Only  
GASKET: 895400

Also available with chrome plated stem  
413311-CP/ 413312-CP  
213311-CP/ 213312-CP Stem Only


16  
2-3

Chrome Plated Stem

FOR ELJER  
LENGTH: 5.00"




SEAT USED: LF649640



415511/ 415512  
215511/ 215512 Stem Only  
GASKET: 895330


16  
3-15



SEAT USED: LF649640


415531/ 415532  
 215511/ 215512 Stem Only  
 GASKET: 895120

16  
 3-15



LF277051/ LF277052


19  
 1-7



SEAT USED: LF648930

LF476021/ LF476022  
 LF276021/ LF276022 Stem Only


20  
 2-4



LF480011/ LF480012  
 LF280011/ LF280012 Stem Only

12  
 1-2

Chrome Plated Stem & Tube




FOR MOEN  
LENGTH: 5.01"

**430590**

GASKET: 890190 O-RING INCLUDED

Chrome Plated Stem



FOR SIGN OF THE CRAB  
LENGTH: 5.01"

**414911/ 414912**

GASKET: 891160 O-RING INCLUDED  
DISC SET: 112530-PKG




3-16

FOR SAVOY  
LENGTH: 5.02"



SEAT USED: LF648130



**413211**


**213211** Stem Only

GASKET: 895400



1-13

Chrome Plated Stem



UNKNOWN  
LENGTH: 5.02"

**414551**

**214551** Stem Only

Supplied with  
12pt. Broach



1-2

SEAT USED: 648810

Chrome Plated Stem

FOR CENTRAL  
LENGTH: 5.02"

16  
1-6

415901  
215901 Stem Only  
GASKET: 895570

SEAT USED: 648810

Chrome Plated Stem

FOR CENTRAL  
LENGTH: 5.02"

12  
1-2

415951  
215951 Stem Only  
GASKET: 895570

SEAT USED: LF649790

Chrome Plated Stem

FOR MUELLER  
LENGTH: 5.03"

16  
1-6

414801  
214801 Stem Only


SEAT USED: LF649790

Chrome Plated Stem

FOR MUELLER  
LENGTH: 5.03"

12  
1-2

414851  
214851 Stem Only




FOR SAYCO  
LENGTH: 5.03"

409911/ 409912

GASKET: 890160 O-RING INCLUDED  
SEAT INCLUDED: 609910

16

2-3



Polished Brass Stem

FOR BROADWAY  
LENGTH: 5.03"

SEAT USED: 648180

20

2-4

414321/ 414322


214321/ 214322 Stem Only

GASKET: 895570

Also available with polished chrome plated stem

414321-CP/ 414322-CP

214321-CP/ 214322-CP Stem Only



Chrome Plated Stem


FOR ROYAL BRASS  
LENGTH: 5.03"

LF279011

5/16



SEAT USED: LF648130



FOR P.E. GUERIN  
LENGTH: 5.03"

LF478701/ LF478702


GASKET: 895100

16

1-6

Chrome Plated Stem / Brass Plunger

FOR KOHLER  
LENGTH: 5.04"




431412



Chrome Plated Stem / Brass Plunger

FOR KOHLER  
LENGTH: 5.04"




431422

GASKET: 890210 O-RING INCLUDED



Chrome Plated Stem / Plastic Plunger

FOR KOHLER  
LENGTH: 5.04"



407001/ 407002

207001/ 207002 Stem Only

SEAT: LF649460 INCLUDED




Also available with Brass Plunger  
407001-B / 407002-B

Also available with Brass Plunger &  
Polished Gold stem

407001-PG / 407002-PG

Chrome Plated Stem / Plastic Plunger

FOR KOHLER  
LENGTH: 5.04"



407021/ 407022

207001/ 207002 Stem Only


GASKET: 890210 O-RING INCLUDED  
SEAT: LF649460 INCLUDED



Also available with Brass Plunger  
407021-B / 407022-B

Chrome Plated Stem / Plastic Plunger

FOR KOHLER  
LENGTH: 5.04"



19  
1-7


407031/ 407032  
207001/ 207002 Stem Only

GASKET: 890210 O-RING INCLUDED  
SEAT: LF649460 INCLUDED

Also available with Brass Plunger  
407031-B / 407032-B

Also available with Brass Plunger &  
Polished Gold stem

407031-PG / 407032-PG



Not Available, Use 414421 / 414422

FOR SAYCO  
LENGTH: 5.04"



16  
2-3


414421/ 414422

DISC SET: 151380-PKG

FOR REID WATSON  
LENGTH: 5.04"



SEAT USED: LF648130








16  
1-5

LF478711/ LF478712

GASKET: 895100









432251  
 232251 Stem Only  
 GASKET: 895400

12  
 1-2




414301/ 414302  
 214301/ 214302 Stem Only  
 GASKET: 895570

20  
 2-4











414411/ 414412  
 214411/ 214412 Stem Only



LF480151/ LF480152  
 LF280151/ LF280152 Stem Only  
 GASKET: 895100


16  
 1-6





Plastic Escutcheon Nipple


FOR KOHLER  
LENGTH: 5.08"



433171

GASKET: 891150 O-RING INCLUDED

16  
1-6




FOR KOHLER  
LENGTH: 5.08"

433181

GASKET: 891150 O-RING INCLUDED

16  
1-6



FOR KOHLER  
LENGTH: 5.08"


433191

GASKET: 891150 O-RING INCLUDED

16  
1-6


Chrome Plated Stem

FOR PRICE PFISTER  
LENGTH: 5.09"




236260

12  
1-2




**414821**  
 GASKET: 895340  
 SEAT INCLUDED: 647850

16  
 1-6



**414811/ 414812**  
 GASKET: 895340  
 SEAT INCLUDED: 647850


16  
 1-6



SEAT USED: 648490

**408502**  
**208502** Stem Only  
 GASKET: 894960 INCLUDED


5/16




SEAT USED: 648490

**408552**  
**208552** Stem Only  
 GASKET: 894960 INCLUDED


12  
 1-2




415261  
215261 Stem Only







415701  
215701 Stem Only  
GASKET: 895400




415751  
215751 Stem Only  
GASKET: 895400



415911  
215911 Stem Only








**LF472021**  
**LF272021** Stem Only  
 GASKET: 895100


15  
 1-13



**LF478881/ LF478882**  
**LF278881/ LF278882** Stem Only  
 GASKET INCLUDED: 890180

Also available with polished chrome plated stem  
**LF478881-CP/ LF478882-CP**  
**LF278881-CP/ LF278882-CP** Stem Only


20  
 2-4




**LF478891/ LF478892**  
**LF278891/ LF278892** Stem Only  
 GASKET INCLUDED: 890180

Also available with polished chrome plated stem  
**LF478891-CP/ LF478892-CP**  
**LF278891-CP/ LF278892-CP** Stem Only

20  
 2-4




**416061**  
**216061** Stem Only  
 SEAT: NOT REMOVEABLE

Supplied with  
 12pt. Broach  **12**  
 1-2

Chrome Plated Gland & Push Button


FOR SYMMONS  
LENGTH: 5.12"



415410

432411  
232411 Stem Only  
GASKET: 895400


FOR SAVOY  
LENGTH: 5.12"



15  
1-13

Chrome Plated Stem

FOR BRIGGS  
LENGTH: 5.12"




433502  
233502 Stem Only  
GASKET: 895370

18  
3-3


Chrome Plated Unit

FOR BRIGGS  
LENGTH: 5.12"




433512  
233502 Stem Only  
GASKET: 895370

18  
3-3




414711 / 414712

15  
3-27




Available: Stem Only  
214711 / 214712



LF479401 / LF479402  
GASKET: 895060


SEAT USED: LF648270

12  
1-2



216051





12  
1-2











414051  
214051 Stem Only  
GASKET: 895350





Supplied with  
12pt. Broach





12  
1-2























Chrome Plated Stem

FOR J.L. MOTT  
LENGTH: 5.17"

416211  
216211 Stem Only  
GASKET: 895160

11/32




Chrome Plated Stem

FOR SPEAKMAN  
LENGTH: 5.17"

417101  
217101 Stem Only

11/32




Chrome Plated Stem

FOR SPEAKMAN  
LENGTH: 5.17"

417151  
217151 Stem Only

12  
1-2




Chrome Plated Stem

FOR PRICE PFISTER  
LENGTH: 5.17"


432001  
232001 Stem Only  
GASKET: 895560

12  
1-2



SEAT USED: 648370

Chrome Plated Stem



FOR PRICE PFISTER  
LENGTH: 5.17"

432011  
232001 Stem Only  
GASKET: 895560




SEAT USED: 648370



1-2


Chrome Plated Gland



FOR KOHLER  
LENGTH: 5.17"


432810  
GASKET: 891150 O-RING INCLUDED

Chrome Plated Stem



FOR PRICE PFISTER  
LENGTH: 5.17"

415301/ 415302  
215301/ 215302 Stem Only  
GASKET: 895400




SEAT USED: 648370



1-2

Chrome Plated Stem



FOR PRICE PFISTER  
LENGTH: 5.17"


415311/ 415312  
215301/ 215302 Stem Only  
GASKET: 895400



SEAT USED: 648370




1-2




LF479701  
LF279701 Stem Only  
GASKET: 895320

11/32




215921

15  
3-27




215971

12  
1-2




232700







432700  
232700 Stem Only



432710  
232710 Stem Only




LF280021/ LF280022



LF479601/ LF479602

Chrome Plated Stem & Sleeve

FOR ACME  
LENGTH: 5.19"




414621  
214621 Stem Only  
GASKET: 895180


16  
1-6

Chrome Plated Stem

FOR CENTRAL  
LENGTH: 5.19"




SEAT USED: 648810



416801  
216801 Stem Only  
GASKET: 895400

16  
1-6

FOR ACME  
LENGTH: 5.19"




416911  
216911 Stem Only  
GASKET: 895180


16  
1-6

Chrome Plated Stem


FOR STERLING BRASS  
FOR DICK BROS.  
LENGTH: 5.19"



SEAT USED: LF649010











Supplied with  
12pt. Broach







416951/ 416952  
GASKET: 895370

12  
1-2










Also available with chrome plated stem

415831/ 415832

215821/ 215822 Stem Only

FOR CENTRAL  
LENGTH: 5.20"





16  
1-6


415801/ 415802

215801/ 215802 Stem Only

GASKET: 895400



SEAT USED: 648810 or 648970




FOR CENTRAL  
LENGTH: 5.20"

16  
1-6

415811/ 415812


215801/ 215802 Stem Only

GASKET: 895400



SEAT USED: 648810 or 648970

Chrome Plated Stem




FOR CENTRAL  
LENGTH: 5.20"

16  
1-6


415821/ 415822

215821/ 215822 Stem Only

GASKET: 895400



SEAT USED: 648810 or 648970




FOR CENTRAL  
LENGTH: 5.20"

12  
1-2





415851/ 415852





215851/ 215852 Stem Only






GASKET: 895400




SEAT USED: 648810 or 648970











FOR INDIANA  
LENGTH: 5.25"

18  
3-3

432730  
232730 Stem Only  
GASKET: 890180 O-RING INCLUDED



Old Style, Use 413301 or 413301-CP



FOR GERBER  
LENGTH: 5.25"


SEAT USED: LF649150

16  
2-3


413301/ 413302  
213301/ 213302 Stem Only  
GASKET: 895400

Also available with chrome plated stem

413301-CP



SEAT KIT USED: 106090



FOR SYMMONS  
LENGTH: 5.26"


12

Symmons Large

417701  
217701 Stem Only  
GASKET: 895500 INCLUDED

Nickel Plated Stem

FOR CHICAGO  
LENGTH: 5.26"




417211/ 417212

GASKET: 895200  
SEAT INCLUDED: 648750

Chrome Plated Stem

FOR ENTERPRISE  
LENGTH: 5.27"




416651

216651 Stem Only

Chrome Plated Stem  
18 TPI Gland

FOR UNION BRASS  
LENGTH: 5.27"




418701

218701 Stem Only

GASKET: 895370

Chrome Plated Stem  
20 TPI Gland





FOR UNION BRASS  
LENGTH: 5.27"



418711


218701 Stem Only

GASKET: 895370





FOR SEARS  
FOR FEDERAL HUBER  
LENGTH: 5.28"




432901

12  
3-10

FOR ELJER  
LENGTH 5.28"

Plastic Plunger End




433432

GASKET: 895160 INCLUDED

20  
3-20

Nickel Plated Stem




FOR CHICAGO  
LENGTH: 5.28"

LF475411/ LF475412

GASKET: 890170 O-RING INCLUDED  
SEAL: 898590  
DISC SET: 151380-PKG

TAPERED


Chrome Plated Stem



FOR ROYAL BRASS  
LENGTH: 5.28"


LF479901  
LF279901 Stem Only

5/16  
TAPERED




**411021**  
GASKET: 895100

**16**  
1-6





**417201**  
**217201** Stem Only  
GASKET: 895560

**12**  
1-2




**419251**  
**219251** Stem Only

Supplied with  
12pt. Broach  **12**  
1-2



SEAT USED: 647970




**423421**  
**223421** Stem Only  
GASKET: 895500 INCLUDED

**12**  
Symmons Large

FOR KOHLER  
LENGTH: 5.34"

Chrome Escutcheon Tube




**432910**

GASKET: 891150 O-RING INCLUDED

FOR AM STD  
LENGTH: 5.30"

Chrome Plated Stem



**225151**

Supplied with  
12pt. Broach




**12**

1-2

FOR MILWAUKEE  
LENGTH: 5.30"

Chrome Plated Stem



SEAT USED: 648490

**410602**


**210602** Stem Only

GASKET: 894960 INCLUDED

5/16

FOR MILWAUKEE  
LENGTH: 5.30"

Chrome Plated Stem



SEAT USED: 648490

**410652**


**210652** Stem Only

GASKET: 894960 INCLUDED

**12**

1-2


FOR NFC / AMERICAN FAUCETS  
 LENGTH: 5.30"



**417221/ 417222**  
 GASKET: 890170 O-RING INCLUDED  
 SEAL: 898580-R/B  
 DISC SET: 151380-PKG

16  
 3-16

Chrome Plated Stem




UNKNOWN  
 LENGTH: 5.31"

**418121**  
**218121** Stem Only  
 GASKET: 895550

16  
 1-6

Chrome Plated Stem




UNKNOWN  
 LENGTH: 5.31"


**418171**  
**218171** Stem Only  
 GASKET: 895340

12  
 1-2

Chrome Plated Stem




SEAT USED: 647970



FOR SYMONS  
 LENGTH: 5.31"


**423431**  
**223431** Stem Only  
 GASKET: 895500 INCLUDED

5/16



432800  
232800 Stem Only


17  
3-7



433361  
GASKET: 890190 O-RING INCLUDED


Also available with chrome plated stem  
433361-CP

16  
1-6



433381  
233381 Stem Only  
GASKET: 895550

16  
3-26



480311  
280311 Stem Only  
GASKET: 895400 INCLUDED

5/16

Chrome Plated Stem

FOR AM STD  
STEM LENGTH: 5.31"

USES BARREL:  
LF647021/LF647022

418001/ 418002  
218001/ 218002 Stem Only  
GASKET: 818000

Also available less barrel  
199651/ 199652

22  
1-4

Chrome Plated Stem

FOR AM STD  
STEM LENGTH: 5.31"

USES BARREL:  
LF647021/LF647022

418011/ 418012  
218001/ 218002 Stem Only  
GASKET: 818000

22  
1-4

Chrome Plated Stem

FOR AM STD  
STEM LENGTH: 5.31"

USES BARREL:  
LF647021/LF647022

418021/ 418022  
218021/ 218022 Stem Only  
GASKET: 818010

3/8" Shank

20  
3-14

Chrome Plated Stem

FOR AM STD  
STEM LENGTH: 5.31"


USES BARREL:  
LF647021/LF647022

418031/ 418032  
218001/ 218002 Stem Only  
GASKET: 818010

22  
1-4

USES BARREL:  
LF647021/LF647022

Chrome Plated Stem




FOR AM STD  
STEM LENGTH: 5.31"

418051/ 418052  
218051/ 218052 Stem Only  
GASKET: 818000

12  
1-2

USES BARREL:  
LF647021/LF647022

Chrome Plated Stem




FOR AM STD  
STEM LENGTH: 5.31"

418061/ 418062  
218051/ 218052 Stem Only  
GASKET: 818000


12  
1-2

Chrome Plated Stem



FOR BRIGGS  
LENGTH: 5.32"


417901  
217901 Stem Only  
GASKET: 895370



SEAT USED: 648630


18  
3-3

Chrome Plated Unit  
20 TPI Gland



FOR BRIGGS  
LENGTH: 5.32"

417911  
217901 Stem Only  
GASKET: 895370




SEAT USED: 648630


18  
3-3

Chrome Plated Stem

FOR BRIGGS  
LENGTH: 5.32"



417921  
417901 Stem Only  
GASKET: 895370




SEAT USED: 648630


18  
3-3

Chrome Plated Unit  
18 TPI Gland

FOR BRIGGS  
LENGTH: 5.32"



417931  
217901 Stem Only  
GASKET: 895370



SEAT USED: 648630


18  
3-3

Chrome Plated Stem

FOR STERLING FAUCET  
LENGTH: 5.32"



SEAT USED: LF648170



418201  
218201 Stem Only  
GASKET: 895400


16  
1-5

Chrome Plated Stem

FOR STERLING FAUCET  
LENGTH: 5.32"







SEAT USED: LF648170




418231  
218201 Stem Only  
GASKET: 895400

16  
1-5









432920  
232920 Stem Only

16  
3-16




432930  
232930 Stem Only

16  
3-16




418501  
218501 Stem Only  
GASKET: 895370

12  
3-10




418541  
218501 Stem Only  
GASKET: 895370

12  
3-10




418551  
 218551 Stem Only  
 GASKET: 895370

12  
 1-2




418621  
 218501 Stem Only  
 GASKET: 895370

12  
 3-10




433001  
 233001 Stem Only  
 GASKET: 895450

20  
 2-4



433391  
 233391 Stem Only  
 GASKET: 895400

15  
 1-13




FOR CRANE  
LENGTH: 5.33"

Double Lead

12  
3-10


418531/ 418532  
218531/ 218532 Stem Only  
GASKET: 895370



FOR RODAC  
LENGTH: 5.33"

16  
3-16


LF479801/ LF479802  
GASKET: 890170 O-RING INCLUDED



FOR CENTRAL  
LENGTH: 5.33"

16  
1-6


LF480171  
LF280171 Stem Only  
GASKET: 895400



FOR SPEAKMAN  
LENGTH: 5.34"

20  
2-4

433201  
233201 Stem Only







FOR BROADWAY  
LENGTH: 5.34"

20  
2-4

433221  
233221 Stem Only


Also available with polished chrome plated stem

433221-CP  
233221-CP Stem Only




Chrome Plated Stem

FOR AM STD  
LENGTH: 5.35"



233531



Not Available, Use 418521




Chrome Plated Unit

FOR DICK BROS.  
LENGTH: 5.35"



SEAT USED: 648980



5/16


418521

218521 Stem Only

GASKET: 895400 INCLUDED

Chrome Plated Stem

FOR GLAUBER WEST COAST  
LENGTH: 5.35"




1/2 - 22 TPI

418601


218601 Stem Only

GASKET: 895570




418651  
 218651 Stem Only  
 GASKET: 895570


12  
 1-2



418811/ 418812  
 GASKET: 890210 O-RING INCLUDED




16  
 3-16








LF480401/ LF480402

12  
 1-2











224151


Supplied with  
 12pt. Broach  12  
 1-2













**420611**  
**220611** Stem Only  
 GASKET: 895340




**431931**  
 GASKET: 895100

SEAT USED: LF648550



**410991/ 410992**  
 GASKET: 895100

SEAT USED: LF648550




**LF473011**  
**LF273011** Stem Only  
 GASKET: 895100

SEAT USED: LF648130



Chrome Plated Stem

FOR DICK BROS.  
LENGTH: 5.41"




220411



Chrome Plated Stem


FOR ROYAL BRASS  
LENGTH: 5.41"



419011


219011 Stem Only

GASKET: 895560



Chrome Plated Stem


FOR ROYAL BRASS  
LENGTH: 5.41"



419021


219011 Stem Only

GASKET: 895560



Chrome Plated Stem


FOR ROYAL BRASS  
LENGTH: 5.41"











419031

219031 Stem Only





GASKET: 895560







FOR MUELLER  
LENGTH: 5.43"






FOR ONDINE  
LENGTH: 5.43"

421221/ 421222

GASKET: 890170 O-RING INCLUDED  
SEAL: 898570-R/B  
DISC SET: 151380-PKG




Chrome Plated Stem

FOR PUBCO  
LENGTH: 5.44"

433351

233351 Stem Only


Supplied with  
12pt. Broach



FOR SEARS  
LENGTH: 5.44"

434741

GASKET: 890200



FOR SEARS  
LENGTH: 5.44"

434841

GASKET: 890200






FOR ONDINE  
LENGTH: 5.44"

16  
3-16

**421241/ 421242**

GASKET: 890210 O-RING INCLUDED  
SEAL: 898610-R/B  
DISC SET: 109850-PKG




FOR BRIGGS  
LENGTH: 5.45"

18  
3-3

**418611**

**220301** Stem Only

GASKET: 895570




FOR BRIGGS  
LENGTH: 5.45"

12  
1-2

**418661**

**220351** Stem Only

GASKET: 895570








FOR PRICE PFISTER  
LENGTH: 5.45"

12  
1-2


**418951**

**218951** Stem Only





Old Style, Use 433281




433281

GASKET: 895350 INCLUDED



Symmons Small




433520

233520 Stem Only

GASKET: 895100



1-6







434810


234810 Stem Only

GASKET: 890170 O-RING INCLUDED




3-7







433701  
 233701 Stem Only  
 GASKET: 895340



Not Available, Use 434001




434001  
 234001 Stem Only  
 GASKET: 895560





434011  
 234001 Stem Only  
 GASKET: 895560





426151  
226151 Stem Only


Supplied with  
12pt. Broach  **12**  
1-2




434101  
234101 Stem Only  
GASKET: 895300

  
SEAT USED: LF649150


FOR GERBER  
LENGTH: 5.48"  
**16**  
2-3




LF280081

  
SEAT USED: LF648230

FOR ARROWHEAD  
LENGTH: 5.48"  
**12**  
1-2





422601/ 422602  
GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

 **20**  
Comes with 20pt Grohe  
adapter: 103200

**20**  
3-20

FOR DORNBRACHT  
LENGTH: 5.49"



Comes with 20pt Grohe  
adapter: 103200




**422601-EN/ 422602-EN**

GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG


Escutcheon Nipple available separately  
**125080**

Chrome Plated Stem

UNKNOWN  
LENGTH: 5.50"




**221021**




1-2

FOR WOLVERINE  
LENGTH: 5.50"




**418311**

GASKET: 895150




3-27

FOR WOLVERINE  
LENGTH: 5.50"



**418361**


GASKET: 895150




1-2

Chrome Plated Stem

FOR ART F  
LENGTH: 5.50"



420501  
220501 Stem Only  
GASKET: 895400




SEAT USED: 649260


16  
1-6

Chrome Plated Stem

FOR ART F  
LENGTH: 5.50"



420551  
220551 Stem Only  
GASKET: 895400




SEAT USED: 649260

12  
1-2

Chrome Plated Stem

FOR ART F  
LENGTH: 5.50"



420511  
220501 Stem Only  
GASKET: 895400




SEAT USED: LF649430


16  
1-6

Chrome Plated Stem

FOR ART F  
LENGTH: 5.50"







420561  
220551 Stem Only  
GASKET: 895400







SEAT USED: LF649430

12  
1-2








Chrome Plated Stem & Bonnet / Brass Plunger

FOR KOHLER  
LENGTH: 5.51"




433422

GASKET: 890210 O-RING INCLUDED

19  
1-7

Chrome Plated Stem

UNKNOWN  
LENGTH: 5.52"




420321

GASKET: 895370

16  
1-6

Chrome Plated Unit

FOR BRIGGS  
LENGTH: 5.52"



433712


233712 Stem Only

GASKET: 895370

18  
3-3

Chrome Plated Stem

FOR GERBER  
LENGTH: 5.52"




236411

16  
2-3

Chrome Plated Stem

FOR PRICE PFISTER  
LENGTH: 5.53"



420861

220861 Stem Only

12  
1-2

Chrome Plated Unit

FOR APEX  
LENGTH: 5.53"

420951  
220951 Stem Only

Supplied with  
12pt. Broach

12  
1-2

Chrome Plated Unit

FOR BRIGGS  
LENGTH: 5.45"

421051  
220951 Stem Only

Supplied with  
12pt. Broach

12  
1-2

FOR DOLLY TRIM  
LENGTH: 5.53"

432021  
234731 Stem Only  
GASKET: 895560

SEAT USED: 648370


16  
3-16

FOR DOLLY TRIM  
LENGTH: 5.53"

434731  
234731 Stem Only  
GASKET: 895550


SEAT USED: 648370

16  
3-16




20  
2-4

420311/ 420312  
220311/ 220312 Stem Only  
GASKET: 895570




SEAT USED: 648180

Also available with polished chrome plated stem  
420311-CP/ 420312-CP  
220311-CP/ 220312-CP Stem Only



22  
1-4

412311  
LF278011 Stem Only  
GASKET INCLUDED: 895350




17  
3-7

421201  
221201 Stem Only  
GASKET: 895550




SEAT USED: LF648140



16  
1-6


420321  
GASKET: 895370



FOR NORCA  
LENGTH: 5.55"


12  
1-2

421631  
GASKET: 895400




FOR STERLING BRASS  
LENGTH: 5.55"

Chrome Plated Unit


Supplied with  
12pt. Broach  12  
1-2

421951  
221951 Stem Only



FOR HARCRAFT  
LENGTH: 5.55"


Chrome Plated Stem



SEAT USED: 648690

12  
1-2

423001  
223001 Stem Only  
GASKET: 895100




UNKNOWN  
LENGTH: 5.55"

18  
3-3


434610

19  
1-7




FOR PRICE PFISTER  
LENGTH: 5.55"

**434701**  
**234701** Stem Only  
GASKET: 895550



12  
1-2




FOR PRICE PFISTER  
LENGTH: 5.55"

**434711**  
**234701** Stem Only  
GASKET: 895550



12  
1-2




FOR PRICE PFISTER  
LENGTH: 5.55"

**434751**  
**234701** Stem Only  
GASKET: 895560



12  
1-2




Chrome Plated Stem

FOR SYMMONS  
LENGTH: 5.56"

**423531**  
**223531** Stem Only  
GASKET: 895500 INCLUDED


5/16

FOR NEWPORT  
FOR PHYLRICH  
LENGTH: 5.56"



433371


GASKET: 890190 O-RING INCLUDED



SEAT USED: 647650

16  
1-6


FOR PRICE PFISTER  
LENGTH: 5.55"



421601/ 421602

221601/ 221602 Stem Only


GASKET: 895400



SEAT USED: 648370

12  
1-2


FOR PRICE PFISTER  
LENGTH: 5.55"



421611/ 421612

221601/ 221602 Stem Only

GASKET: 895400




SEAT USED: 648370

12  
1-2

1/2 Turn Ceramic

FOR GERBER  
LENGTH: 5.56"



422411/ 422412


GASKET: 895180 INCLUDED

SEAL: 898570-R/B

DISC SET: 124290-PKG

16  
2-3






FOR MILWAUKEE  
LENGTH: 5.34"

**434721**

GASKET: 890200 O-RING INCLUDED

16  
3-15




Chrome Plated Stem

FOR MUELLER  
LENGTH: 5.57"

**434821**

GASKET: 895440

16  
1-6



Chrome Plated Stem


FOR MUELLER  
LENGTH: 5.57"

**434871**

**234871** Stem Only

GASKET: 895440

12  
1-2




Chrome Plated Stem

FOR MILWAUKEE  
LENGTH: 5.58"

**237420**

5/16



FOR HARDEN  
LENGTH: 5.58"

16  
3-16

423931/ 423932

GASKET: 890210 O-RING INCLUDED  
DISC SET: 151380-PKG




Chrome Plated Stem

FOR CENTRAL  
LENGTH: 5.59"

16  
1-6

222201




Chrome Plated Stem

FOR CENTRAL  
LENGTH: 5.59"

12  
1-2

222251



Chrome Plated Stem & Pkg Nut

FOR ROBERTS BRASS  
LENGTH: 5.59"

5/16


420711

220711 Stem Only

GASKET: 895450

Chrome Plated Stem & Pkg Nut

FOR ROBERTS BRASS  
LENGTH: 5.59"




424721

224721 Stem Only

GASKET: 895320

Chrome Plated Stem


FOR CRANE  
LENGTH: 5.60"



Not Available, Use 423151

Chrome Plated Stem

FOR CRANE  
LENGTH: 5.60"



423151

223151 Stem Only

GASKET: 895400

Supplied with  
12pt. Broach




1-2



SEAT USED: 648370

Chrome Plated Stem

FOR ROYAL BRASS  
LENGTH: 5.60"




433540

233540 Stem Only

GASKET: 895560


Chrome Plated Stem



FOR UNION BRASS  
LENGTH: 5.60"

435200  
235200 Stem Only

18  
3-3




FOR AM STD  
LENGTH: 5.61"

433801  
233801 Stem Only  
WAVE WASHER INCLUDED: 897110

16

Chrome Plated Stem & Esc Tube




FOR SAVOY  
LENGTH: 5.62"

422711  
222711 Stem Only  
GASKET: 895320

20  
2-4





Chrome Plated Stem & Esc Tube











FOR SAVOY  
LENGTH: 5.62"

422721  
222721 Stem Only  
GASKET: 895320

15  
1-13









Chrome Plated Stem

FOR AM STD  
LENGTH: 5.64"



435751  
235751 Stem Only  
GASKET: 818000




SEAT USED: 649090

12  
1-2

Chrome Plated Stem

FOR CRANE  
LENGTH: 5.64"



LF480101  
LF280101 Stem Only  
GASKET: 895340




SEAT USED: LF649660

12

Chrome Plated Stem

FOR CRANE  
LENGTH: 5.64"



LF480111  
LF280111 Stem Only  
GASKET: 895340




SEAT USED: LF649660

12  
1-2

Chrome Plated Stem

FOR CRANE  
LENGTH: 5.64"







LF480121  
LF280121 Stem Only  
GASKET: 895340




SEAT USED: LF649660

23/64








422031  
 222031 Stem Only  
 GASKET: 895150

SEAT USED: 649570


16  
 1-6




422051  
 222051 Stem Only  
 GASKET: 895150

SEAT USED: 649570

12  
 1-2



Old Style, Use 433401








433401  
 233401 Stem Only  
 GASKET: 895560

Also available with chrome plated stem  
 433441

SEAT USED: LF649150

16  
 2-3






422851  
222851 Stem Only  
GASKET: 895340


12  
1-2

SEAT USED: 648630




423901  
223901 Stem Only  
GASKET: 895440

5/16



423951  
223951 Stem Only  
GASKET: 895440


12  
1-2



435501  
235501 Stem Only  
GASKET: 895500

16  
1-6


Chrome Plated Stem



435551  
 235551 Stem Only  
 GASKET: 895500




Chrome Plated Stem





435721  
 235721 Stem Only  
 GASKET: 895100




Chrome Plated Stem



417851  
 217851 Stem Only

Supplied with  
 12pt. Broach    
 1-2


Chrome Plated Stem



424561  
 224561 Stem Only  
 GASKET: 895340



Chrome Plated Stem




FOR AM STD  
STEM LENGTH: 5.70"



435801  
235801 Stem Only

USES BARREL:  
635801

Chrome Plated Stem




FOR CRANE  
LENGTH: 5.70"



424511/ 424512  
224511/ 224512 Stem Only  
GASKET: 895340


Chrome Plated Stem



FOR FOREST  
LENGTH: 5.34"


Double Lead

Supplied with  
12pt. Broach



423351  
223351 Stem Only

Chrome Plated Stem




FOR FOREST  
LENGTH: 5.34"

Single Lead

Supplied with  
12pt. Broach





423851  
223851 Stem Only



FOR DICK BROS.  
FOR STERLING BRASS  
LENGTH: 5.71"

**435732**  
**235732** Stem Only  
GASKET: 895430


Supplied with  
12pt. Broach  **12**  
1-2



FOR SPEAKMAN  
LENGTH: 5.71"

**435821**  
**235821** Stem Only  
GASKET: 895450


**20**  
2-4



FOR CENTRAL  
LENGTH: 5.71"

**437410**  
**237410** Stem Only  
GASKET: 895550

**16**  
1-6




FOR STERLING BRASS  
LENGTH: 5.72"

**425401**  
**225401** Stem Only  
GASKET: 895370

7/16 - 20 TPI **9/32**


Chrome Plated Stem




FOR STERLING BRASS  
LENGTH: 5.72"

425451  
225451 Stem Only  
GASKET: 895370

Supplied with  
12pt. Broach



12  
1-2



FOR AM STD  
LENGTH: 5.73"


435312  
235312 Stem Only



SEAT USED: LF648220


22  
1-4

Chrome Plated Stem




FOR ELJER  
LENGTH: 5.78"

435811  
235811 Stem Only  
GASKET: 895350



SEAT USED: LF649640

16  
3-15







FOR EAST RIVER  
LENGTH: 5.74"


427211  
227211 Stem Only  
GASKET: 895540

5/16





Chrome Plated Stem



FOR AM STD  
STEM LENGTH: 5.75"

Single Lead



424601


USES BARREL:  
647051

224601 Stem Only

GASKET: 824600

Also available less barrel

424631




FOR HARDEN  
LENGTH: 5.75"



425111


225111 Stem Only

GASKET: 895500



SEAT KIT USED: 106090

Chrome Plated Stem



FOR QUEEN CITY  
LENGTH: 5.75"




425201

225201 Stem Only

GASKET: 895400

SEAT USED: 649840

Chrome Plated Stem



FOR QUEEN CITY  
LENGTH: 5.75"



425251

225251 Stem Only


GASKET: 895400

SEAT USED: 649840

FOR HOT & COLD STEM USE PRICE PFISTER 421601/421602

Chrome Plated Stem

FOR CALIFORNIA BRASS  
LENGTH: 5.75"




434801

234801 Stem Only

GASKET: 895400


12  
1-2



FOR ALTMANS  
LENGTH: 5.75"


435841

GASKET: 890210 O-RING INCLUDED



SEAT USED: 647960

16  
3-16



FOR CENTRAL  
LENGTH: 5.75"

436101


236101 Stem Only

GASKET: 895370



SEAT USED: 648970

16  
1-6



FOR CENTRAL  
LENGTH: 5.75"

436111


236101 Stem Only

GASKET: 895370



SEAT USED: 648970

16  
1-6




FOR PHYLRICH  
LENGTH: 5.75"

436131  
236101 Stem Only  
GASKET: 895370




SEAT USED: 648970

16  
1-6




FOR CENTRAL  
FOR PHYLRICH  
LENGTH: 5.75"

436141  
236101 Stem Only  
GASKET: 895370



SEAT USED: 648970

16  
1-6




FOR RODAC  
LENGTH: 5.75"

436151  
236151 Stem Only  
GASKET: 895370



SEAT USED: 648970

16  
3-16




FOR CENTRAL  
LENGTH: 5.75"

436161  
236101 Stem Only  
GASKET: 895370




SEAT USED: 648970


16  
1-6



**436171**  
GASKET: 895370




**16**  
1-6




**436220**  
**236220** Stem Only  
GASKET: 895550

**17**  
3-7



**436270**  
**236270** Stem Only  
GASKET: 895550


**12**  
1-2



**224641/ 224642** USES BARREL:  
647081/647082

**22**  
1-4

Chrome Plated Stem



FOR AM STD  
STEM LENGTH: 5.75"

Double Lead




424621/ 424622

USES BARREL:  
647061 / 647062

224621/ 224622 Stem Only


GASKET: 824600



FOR DELTA  
LENGTH: 5.76"

LF104060

Chrome Plated Stem



FOR HAJOCA  
LENGTH: 5.76"


Supplied with  
12pt. Broach



422021

222021 Stem Only

GASKET: 895400




FOR CENTRAL  
STEM LENGTH: 5.76"

Chrome Plated Unit




438671

238741 Stem Only





438741  
238741 Stem Only

16  
1-6




225361

Supplied with  
12pt. Broach  12  
1-2



423211  
223411 Stem Only  
GASKET: 895400

15  
1-13




423411  
223411 Stem Only  
GASKET: 895400

15  
1-13



Chrome Plated Stem



FOR SAVOY  
LENGTH: 5.77"


423411-LT  
223411 Stem Only  
GASKET: 895400



SEAT USED: LF648130

15  
1-13

Chrome Plated Stem & Esc Tube



FOR SAVOY  
LENGTH: 5.77"


423511  
223411 Stem Only  
GASKET: 895400



SEAT USED: LF648130

15  
1-13

Chrome Plated Stem & Esc Holder



FOR SAVOY  
LENGTH: 5.77"


423521  
223411 Stem Only  
GASKET: 895400



SEAT USED: LF648130

15  
1-13

Chrome Plated Stem & Esc Tube



FOR SAVOY  
LENGTH: 5.77"





423541  
223411 Stem Only  
GASKET: 895400




SEAT USED: LF648130

15  
1-13





Chrome Plated Stem




FOR CRANE  
LENGTH: 5.78"

12  
1-2

422351  
222351 Stem Only

Chrome Plated Stem




FOR LENHART  
LENGTH: 5.79"

15  
1-13

425611  
225611 Stem Only  
GASKET: 895370


Chrome Plated Stem



FOR LENHART  
LENGTH: 5.79"

16  
1-6



425621  
225621 Stem Only  
GASKET: 895370





FOR DICK BROS.  
LENGTH: 5.79"

16  
1-6

436301  
236301 Stem Only  
GASKET: 895350




Old Style, Use 434401 or 236411 stem only



Chrome Plated Stem

FOR AM STD  
STEM LENGTH: 5.81"




425501/ 425502  
225501/ 225502 Stem Only  
GASKET: 818000

USES BARREL:  
LF647021/LF647022

22  
1-4

Chrome Plated Stem


FOR AM STD  
STEM LENGTH: 5.81"



425511  
225501 Stem Only  
GASKET: 818010


USES BARREL:  
LF647021

22  
1-4




FOR CRANE  
LENGTH: 5.81"

436000  
236000 Stem Only  
GASKET: 895370 INCLUDED




SEAT USED: 649960








FOR CRANE  
LENGTH: 5.81"

436010  
236000 Stem Only  
GASKET: 890210 O-RING INCLUDED



SEAT USED: 649960






Polished Brass Stem

FOR BROADWAY  
LENGTH: 5.83"

436321  
236321 Stem Only

Also available with polished chrome plated stem

436321-CP  
236321-CP Stem Only




Chrome Plated Stem

FOR EMPIRE  
LENGTH: 5.83"

436751  
236751 Stem Only  
GASKET: 895450

Supplied with  
12pt. Broach




Chrome Plated Unit

FOR CRANE  
LENGTH: 5.84"

426551  
226551 Stem Only

Supplied with  
12pt. Broach




Chrome Plated Stem

FOR SCOVILLE  
LENGTH: 5.84"

436241  
236241 Stem Only  
GASKET: 895150


Supplied with  
12pt. Broach






436381  
236381 Stem Only

12  
1-2




437112  
GASKET: 890240 O-RING INCLUDED

9/32




422901  
222901 Stem Only  
GASKET: 895560

12  
1-2





425601  
222901 Stem Only  
GASKET: 895560


12  
1-2




425631  
225631 Stem Only  
GASKET: 895560



411271/ 411272  
GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG







425721/ 425722  
GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG








425741/ 425742  
GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG












FOR WOLVERINE  
LENGTH: 5.88"

**436711**  
GASKET: 895400


15  
3-27



FOR SAVOY  
LENGTH: 5.88"

**438921**  
**238921** Stem Only  
GASKET: 895400


15  
1-13



FOR NEWPORT  
LENGTH: 5.88"

**411281/ 411282**  
GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

16  
3-16




FOR CAL FAUCETS  
LENGTH: 5.88"

**411291/ 411292**  
GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

16  
3-16

Ceramic Conversion for 421601 / 421602

FOR ARTISTIC BRASS  
FOR PRICE PFISTER  
LENGTH: 5.88"




421691/ 421692

GASKET: 895390 INCLUDED  
SEAL: 898550  
DISC SET: 124290-PKG

12  
1-2


Chrome Plated Stem

FOR QUEEN CITY  
LENGTH: 5.89"



436211  
236211 Stem Only

GASKET: 895400




SEAT USED: 649840

16  
1-6

1/2 Turn Ceramic

FOR DOLLY TRIM  
LENGTH: 5.89"




421641/ 421642

GASKET: 895390 INCLUDED  
SEAL: 898550  
DISC SET: 124290-PKG

16  
3-16

FOR PRICE PFISTER  
LENGTH: 5.89"







LF480071/ LF480072


GASKET: 895060



SEAT USED: LF648270


12  
1-2






FOR CENTRAL  
LENGTH: 5.90"

426211/ 426212  
226211/ 226212 Stem Only  
GASKET: 895100



SEAT USED: LF648550


16  
1-6




FOR PUBCO  
LENGTH: 5.90"

LF280091

16  
1-6




Old Style, Use 433441 or 236401 stem only



FOR GERBER  
LENGTH: 5.92"

236401


16  
2-3



FOR GRAND HAVEN  
LENGTH: 5.93"

236310

12  
1-2




FOR CENTRAL  
LENGTH: 5.94"

424711

GASKET: 895340  
SEAT INCLUDED : 647850


16  
1-6



FOR FEDERAL HUBER  
LENGTH: 5.94"

436441

16  
1-5




FOR BARNES  
LENGTH: 5.94"

437601

237601 Stem Only

16  
1-6




Chrome Plated Stem

FOR BARNES  
LENGTH: 5.94"


437651  
237651 Stem Only

12  
1-2



FOR CRANE  
LENGTH: 5.95"


281522



Chrome Plated Stem


FOR ROYAL BRASS  
LENGTH: 5.95"

426001  
226001 Stem Only  
GASKET: 895560



SEAT USED: 649850


18  
3-3



Chrome Plated Stem

FOR ROYAL BRASS  
LENGTH: 5.95"





426011  
226001 Stem Only  
GASKET: 895560




SEAT USED: 649850

18  
3-3








FOR CAL FAUCETS  
LENGTH: 5.97"

16  
1-6

**421661/ 421662**  
GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG




FOR JACLO  
LENGTH: 5.97"

20  
3-20

**421681/ 421682**  
GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG


Chrome Plated Stem



FOR KOHLER  
LENGTH: 5.98"


19  
1-7

**437311**  
**237311** Stem Only  
GASKET: 895350



SEAT USED: 649700


Chrome Plated Stem & Packing Nut




FOR KOHLER  
LENGTH: 5.98"

19  
1-7

**437321**  
**237311** Stem Only  
GASKET: 895350



SEAT USED: 649700




FOR AUBURN BRASS  
LENGTH: 5.98"

**437611**  
GASKET: 891150 O-RING INCLUDED

16  
2-3


Chrome Plated Stem



FOR AM BRASS  
LENGTH: 5.98"

**438701**  
**238701** Stem Only  
GASKET: 895550

17  
3-7




FOR NEWPORT  
LENGTH: 5.98"

**424911/ 424912**  
GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG


16  
3-16

Chrome Plated Stem



FOR SPEAKMAN  
LENGTH: 5.99"


**426041**  
**226041** Stem Only  
GASKET: 895550



SEAT USED: LF648930 or 648180

5/16

Chrome Plated Stem




426331

226331 Stem Only

GASKET: 891180 O-RING INCLUDED


Chrome Plated Stem



426021/ 426022


226021/ 226022 Stem Only

GASKET: 895550



20  
2-4


Chrome Plated Stem



426201


226201 Stem Only

GASKET: 895450



16  
3-26


Chrome Plated Stem







426251


226251 Stem Only

GASKET: 895450





12  
1-2





437451  
 237451 Stem Only  
 GASKET: 895440


Supplied with  12  
 1-2



423651/ 423652  
 GASKET: 890210 O-RING INCLUDED  
 SEAL: 898610-R/B  
 DISC SET: 109850-PKG

FOR NEWPORT  
 LENGTH: 6.00"


  
 3-16



423671/ 423672  
 GASKET: 890170 O-RING INCLUDED  
 SEAL: 898610-R/B  
 DISC SET: 109850-PKG

UNKNOWN  
 LENGTH: 6.00"

  
 3-20







425811/ 425812  
 225811/ 225812 Stem Only  
 GASKET: 891150 O-RING INCLUDED

FOR AUBURN BRASS  
 LENGTH: 6.00"

  
 2-3

  
 SEAT USED: LF647450



Polished Brass Stem

FOR BROADWAY  
LENGTH: 6.03"

20  
2-4

Also available with polished chrome plated stem

426031-CP/ 426032-CP  
226031-CP/ 226032-CP Stem Only

GASKET: 895570

SEAT USED: 648180

FOR ALTMANS  
LENGTH: 6.04"

20  
2-4

16  
3-16

225730

Chrome Plated Stem

FOR BRIGGS  
LENGTH: 6.05"

18  
3-3

437502  
237502 Stem Only

GASKET: 895370

Chrome Plated Unit





FOR BRIGGS  
LENGTH: 6.05"


18  
3-3

437512  
237502 Stem Only

GASKET: 895370








437011

12  
3-10

Chrome Plated Stem




425931  
225901 Stem Only  
GASKET: 895350

USES BARREL:  
647321

FOR KOHLER  
STEM LENGTH: 5.85"

19  
1-7

Chrome Plated Stem




425901/ 425902  
225901/ 225902 Stem Only  
GASKET: 895350

USES BARREL:  
647321/647322

FOR KOHLER  
STEM LENGTH: 5.85"

19  
1-7

Chrome Plated Stem



425911/ 425912  
225901/ 225902 Stem Only  
GASKET: 895350


USES BARREL:  
647321/647322

FOR KOHLER  
STEM LENGTH: 5.85"

19  
1-7

Chrome Plated Stem

FOR KOHLER  
STEM LENGTH: 5.85"




425951/ 425952  
225951/ 225952 Stem Only  
GASKET: 895350

USES BARREL:  
647321/647322

12  
1-2

Chrome Plated Stem & Packing Nut

FOR KOHLER  
STEM LENGTH: 5.85"




425961/ 425962  
225901/ 225902 Stem Only  
GASKET: 895350

USES BARREL:  
647321/647322

19  
1-7

Chrome Plated Stem

FOR FEDERAL HUBER  
LENGTH: 6.08"




226631

Supplied with  
12pt. Broach




12  
1-2

FOR FEDERAL HUBER  
FOR SEARS  
LENGTH: 6.08"




437011

12  
3-10



437021


12  
3-10




437301

237301 Stem Only  
GASKET: 895350

Also available with seat 649700  
LF437301-S




19  
1-7




437331

237301 Stem Only  
GASKET: 895350



SEAT USED: 649700





19  
1-7




437900

237900 Stem Only  
GASKET: 895330

18  
3-3



Chrome Plated Stem



STEM LENGTH: 5.50"


18

**422701**

**222701** Stem Only

GASKET: 891210 O-RING INCLUDED

Chrome Plated Stem



STEM LENGTH: 5.50"

12


1-2

**422751**

**222751** Stem Only

GASKET: 891210 O-RING INCLUDED

Chrome Plated Stem



FOR MUELLER  
LENGTH: 6.15"


3/8 - 16 TPI

**438200**

**238200** Stem Only

GASKET: 895440

Chrome Plated Stem




FOR MUELLER  
LENGTH: 6.15"

3/8 - 16 TPI

**438210**

**238200** Stem Only

GASKET: 895440




FOR HARDEN  
LENGTH: 6.15"

**426411/ 426412**

GASKET: 890210 O-RING INCLUDED  
SEAL: 64705-07  
DISC SET: 151380-PKG



3-16




FOR ALTMANS  
LENGTH: 6.15"

**426421/ 426422** (Replaces Walter# 418811 / 418812 Compression Units)

GASKET: 890210 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG



3-16




Chrome Plated Stem

FOR EAST RIVER  
LENGTH: 6.16"

**426721**  
**226721** Stem Only

5/16 - 18 TPI



Chrome Plated Stem & Esc Tube

FOR SAVOY  
LENGTH: 6.16"

**438911**  
**238911** Stem Only


GASKET: 895400



1-13

Chrome Plated Stem & Esc Tube

FOR SAVOY  
LENGTH: 6.16"



7/8-16 Thread


438941

238911 Stem Only

GASKET: 895400



1-13



FOR SAVOY  
LENGTH: 6.16"


438951

238951 Stem Only

GASKET: 895400



1-13



FOR KALLISTA  
LENGTH: 6.17"

437862


GASKET: 890240 O-RNG INCLUDED



3-20

Chrome Plated Stem

FOR PRICE PFISTER  
LENGTH: 6.17"



438301





238301 Stem Only


GASKET: 895450



Old Style  
Price Pfister







FOR RODAC  
LENGTH: 6.19"




3-16

421711/ 421712  
221711/ 221712 Stem Only




SEAT USED: 648970

GASKET: 895400



FOR STANDARD SANITARY  
LENGTH: 6.21"

427111  
GASKET: 895440




FOR CHICAGO  
LENGTH: 6.22"

238840



TAPERED




FOR CRANE  
LENGTH: 6.23"

13/32 - 27 TPI


438601  
238601 Stem Only

GASKET: 895450



438651  
 238651 Stem Only  
 GASKET: 895450


12  
 1-2



426741  
 226741 Stem Only  
 GASKET: 895400



15  
 1-13



438550  
 238550 Stem Only  
 GASKET: 895400

Supplied with  
 12pt. Broach



12  
 1-2







438850  
 238850 Stem Only


Supplied with  
 12pt. Broach



12  
 1-2



Chrome Plated Stem




FOR DORF  
LENGTH: 6.26"

3/8 - 26 TPI




**438511**  
GASKET: 895550



FOR ALTMANS  
LENGTH: 6.26"



**426731/ 426732**  
GASKET: 895100




FOR HUDSON  
LENGTH: 6.27"



**427121**  
**227121** Stem Only  
GASKET: 895380

Chrome Plated Sleeve




FOR ACME  
LENGTH: 6.27"



**438611**  
**238611** Stem Only  
GASKET: 895180


FOR ACME  
LENGTH: 6.27"



438621  
238611 Stem Only  
GASKET: 895180

16  
1-6


FOR AM BRASS  
LENGTH: 6.29"




438711  
238711 Stem Only  
GASKET: 895550

17  
3-7

FOR KOHLER  
LENGTH: 6.29"




LF480501/ LF480502  
LF280501/ LF280502 Stem Only  
GASKET: 895350



SEAT USED: LF647500

19  
1-7

FOR BROADWAY  
LENGTH: 6.33"



426931/ 426932  
226931/ 226932 Stem Only  
GASKET: 895570




SEAT USED: 648180

Also available with polished chrome plated stem  
426931-CP/ 426932-CP  
226931-CP/ 226932-CP Stem Only

20  
2-4

Polished Brass Stem

FOR BROADWAY  
LENGTH: 6.34"



20  
2-4

438311  
238311 Stem Only


Also available with polished chrome plated stem

438311-CP  
238311-CP Stem Only

Also available less bonnet  
426521-B

Chrome Plated Stem

FOR KOHLER  
STEM LENGTH: 6.06"




19  
1-7

426521  
226521 Stem Only

USES BARREL:  
647361

Chrome Plated Stem

FOR GLAUBER WEST COAST  
LENGTH: 6.38"




Supplied with  
12pt. Broach



12  
1-2

424351  
224351 Stem Only  
GASKET: 895550

FOR ARTISTIC BRASS  
LENGTH: 6.39"




12  
1-2

438831  
238831 Stem Only  
GASKET: 895550



SEAT USED: 648370




FOR ARTISTIC BRASS  
LENGTH: 6.39"

12  
1-2

426911/ 426912  
226911/ 226912 Stem Only  
GASKET: 895400




SEAT USED: 648370




FOR HUDSON  
LENGTH: 6.40"

427131  
227131 Stem Only  
GASKET: 895380



FOR STERLING BRASS

Not Available, Use 438101



Chrome Plated Stem





FOR STERLING BRASS  
LENGTH: 6.40"

13/32 - 27 TPI

5/16


438101  
238101 Stem Only  
GASKET: 895500





Chrome Plated Stem

FOR ROYAL BRASS  
LENGTH: 6.44"




239420


16  
1-6

Chrome Plated Stem

FOR AM STD  
LENGTH: 6.44"



436501  
236501 Stem Only  
GASKET: 818000




SEAT USED: 649090

22  
1-4

Chrome Plated Stem & Esc Tube

FOR SAVOY  
LENGTH: 6.44"




7/8-20 Thread

438901  
238901 Stem Only  
GASKET: 895400

15  
1-13

Chrome Plated Stem


FOR ROYAL BRASS  
LENGTH: 6.44"



439400  
239400 Stem Only  
GASKET: 895560

18  
3-3

Chrome Plated Stem




FOR AM STD  
STEM LENGTH: 6.44"

427011/ 427012  
227011/ 227012 Stem Only  
GASKET: 818000

USES BARREL:  
LF647021/LF647022

22  
1-4

Chrome Plated Stem




FOR KOHLER  
STEM LENGTH: 6.25"

426701  
226701 Stem Only  
GASKET: 895350

USES BARREL:  
647321

19  
1-7

Chrome Plated Stem




FOR PRICE PFISTER  
LENGTH: 6.48"

239152

18  
Old Style  
Price Pfister

Chrome Plated Stem




FOR AM STD  
LENGTH: 6.48"

LF280511

20  
3-14

FOR ALTMANS  
LENGTH: 6.49"




426841/ 426842 (459201 / 459202 w/ Ceramic Adapter Parts)

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG

16  
3-16

UNKNOWN  
LENGTH: 6.50"




227461


12  
1-2

Chrome Plated Stem

FOR BRIGGS  
LENGTH: 6.50"



427141  
227141 Stem Only  
GASKET: 895370




SEAT USED: 648630


18  
3-3

Chrome Plated Stem

FOR LOGAN  
LENGTH: 6.50"




427201  
227201 Stem Only  
GASKET: 895570



SEAT USED: 648800

12  
1-2

Chrome Plated Stem




FOR WOLVERINE  
LENGTH: 6.50"

439171  
239171 Stem Only  
GASKET: 895550

16  
3-26


Chrome Plated Stem



FOR FEDERAL HUBER  
LENGTH: 6.51"

439001


5/16



FOR HARDEN  
LENGTH: 6.53"


439141  
GASKET: 891180 O-RING INCLUDED

16  
3-16



FOR ARTISTIC BRASS  
LENGTH: 6.53"


426941/ 426942



12  
1-2


Chrome Plated Stem

FOR HAJOCA  
LENGTH: 6.55"



239601

Supplied with  
12pt. Broach




16  
1-6

Also available less barrel  
426821

Chrome Plated Stem

FOR KOHLER  
STEM LENGTH: 6.24"



426801

226801 Stem Only


GASKET: 895450

USES BARREL:  
647331

19  
1-7

FOR SPEAKMAN  
LENGTH: 6.57"

Chrome Plated Stem



439211


239211 Stem Only

GASKET: 895450

20  
2-4

Chrome Plated Stem

FOR ROYAL BRASS  
LENGTH: 6.57"




439630

239630 Stem Only

GASKET: 895560

18  
3-3

FOR PHYLRICH  
LENGTH: 6.58"




427281/ 427282

GASKET: 890170 O-RING INCLUDED  
SEAL: 898510-W  
DISC SET: 151380-PKG


Individual items available  
Stem Ext. 5.00": #136050  
Ext. Adap. Screw: #103310

16  
1-6



Plastic Body


FOR PRECISION  
LENGTH: 6.59"



239160

16  
3-16

FOR HARDEN  
LENGTH: 6.60"




403941/ 403942

604520  
Plastic Body


Available: Stem Only  
203941  
203942

16  
3-16




Chrome Plated Unit

FOR CRANE  
LENGTH: 6.60"



LF480521  
LF280521 Stem Only

12  
1-2




Chrome Plated Unit

FOR CRANE  
LENGTH: 6.60"

13/32 - 27 TPI

LF480531  
LF280531 Stem Only




Chrome Plated Stem

FOR MILWAUKEE  
LENGTH: 6.62"

426312  
226312 Stem Only

5/16




Chrome Plated Stem

FOR KOHLER  
LENGTH: 6.63"

426921  
226921 Stem Only  
GASKET: 895350

SEAT USED: LF647230

19  
1-7



Chrome Plated Stem & Esc Tube

FOR SAVOY  
LENGTH: 6.63"

15/16-18 Thread


439121  
239121 Stem Only  
GASKET: 895320

15  
1-13




Chrome Plated Stem & Esc Tube

FOR SAVOY  
LENGTH: 6.63"




439131  
239131 Stem Only  
GASKET: 895320




FOR ALTMANS  
LENGTH: 6.63"

439181  
GASKET: 895180




FOR AM STD  
LENGTH: 6.64"

235741




Chrome Plated Gland

FOR KOHLER  
LENGTH: 6.67"



434600  
GASKET: 891150 O-RING INCLUDED

Chrome Plated Stem



FOR BRIGGS  
LENGTH: 6.68"


21/64

439201

239201 Stem Only

GASKET: 895340

Chrome Plated Stem



FOR BRIGGS  
LENGTH: 6.68"


12  
1-2

439251

239251 Stem Only

GASKET: 895340

Chrome Plated Stem




FOR AM STD  
LENGTH: 6.69"

3/8" SHANK


20  
3-14

239231



SEAT USED: 649090

Nickel Plated Gland




FOR AUBURN BRASS  
LENGTH: 6.69"

16  
2-3


427601/ 427602

GASKET: 890160 O-RING INCLUDED  
DISC SET: 151380-PKG



SEAT USED: 649350

FOR ARTISTIC BRASS  
LENGTH: 6.72




427301/ 427302

GASKET: 895100 INCLUDED  
SEAL: 898540  
DISC SET: 112530-PKG

Also available with  
16pt Harden Broach  
427331 / 427332




FOR CONCINNY  
LENGTH: 6.72"



428031/ 428032


GASKET: 890210 O-RING INCLUDED  
SEAL: 898520  
DISC SET: 109850-PKG

Individual items available  
Stem Ext. 5.00": #136050  
Ext. Adap. Screw: #103310



Chrome Plated Stem


FOR CRANE  
LENGTH: 6.74"



427001

227001 Stem Only

GASKET: 895340




SEAT USED: LF649660



Chrome Plated Stem

FOR CRANE  
LENGTH: 6.74"



427031





227031 Stem Only

GASKET: 895340




SEAT USED: LF649660





Chrome Plated Stem


FOR AM STD  
STEM LENGTH: 6.75"



427231  
227231 Stem Only  
GASKET: 824600

USES BARREL:  
647051

22  
1-4



FOR PHYLRICH  
LENGTH: 6.75"

439621  
GASKET: 895100




SEAT USED: LF648550

16  
1-6

Chrome Plated Stem

FOR AM STD  
LENGTH: 6.75"




227351/ 227352

USES BARREL:  
647081/647082

22  
1-4

Chrome Plated Stem


FOR AM STD  
LENGTH: 6.75"



227361/ 227362

USES BARREL:  
647061/647062


22  
1-4



FOR PHYLRICH  
LENGTH: 6.75"


427241/ 427242

GASKET: 895100



SEAT USED: LF648550

16  
1-6



FOR PHYLRICH  
LENGTH: 6.75"


427321/ 427322

GASKET: 895400



SEAT USED: 648970


16  
1-6



FOR HARDEN  
LENGTH: 6.77"

439241

16  
3-16




FOR HARDEN  
LENGTH: 6.77"

439221

16  
3-16

Chrome Plated Stem



FOR PRICE PFISTER  
LENGTH: 6.78"


439350  
239350 Stem Only

Supplied with  
12pt. Broach



12  
1-2

Chrome Plated Stem




FOR BRIGGS  
LENGTH: 6.79"

427441  
227441 Stem Only  
GASKET: 895340

SEAT USED: 648630

8

Chrome Plated Stem




FOR CRANE  
LENGTH: 6.80"

427181  
227181 Stem Only

12

Chrome Plated Stem




FOR BRIGGS  
LENGTH: 6.80"

437911  
237911 Stem Only  
GASKET: 895340

8


Chrome Plated Stem



437921  
 237911 Stem Only  
 GASKET: 895340

8


Chrome Plated Stem



427151  
 227021 Stem Only  
 GASKET: 818010  
 USES BARREL:  
 LF647021

22  
 1-4


Chrome Plated Stem



427021/ 427022  
 227021/ 227022 Stem Only  
 GASKET: 818000  
 USES BARREL:  
 LF647021/LF647022

22  
 1-4





Chrome Plated Stem




439312

19  
 1-7








FOR SAVOY  
LENGTH: 7.02"

427081  
GASKET: 895400

SEAT USED: LF648130


15  
1-13

Chrome Plated Stem




FOR INDIANA  
LENGTH: 7.06"

439520  
239520 Stem Only  
GASKET: 895150



18  
3-3

Chrome Plated Stem




FOR KOHLER  
STEM LENGTH: 6.86"

426711  
226711 Stem Only  
GASKET: 895350


USES BARREL:  
647321

19  
1-7




FOR BRIGGS  
LENGTH: 7.11"

224212




439640  
239640 Stem Only




GASKET: 818000

435041  
235041 Stem Only




SEAT USED: 649090



GASKET: 890180 O-RING INCLUDED

439421

FOR AM STD  
LENGTH: 7.25"




22  
1-4

Chrome Plated Stem

227611  
USES BARREL:  
LF647021

FOR HARDEN  
LENGTH: 7.32"




16  
3-16

3/4" Head

439730  
239730 Stem Only


FOR ARTISTIC BRASS  
LENGTH: 7.35"



12  
1-2

239690

FOR SPEAKMAN  
LENGTH: 7.35"




Chrome Plated Stem

GASKET: 895450


428321

228321 Stem Only



SEAT USED: 648180

FOR PHYLRICH  
LENGTH: 7.60"



16  
1-6


GASKET: 895370

439681



SEAT USED: 648970


FOR STANDARD SANITARY  
LENGTH: 7.74"



5/16

GASKET: 895500

427801




FOR STANDARD SANITARY  
LENGTH: 7.74"

12  
1-2

GASKET: 895500

427851




FOR AM STD  
LENGTH: 7.75"

22  
1-4

Chrome Plated Stem

227811

USES BARREL:  
LF647021



FOR HARDEN  
LENGTH: 7.76"


16  
3-16

13/16" Head

439760

239760 Stem Only

FOR HARDEN  
LENGTH: 7.88"




16  
3-16

DISC SET: 151380-PKG

428201  
428202

FOR CRANE  
LENGTH: 7.91"




5/16

GASKET: 895560

428001  
228001 Stem Only

Chrome Plated Stem

FOR CRANE  
LENGTH: 7.91"




12  
1-2

GASKET: 895560

428051  
228051 Stem Only

Chrome Plated Stem




GASKET: 895570

428301

228301 Stem Only



SEAT USED: 648800



GASKET: 895400

428221


428222

228221 Stem Only

228222 Stem Only



SEAT USED: 648370



GASKET: 895550

LF480911


LF480912

LF280911 Stem Only

LF280912 Stem Only



FOR CRANE  
LENGTH: 8.01"




GASKET: 895340

LF480991  
LF280991 Stem Only




SEAT USED: LF649660

FOR NEWPORT  
LENGTH: 8.17"



439860 4-Port  
239860 Stem Only  
439870 5-Port  
239870 Stem Only

FOR HARDEN  
LENGTH: 8.18"




DISC SET: 151380-PKG

428211  
428212

FOR HARDEN  
LENGTH: 8.28"

16  
3-16




GASKET: 891140 O-RING INCLUDED

439722

FOR HARDEN  
LENGTH: 8.32"

16  
3-16




GASKET: 890210 O-RING INCLUDED  
DISC SET: 151380-PRG

428111  
428112

FOR CRANE  
LENGTH: 8.38"


13/32 - 27 TPI



Chrome Plated Stem

227101

FOR AM STD  
LENGTH: 8.38"




22  
1-4


Chrome Plated Stem

228241  
USES BARREL:  
LF647021

FOR ALTMANS  
LENGTH: 8.50"



16  
3-16




SEAT USED: 648370


GASKET: 895390

428271  
428272

FOR HARDEN  
LENGTH: 8.57"



16  
3-16




13/16" Head

439740  
239740 Stem Only

FOR ALTMANS  
LENGTH: 8.73"

16  
3-16




SEAT USED: 648370

GASKET: 895550

439771

FOR KOHLER  
LENGTH: 8.87"

19  
1-7



Chrome Plated Stem


GASKET: 895450

439801

239801 Stem Only

FOR KOHLER  
LENGTH: 8.87"

12  
1-2




Chrome Plated Stem

GASKET: 895450

439851


239851 Stem Only



GASKET: 895570

428311


228311 Stem Only



GASKET: 895450

428331

228331 Stem Only




GASKET: 895450

428381

228381 Stem Only

FOR SPEAKMAN  
LENGTH: 9.09"




Chrome Plated Stem

GASKET: 895450


428341

228341 Stem Only



SEAT USED: LF648930 or 648180

FOR SPEAKMAN  
LENGTH: 9.09"




Chrome Plated Stem & Esc Holder

GASKET: 895450


428421

228421 Stem Only



SEAT USED: LF648930 or 648180


FOR FEDERAL HUBER  
LENGTH: 9.13"



Chrome Plated Stem

Supplied with  
12pt. Broach


439921



16  
3-16

GASKET: 895550


439881  
239881 Stem Only



16  
3-16

GASKET: 895400

428391  
428392  
228391 Stem Only  
228392 Stem Only




16  
3-16

427311  
427312

227311 / 227312

FOR AM STD  
LENGTH: 9.38"



22  
1-4

Chrome Plated Stem

228411  
USES BARREL:  
LF647021

FOR LOGAN  
LENGTH: 9.50"




12  
1-2

Chrome Plated Stem


GASKET: 895570

428401  
228401 Stem Only

FOR ALTMANS  
LENGTH: 9.50"



16  
3-16




GASKET: 890210 O-RING INCLUDED

428451  
428452



FOR HARDEN  
LENGTH: 9.53"




16  
3-16

GASKET: 891180 O-RING INCLUDED

439911

FOR HARDEN  
LENGTH: 9.66"




16  
3-16

GASKET: 890210 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

428441  
428442

FOR ALTMANS  
LENGTH: 9.66"




16  
3-16

GASKET: 890210 O-RING INCLUDED  
SEAL: 898510  
DISC SET: 151380-PKG

428461  
428462

Replaces Walter# 418811 / 418812 Compression Units


FOR AM STD  
LENGTH: 9.75"



22  
1-4

228431  
USES BARREL:  
LF647021


FOR AM STD  
LENGTH: 10.75"



22  
1-4

228611  
USES BARREL:  
LF647021



FOR CRANE  
LENGTH: 10.80"



12

GASKET: 895340

428501  
228501 Stem Only



Also available in the following lengths:

UNIT	STEM ONLY	LENGTH
429501	229501	14.00"
429601	229601	16.00"
429701	229701	18.00"

***Send Your Orders To:***

BARRY E.  ALTER  SR. CO.

***E-mail: [orderdesk@barrywalter.com](mailto:orderdesk@barrywalter.com)***

***Fax: 1.800.886.9831***

***Phone: 1.800.767.5552***