

BARRY E. SR. CO.

Stems and stem units illustrated are shown actual size unless otherwise noted. Where it is necessary to illustrate stems and stem units other than actual size, the stem shank is shown as broken and the overall length is indicated.

Stem and stem units listed alphabetically by OEM. Within each OEM listing, stems and stem unit are illustrated in overall size order


Behind the stem and stem unit section of the catalog are ceramic disc stem units listed in overall size order. Most stems in this section will also be listed in their OEM sections.

Periodically Barry E. Walter Sr. Company will send out updates to replace existing pages. We will also continue to work on other sections to add to the back of the Catalog. Over time we expect to add seats with a listing of the stems and stem units that use them. Other various items will also be added, such as id gauges, handle bushings, stem extensions, tools, adapters, ballcocks, escutcheon nipples, packings, washers, o-rings, gaskets, and screws.

Order the stems or stem units needed using the part numbers shown for the illustration. Particular attention should be paid when determining if a right hand or left hand stem or stem unit is needed.


The right hand threaded stem or stem unit is generally more popular. To identify a right hand stem, hold the stem in an upright position. The appearance of the threads will be to rise from the left side of the stem to the right side, as shown below. The last number of the part number will indicate a right hand (1) or left hand (2) thread. The first number of the part number will indicate a stem only (2) or any stem unit (4). See the following chart below:

LEFT HAND
STEM



Example Part Number	First & Last Digit	Will be Identified As	Usually This Will Be
268061	2 & 1	Right hand Stem	Hot
268062	2 & 2	Left hand Stem	Cold
468061	4 & 1	Right hand Stem unit	Hot
468062	4 & 2	Left hand Stem unit	Cold


RIGHT HAND
STEM



Any usage of original manufactures' names or numbers, product names, and model names or numbers on invoices, quotes, or packing slips are strictly for descriptive and identification purposes. All drawing representations or depictions of original manufactures' products in Barry E. Walter Sr. Co. catalogs or faxes are strictly for identification purposes, and are used to determine the proper Barry Walter Co. replacement part. They are not meant to imply that the parts are manufactured by the original equipment manufacturer.

FOR ACME BRASS

LENGTH: 2.88"




LF465301/ LF465302

GASKET INCLUDED: 895100



LENGTH: 4.17"

Chrome Plated Stem



LF469801


GASKET INCLUDED: 895100

LF269801 Stem Only



LENGTH: 4.91"

Chrome Plated Stem




LF475001

GASKET INCLUDED: 895100

LF275001 Stem Only



LENGTH: 5.19"



416911


GASKET INCLUDED: 895180

216911 Stem Only



FOR ACME BRASS

Chrome Plated Stem & Sleeve



LENGTH: 5.19"


414621

GASKET INCLUDED: 895180

214621 Stem Only



Chrome Plated Sleeve




LENGTH: 6.00"

438611

GASKET INCLUDED: 895180

238611 Stem Only



LENGTH: 6.00"


438621

GASKET INCLUDED: 895180

238611 Stem Only




FOR ACORN



LENGTH: 1.70"


LF400190
OEM # 2415-000-001



LENGTH: 1.73"

GASKET: 890160 O-RING INCLUDED


LF454071
OEM # 2755-000-002
LF254071 Stem Only
OEM # 2755-000-001



LENGTH: 2.14"

Chrome Plated Unit


461922
OEM # 0528-000-002



LENGTH: 2.16"

GASKET: 890160 O-RING INCLUDED

LF400571
OEM # 2755-005-002
LF200571 Stem Only
OEM # 2755-005-002




LENGTH: 2.25"

Chrome Plated Bonnet

GASKET INCLUDED: 895570

483121
OEM # 0485-000-002




LENGTH: 2.27"

LF138921
OEM # 2366-031-001
LF136401 Stem Only
OEM # 2366-034-199

FOR ACORN


LENGTH: 2.28"



Chrome Plated Gland

462702
OEM # 0525.011.002


LENGTH: 2.37"



Plastic Sleeve
Quick-Cloz

LF463260
OEM # 2304-001-001


LENGTH: 2.37"



Brass Sleeve
Quick-Cloz


LF463270-B
OEM # 2304-000-001
with Brass Sleeve

LENGTH: 2.38"



1 5/8"

LF158310
OEM # 2358-003-001




SEAT USED: LF647560

Also available less bonnet

464542

LENGTH: 2.44"



.310

Plastic Sleeve

464552
OEM # 2260-001-003

LENGTH: 2.44"




.310

Flo-Cloz


464582
OEM # FC611

LENGTH: 2.54"




Stainless Steel Shank

LF138990
OEM # 2366-011-002



SEAT USED: LF647560

LENGTH: 2.57"



1 13/16"

LF130680




SEAT USED: LF647560

FOR ACORN

Also Available Stem & Bonnet only

LF117621

LENGTH: 2.72"



SEAT INCLUDED: LF601780
GASKET INCLUDED: 895400

LF401781

OEM # 2767-010-002

LF254071

OEM # 2755-000-001


Stem Only

Also Available without Bonnet

LF466490


OEM # 2305-011-001

LENGTH: 3.13"



Plastic Sleeve

LENGTH: 3.24"



Plastic Sleeve


LF466500

OEM # ACN-2305-050-003

468490


OEM # 2305-001-001 or AC602

LENGTH: 3.65"



LF402880

LENGTH: 4.00"




Chrome Plated Gland

5/16
TAPERED

469702

OEM # 0526-000-001

LENGTH: 4.00"



Chrome Plated Gland

5/16
TAPERED


469712

OEM # 0526-000-001

FOR ACORN

Plastic Sleeve

LENGTH: 4.49"



470052
270052 Stem Only

Chrome Plated Stem


LENGTH: 4.56"



410041
GASKET INCLUDED: 89462 0

Symmons C-5 Spindle for Acorn

LENGTH: 4.99"



212171
OEM # 2450-103-199

TAPPED 10-24




Symmons Large


Stainless Steel Shank

SEAT INCLUDED:
LF647560

LF138220
GASKET INCLUDED: 895550
OEM # 2366-021-001




FOR ADVANCED TABCO / B & K




GASKET: 890170 O-RING INCLUDED

400241




GASKET INCLUDED: 895100

LF455411
LF455412




SEAT USED: LF648270




GASKET INCLUDED: 895100

LF455462




SEAT USED: LF648270




GASKET INCLUDED: 895100

LF452922




SEAT USED: LF648270




GASKET INCLUDED: 895100

LF452901
OEM # 456000007
LF452902
OEM # 456000008



SEAT USED: LF648270


Also available as chrome plated unit
LF452901-CP/ LF452902-CP



LF464450

OEM # 1061L

LF264450 Stem Only



LF462300
OEM # K-01

FOR ALTMANS

FOR ALTMANS



For 6000 Series Valve Body

GASKET: 890170 O-RING INCLUDED

400551H Hot, Red

400551C Cold, Blue

OEM # 9-TH-CHECK (HOT & COLD)

FOR ALTMANS



For HF9000

GASKET: 890170 O-RING INCLUDED

400561

400561-P Pair

FOR ALTMANS



For THEXCART

GASKET: 891150 O-RING INCLUDED

400631


LENGTH: 2.45"



Push/Pull Diverter

GASKET: 890180 & 890170
O-RING INCLUDED

400631



LENGTH: 5.32"

418811/ 418812


GASKET: 890210 O-RING INCLUDED
OEM # 0DC3JK / 0DC4JK



SEAT USED: 647960

16

3-16



LENGTH: 5.75"

435841


GASKET: 890210 O-RING INCLUDED
OEM # ODC8JK



SEAT USED: 647960

16

3-16



LENGTH: 6.04"

225730


20

2-4

16


3-16

FOR ALTMANS




GASKET INCLUDED: 895180

439181




GASKET INCLUDED: 895390

428271
428272



GASKET INCLUDED: 895550

439771




GASKET: 890210 O-RING INCLUDED

428451
428452

FOR AMERICAN BRASS

LENGTH: 1.55"




17
3-7

18 TPI Gland


GASKET INCLUDED: 895100

LF451111
LF451112



SEAT USED: LF648410

LENGTH: 1.55"




17
3-7

20 TPI Gland


GASKET INCLUDED: 895100

LF451161
OEM # 960-0
LF451162
OEM # 5-118-0 LH



SEAT USED: LF648410

LENGTH: 1.55"




17
3-7

18 TPI Gland


GASKET INCLUDED: 895100

LF452071
LF452072



SEAT USED: LF648410

LENGTH: 2.08"



17
3-7


GASKET INCLUDED: 895100

LF458141
LF458142



SEAT USED: LF648410


LENGTH: 2.08"



Chrome Plated Stem

LF260501

LENGTH: 2.14"




17
3-7

Double Lead Thread


Chrome Plated Stem

LF260011
LF260012





SEAT USED: LF648410



FOR AMERICAN BRASS





LF260211
LF260212




LF460241
LF460242
LF260241 Stem Only
LF260242 Stem Only




LF262021
LF262022




LF464211
LF464212
LF264211 Stem Only
LF264212 Stem Only




LF264271
LF264272




LF264261



FOR AMERICAN BRASS




LF264291




GASKET INCLUDED: 895100

LF463981
LF463982




SEAT USED: LF648140




GASKET INCLUDED: 895100

LF464001
LF464002



SEAT USED: LF648140


IMPORT VERSION
AM20176-LF



LF269161/ LF269162




SEAT USED: LF648410



403601 / 403602

GASKET INCLUDED: 895100


FOR AMERICAN BRASS



403611/ 403612

GASKET INCLUDED: 895100

17
3-7




430350

230350 Stem Only

IMPORT VERSION
AM20177


17
3-7



LF470021/ LF470022

LF270021/ LF270022 Stem Only

17
3-7



LF480201


LF280201 Stem Only

GASKET INCLUDED: 895550

17
3-7

FOR AMERICAN BRASS

Chrome Plated Stem




LENGTH: 5.28"

214761



Chrome Plated Stem




LENGTH: 5.31"

432800

232800 Stem Only



Chrome Plated Stem




LENGTH: 5.54"

421201

GASKET INCLUDED: 895550


221201 Stem Only



SEAT USED: LF648140

FOR AMERICAN BRASS

Chrome Plated Stem



438701


GASKET INCLUDED: 895550

238701 Stem Only

17

3-7

Chrome Plated Stem



438711

GASKET INCLUDED: 895550

238711 Stem Only

17


3-7

BARRY E.  ALTER SR. CO.

**Have technical questions?
Need something identified?
helpdesk@barrywalter.com
or Text: 1.970.867.3858**

**Place an order?
orderdesk@barrywalter.com
Fax: 1.800.886.9831
Phone: 1.800.767.5552**

FOR AMERICAN KITCHEN



Send Your Orders To:

BARRY E.  SR. CO.

E-mail: orderdesk@barrywalter.com


Fax: 1.800.886.9831

Phone: 1.800.767.5552

FOR AMERICAN STANDARD




400481
OEM # 23566.07.007



LF452011
LF452012
LF252081 Stem Only
OEM # 64803-07
LF252082 Stem Only
OEM # 50636-07




SEAT USED: LF648350



LF452081
LF452082
LF252081 Stem Only
OEM # 64803-07
LF252082 Stem Only
OEM # 50636-07



SEAT USED: LF648350




GASKET: 890160 O-RING INCLUDED

LF453041
OEM # 61268-04
LF453042
OEM # 61261-04



SEAT USED: LF648350




GASKET: 890200 O-RING INCLUDED


LF453141
OEM # 61509-04



SEAT USED: LF648350



LF454011
LF454012
LF254011 Stem Only
OEM # 54156-04
LF254012 Stem Only
OEM # 54157-04




SEAT USED: LF648100

FOR AMERICAN STANDARD


Complete unit available with locknut:

LF453091-N
LF453092-N



LOCKNUT
653020

IMPORT VERSION
AS10105




LENGTH: 1.69"


GASKET INCLUDED: 891130

453181

253181 Stem Only
OEM # 1011-14




SEAT USED: LF648990



LENGTH: 1.69"

GASKET INCLUDED: 891130


LF453091
LF453092



SEAT USED: LF648990

22
1-4


IMPORT VERSION
AS10103-LF
AS10104-LF



LENGTH: 1.69"

GASKET INCLUDED: 891130

LF453101
LF453102





SEAT USED: LF648990

22
1-4

Chrome Plated Stem


Also available with
stainless steel knurled ring:
LF453021-SS / LF453022-SS
Also available with locknut:
LF453021-N / LF453022-N



LENGTH: 1.70"

22
1-4


IMPORT VERSION
AS10101-LF
AS10102-LF




LENGTH: 1.71"

453191

OEM # 72948-04



SEAT USED: LF648990



LENGTH: 1.75"

16

Chrome Plated Unit

LF453021

OEM # 72950-17

LF453022

OEM # 72951-17



SEAT USED: LF648990


LF455081

LF455082

LF255081 Stem Only



LF255082 Stem Only

OEM # 57767-04



SEAT USED: LF648350

FOR AMERICAN STANDARD



LF453001

OEM # 44261-07

LF453002

OEM # 34597-07



SEAT USED: LF647910 or LF649650



452991




SEAT USED: LF647910 or LF649650

400171

OEM # 10527-0070A



GASKET: 890180 O-RING INCLUDED



GASKET: 890180 O-RING INCLUDED

LF456021

LF456022

LF256021 Stem Only

OEM # 25535-02

LF256022 Stem Only

OEM # 25536-02



SEAT USED: LF648220


LF456302

OEM # 29352-07

LF456312

FOR AMERICAN STANDARD

LENGTH: 1.91"



LF457101

OEM # 7616-07

LF457102

OEM # 7617-07

LF257101 Stem Only

OEM # 712-27


LF257102 Stem Only

OEM # 711-17



SEAT USED: LF648220

LENGTH: 1.95"




400591

200591 Stem Only


OEM # 25318-07

LENGTH: 1.96"



257351

LENGTH: 2.11"



LF459121

LF459122

LF259121 Stem Only

OEM # 64702-07


LF259122 Stem Only

OEM # 50669-07




SEAT USED: LF648350

LENGTH: 2.12"




GASKET INCLUDED: 891130

LF460121



SEAT USED: LF648990

LENGTH: 2.13"



USES BARREL: LF647021/LF647022


LF260031

OEM # 19249-02

LF260032

OEM # 19449-02


FOR AMERICAN STANDARD



R510 Valve

GASKET: 890170 O-RING INCLUDED


400540H
OEM # 953951-0070a



R510 Valve

GASKET: 890170 O-RING INCLUDED

400540C
OEM # 953950-007a



LENGTH: 2.13"

1-4


Chrome Plated Unit

LF460021


LF460022

LF260021 Stem Only
OEM # 63377-04

LF260022 Stem Only
OEM # 63378-04



SEAT USED: LF648360



LENGTH: 2.25"

16

Chrome Plated Stem

LF461091


LF461092

LF261091 Stem Only
OEM # 55546-04

LF261092 Stem Only
OEM # 55547-04



SEAT USED: LF648350



STEM LENGTH: 2.25"

22

1-4

Chrome Plated Stem & Bonnet

INCLUDES BARREL:
LF647021/LF647022


GASKET: 861020 INCLUDED

LF461021

LF461022

LF261021 Stem Only
OEM # 63381-04 or 63377-04

LF261022 Stem Only
OEM # 63375-04 or 21451-02




LENGTH: 2.28"

Nickel Plated Stem


261131

OEM # 19422-07 or 31290-07


FOR AMERICAN STANDARD




263281
OEM # 63370-04




LF263231
OEM # 31286-04
LF263232



LF263241
OEM # 63372-04




LF261120
OEM # 1710-07



SEAT INCLUDED: LF649870

LF152150 Stem Only
LF124660 Repair Kit
OEM # 66298-0070A



GASKET: 891130 O-RING INCLUDED

LF464011

OEM # 703-24

LF464012


OEM # 702-34

LF264011 Stem Only

LF264012 Stem Only




SEAT USED: LF648990



464221

OEM # 521-34

264221 Stem Only
OEM # 25317-04



SEAT USED: LF648990

FOR AMERICAN STANDARD

FOR AMERICAN STANDARD



Hot, Red R530 3/4" Valve

GASKET: 8911300-RING INCLUDED

400580H
OEM # A953972-0070A


FOR AMERICAN STANDARD



Cold, Blue R530 3/4" Valve

GASKET: 8911300-RING INCLUDED

400580C
OEM # A953971-0070A




LENGTH: 2.43"


22
1-4

Chrome Plated Stem

LF463131
OEM # 72971-04
LF463132
OEM # 72977-04




SEAT USED: LF648990




LENGTH: 2.50"

401551
OEM # 72964-04




SEAT USED: LF648990

Chrome Plated
Escutcheon Holder
also available:
Part #: 901550



LENGTH: 2.50"


LF264300
OEM # 5026-07



LENGTH: 2.53"

5/16


264851
OEM # 31281-05



LENGTH: 2.57"

LF264250
OEM # 21189-07 or 63374-07


FOR AMERICAN STANDARD




LF464901
LF464902




SEAT USED: LF648990




401631
401632



SEAT USED: LF647910 or LF649650




201711
OEM # 21183-02




LF465101
LF465102
LF265101
OEM # 64859-07
LF265102
OEM # 64865-07



SEAT USED: LF648350




265611
OEM # 31347-05




GASKET INCLUDED: 891130

LF466041
LF466042




SEAT USED: LF648990

FOR AMERICAN STANDARD




GASKET: 891130 O-RING INCLUDED

LF466141
LF466142




SEAT USED: LF648990




INCLUDES BARREL: LF647021/ LF647022

LF466171
LF466172
LF266171
OEM # 31295-04
LF266172
OEM # 31309-04




430442
OEM # 066285-0070A




INCLUDES BARREL: LF647031

LF466031
LF266031 Stem Only
OEM # 31284-04




USES BARREL: LF647041/ LF647042

LF266151
OEM # 21289-02 or 31305-04
LF266152
OEM # 21290-07 or 31306-04




LF466081
LF266081
OEM # 21883-02 or 31322-04




SEAT USED: LF648350

FOR AMERICAN STANDARD


Also available with locknut:
LF466011-N / LF466012-N




LF466011
OEM # 72978-04
LF466012
OEM # 72980-04




LF266071
OEM # 56628-04
LF266072
OEM # 56629-04




LF466301



LF267021
OEM # 55838-04
LF267022
OEM # 55839-04




LF266381
OEM # 31285-04
LF266382



430022
OEM # 954559-0070A

FOR AMERICAN STANDARD



16

LENGTH: 3.26"


SEAT USED: LF648990

402321

402322

202321 Stem Only

202322 Stem Only



22


LENGTH: 3.31"

1-4

Chrome Plated Stem

LF268041

LF268042



22

LENGTH: 3.34"

1-4

Chrome Plated Stem

GASKET INCLUDED: 818010

LF468261


LF468262

LF268061 Stem Only

OEM # 21195-02 or 31301-04

LF268062 Stem Only

OEM # 21668-02 or 31312-04



22

STEM LENGTH: 3.34"

1-4

INCLUDES BARREL:
LF647021/LF647022

Chrome Plated Stem

GASKET INCLUDED: 818010

LF468061

OEM # 14145-02

LF468062


OEM # 14146-02

LF268061 Stem Only

OEM # 21195-02 or 31301-04

LF268062 Stem Only

OEM # 21668-02 or 31312-04



20

STEM LENGTH: 3.34"

3-14

3/8" SHANK

INCLUDES BARREL:
LF647021/LF647022

Chrome Plated Stem

GASKET INCLUDED: 818010


LF468701

LF468702


LF268701 Stem Only

LF268702 Stem Only


FOR AMERICAN STANDARD



430662
OEM # 950070-0070A




LF268300
OEM # 1711-07



LF268121

12
1-2



203131
OEM # 27212-02


26

FOR AMERICAN STANDARD

STEM LENGTH: 3.56"

INCLUDES BARREL:
LF647021/LF647022

Chrome Plated Stem



LF468081/ LF468082

GASKET INCLUDED: 818010

OEM # 4782-02

LF268081/ LF268082 Stem Only


OEM # 19376-04 or 32188-04/ 21453-02 or 31310-04

22

1-4

LENGTH: 3.57"

Chrome Plated Unit



LF468071/ LF468072

LF268071/ LF268072 Stem Only

OEM # 21705-02/ 21706-02

22

1-4


LENGTH: 3.59"



LF268310

OEM # 22983-07

LENGTH: 3.60"



18

3-30


431681

GASKET: 890210 O-RING INCLUDED

OEM # 28647-0070A

FOR AMERICAN STANDARD

INCLUDES BARREL:
LF647021/LF647022



LF472011/ LF472012


GASKET INCLUDED: 818010

LF272011/ LF272012 Stem Only

OEM # 21671-02/ 21691-02



INCLUDES BARREL:
LF647021/LF647022




LF472061/ LF472062

GASKET INCLUDED: 818010

LF272011/ LF272012 Stem Only

OEM # 21671-02/ 21691-02




403251

203251 Stem Only

Supplied with
12pt. Broach



SEAT USED: LF648350




LF469071/ LF469072

LF269071/ LF269072 Stem Only


OEM # 55788-04/ 55789-04



FOR AMERICAN STANDARD



LF270030
OEM # 31331-07




INCLUDES BARREL:
LF647021/LF647022

LF470201/ LF470202

GASKET INCLUDED: 818010


LF270201/ LF270202 Stem Only
OEM # 19348-02

20
3-14



LF470231/LF470232
LF270201/ LF270202 Stem Only
OEM # 19348-02





20
3-14



LF271021/ LF271022
OEM # 56618-04/ 56619-04

16


FOR AMERICAN STANDARD



FOR AMERICAN STANDARD

Chrome Plated Stem

LENGTH: 4.38"




LF272071/ LF272072

OEM # 21292-02 or 31307-04


22
1-4

Chrome Plated Stem

LENGTH: 4.44"



SEAT USED: LF648100




LF274041/ LF274042

16

LENGTH: 4.44"



SEAT USED: LF648220



430602

OEM # 6052-07


230602 Stem Only

OEM # 25301-07

IMPORT VERSION
AS20101

22
1-4

LENGTH: 4.48"




430692

GASKET: 890170 O-RING INCLUDED

OEM # 012316-0070A


18
3-30

FOR AMERICAN STANDARD




208811
OEM # 27213-02

26



LF475201
LF275201 Stem Only

12
1-2



208951

Supplied with
12pt. Broach



12
1-2



208511
OEM # 27217-02


26

FOR AMERICAN STANDARD

Chrome Plated Stem

STEM LENGTH: 4.81"

INCLUDES BARREL:
LF647021/LF647022



LF476031/ LF476032

GASKET INCLUDED: 818010

LF276031/ LF276032 Stem Only

OEM # 21186-02 or 31299-04/ 21674-02 or 31314-04

Also available less barrel


LF476231/ LF476232

22
1-4

Chrome Plated Stem

STEM LENGTH: 4.81"

INCLUDES BARREL:
LF647021/LF647022



LF476041/ LF476042

GASKET INCLUDED: 818010

OEM # 18625-0200/ 13733-0200

LF276031/ LF276032 Stem Only

OEM # 21186-02 or 31299-04/ 21674-02 or 31314-04

Also available less barrel


LF476241/ LF476242

22
1-4

Chrome Plated Stem

STEM LENGTH: 4.81"

INCLUDES BARREL:
LF647021/LF647022



LF476131/ LF476132

GASKET INCLUDED: 818010

LF276131/ LF276132 Stem Only

OEM # 19279-02/ 20778-02

Also available less barrel


LF476331/ LF476332

20
3-14

Chrome Plated Stem

STEM LENGTH: 4.81"

INCLUDES BARREL:
LF647021/LF647022



LF476141/ LF476142

GASKET INCLUDED: 818010

LF276131/ LF276132 Stem Only





OEM # 19279-02/ 20778-02

Also available less barrel





LF476341/ LF476342

20
3-14

FOR AMERICAN STANDARD



FOR AMERICAN STANDARD



FOR AMERICAN STANDARD

Chrome Plated Stem

SEAT USED: LF648220

LENGTH: 5.05"

432201

GASKET INCLUDED: 895400
OEM # 9803-02

232201 Stem Only

OEM # 25508-02

22

1-4

Chrome Plated Stem

SEAT USED: LF648220

LENGTH: 5.05"

432251

GASKET INCLUDED: 895400

232251 Stem Only

12

1-2

Chrome Plated Stem

USES BARREL: LF647021/LF647022

LENGTH: 5.16"

13/32 - 27 TPI

218041

Chrome Plated Stem

SEAT USED: 648910





LENGTH: 5.17"

217521

OEM # 27289-02

26


FOR AMERICAN STANDARD



FOR AMERICAN STANDARD

Chrome Plated Stem

LENGTH: 5.30"



225151

Supplied with
12pt. Broach



12
1-2


Chrome Plated Stem

Also available less barrel

199651/ 199652

STEM LENGTH: 5.31"

INCLUDES BARREL:
LF647021/LF647022



418001/ 418002

GASKET INCLUDED: 818000
OEM # 18293-0200

218001/ 218002 Stem Only

OEM # 31321-07 or 31344-04/ 21666-02


IMPORT VERSION
AS20186-15

22
1-4

Chrome Plated Stem

STEM LENGTH: 5.31"

INCLUDES BARREL:
LF647021/LF647022



418051/ 418052

GASKET INCLUDED: 818000


218051/ 218052 Stem Only

12
1-2

Chrome Plated Stem

STEM LENGTH: 5.31"

INCLUDES BARREL:
LF647021/LF647022



418011/ 418012




GASKET INCLUDED: 818000

218001/ 218002 Stem Only

OEM # 31321-07 or 31344-04/ 21666-02

22
1-4


FOR AMERICAN STANDARD



FOR AMERICAN STANDARD


Chrome Plated Stem

LENGTH: 5.35"



233531

OEM # 21444-04 or 21685-02



LENGTH: 5.61"

433801

WAVE WASHER INCLUDED: 897110

OEM # 72856-0700A


233801 Stem Only

OEM # 72815-07




Chrome Plated Stem

LENGTH: 5.64"



13/32 - 27 TPI


235641



SEAT USED: 649090

Chrome Plated Stem

LENGTH: 5.64"



435701

GASKET INCLUDED: 818000

OEM # 18355-0200

235701 Stem Only

OEM # 21698-04

Also available stem & sleeve only


151171

Also available stem & bonnet only

435631

Also available w/ seat

435621




SEAT USED: 649090



Chrome Plated Stem

LENGTH: 5.64"



435711

GASKET INCLUDED: 818010

235701 Stem Only





OEM # 21698-04



SEAT USED: 649090



FOR AMERICAN STANDARD



FOR AMERICAN STANDARD

Chrome Plated Stem



LENGTH: 5.75"

224641/ 224642


OEM # 21744-02/ 21745-02

USES BARREL:
647081/647082



1-4

Chrome Plated Stem



LENGTH: 5.75"

424611

224611


OEM # 21214-02 or 31303-04

INCLUDES BARREL:
647071



1-4

Chrome Plated Stem



Also available less barrel

424631

STEM LENGTH: 5.75"

Single Lead

424601

GASKET INCLUDED: 824600

OEM # 16762-02

224601 Stem Only


OEM # 19276-02 or 31287-04

INCLUDES BARREL:
647051



1-4

Chrome Plated Stem



STEM LENGTH: 5.75"

Double Lead

424621/ 424622

GASKET INCLUDED: 824600

224621/ 224622 Stem Only

OEM # 20770-02/ 21741-02


INCLUDES BARREL:
647061 / 647062



1-4

FOR AMERICAN STANDARD

Chrome Plated Stem



STEM LENGTH: 5.81"

425501/ 425502

GASKET INCLUDED: 818000


225501/ 225502 Stem Only

OEM # 21720-02/ 21728-02

INCLUDES BARREL:
LF647021/LF647022

22
1-4

Chrome Plated Stem



STEM LENGTH: 5.81"

425511

GASKET INCLUDED: 818010


225501 Stem Only

OEM # 21720-02

INCLUDES BARREL:
LF647021

22
1-4

Chrome Plated Stem



STEM LENGTH: 5.88"


425711

225711 Stem Only

INCLUDES BARREL:
647051

22
1-4

Chrome Plated Stem



LENGTH: 6.13"

Single Lead

225701


OEM # 94054-02

USES BARREL:
647071

22
1-4

FOR AMERICAN STANDARD

Chrome Plated Stem



LENGTH: 6.25"


426781

OEM # 19324-02

INCLUDES BARREL:
LF647071

22
1-4

Chrome Plated Stem



STEM LENGTH: 6.44"

427011/ 427012

GASKET INCLUDED: 818000


227011/ 227012 Stem Only

OEM # 33632-02/ 21760-02

INCLUDES BARREL:
LF647021/LF647022

22
1-4

Chrome Plated Stem



STEM LENGTH: 6.44"

427071/ 427072

GASKET INCLUDED: 818000


227011/ 227012 Stem Only

OEM # 33632-02/ 21760-02

INCLUDES BARREL:
LF647021/LF647022

22
1-4

Chrome Plated Stem



LENGTH: 6.44"

436501

GASKET INCLUDED: 818000

236501 Stem Only




SEAT USED: 649090

22
1-4


FOR AMERICAN STANDARD

Chrome Plated Stem



LENGTH: 6.44"


436561
GASKET INCLUDED: 818000
236501 Stem Only



SEAT USED: 649090

22
1-4


Chrome Plated Stem



LENGTH: 6.48"


LF280511

20
3-14



LENGTH: 6.64"


235741



SEAT USED: 649090


16
3-16

Chrome Plated Stem



LENGTH: 6.69"

439231
239231 Stem Only




SEAT USED: 649090

20
3-14

FOR AMERICAN STANDARD

Chrome Plated Stem 3/8" Shank



LENGTH: 6.75"

427221

227221 Stem Only

INCLUDES BARREL:
LF647021

20

3-14

Chrome Plated Stem Single Lead Thread



LENGTH: 6.75"

427341

227341


OEM # 21731-02

INCLUDES BARREL:
647071

22

1-4

Chrome Plated Stem Double Lead Thread



LENGTH: 6.75"

227351/ 227352


OEM # 21729-02 / 21730-02

USES BARREL:
647081/647082

22

1-4

Chrome Plated Stem Double Lead Thread



LENGTH: 6.75"

227361/ 227362

OEM # 21726-02 / 21727-02


USES BARREL:
647061/647062

22

1-4

FOR AMERICAN STANDARD

Chrome Plated Stem



427231

GASKET INCLUDED: 824600

OEM # 5903-02

227231 Stem Only


OEM # 21221-02 or 31304-04

INCLUDES BARREL:
647051

22

1-4

Chrome Plated Stem



427151

GASKET INCLUDED: 818010

227021/ 227022 Stem Only


OEM # 31345-04 or 21688-02 / 21689-02

INCLUDES BARREL:
LF647021

22

1-4

Chrome Plated Stem



427021 / 427022

GASKET INCLUDED: 818000

227021/ 227022 Stem Only


OEM # 31345-04 or 21688-02 / 21689-02

INCLUDES BARREL:
LF647021/LF647022

22


1-4

FOR AMERICAN STANDARD




GASKET INCLUDED: 818000

435041
235041 Stem Only




SEAT USED: 649090



USES BARREL: LF647021


227611
OEM # 21220-02



USES BARREL: LF647021


227811
OEM # 21222-02

FOR AMERICAN STANDARD




USES BARREL: LF647021

228241
OEM # 19342-02




USES BARREL: LF647021

228411
OEM # 31320-04



USES BARREL: LF647021


228431
OEM # 21209-02




USES BARREL: LF647021

228611
OEM # 21738-02


FOR APEX



FOR ARJO




FOR ARMONIA



GASKET: 890180 O-RING INCLUDED

LF460172




GASKET: 890180 O-RING INCLUDED

LF460182

FOR ARMONIA

19TPI Gland Fine Thread

LENGTH: 3.23"




401822

GASKET: 890180 O-RING INCLUDED



19TPI Gland Fine Thread

LENGTH: 3.52"




402532

GASKET: 890180 O-RING INCLUDED



14 TPI Gland Coarse Thread

LENGTH: 3.52"




402542

GASKET: 890180 O-RING INCLUDED



19TPI Gland Fine Thread

LENGTH: 4.52"




405942

GASKET: 890180 O-RING INCLUDED



Chrome Plated Stem

LENGTH: 4.60"




431441

GASKET: 895570 INCLUDED





FOR ARROWHEAD





GASKET INCLUDED: 895100

LF450041
LF450042





GASKET INCLUDED: 895100

LF452021
LF452022




GASKET INCLUDED: 895100

LF450101
LF450102




GASKET INCLUDED: 895100

LF454191
LF454192




GASKET INCLUDED: 895100

LF454091
LF454092




GASKET INCLUDED: 895100

LF457031
LF457032




FOR ARROWHEAD




406411 Not Available, Use 415501

12
1-2




LF271101

12
1-2



LF274201

12
1-2




415501
215501 Stem Only
GASKET INCLUDED: 895400

12
1-2

FOR ARROWHEAD

Chrome Plated Stem




SEAT USED: 647410

415521 Not Available, Use 415501

12
1-2

Chrome Plated Stem




SEAT USED: 647410

432401
215501 Stem Only
GASKET: 895550

12
1-2

LENGTH: 5.48"



SEAT USED: LF648230


LF280081

12
1-2

BARRY E.  ALTER SR. CO.

FOR ART F

Chrome Plated Stem



LENGTH: 4.12"

Supplied with
12pt. Broach



12
1-2

404661/ 404662


GASKET INCLUDED: 895400

204661/ 204662 Stem Only



SEAT USED: LF649430

Chrome Plated Stem




LENGTH: 4.73"

431362

GASKET INCLUDED: 895170

12
1-2

Chrome Plated Stem




LENGTH: 5.50"

420501

GASKET INCLUDED: 895400


220501 Stem Only



SEAT USED: 649260

16
1-6

Chrome Plated Stem




LENGTH: 5.50"

420551

GASKET INCLUDED: 895400



220551 Stem Only



SEAT USED: 649260

12
1-2

FOR ART F



Send Your Orders To:


BARRY E.  SR. CO.

E-mail: orderdesk@barrywalter.com

Fax: 1.800.886.9831

Phone: 1.800.767.5552

FOR ARTISTIC BRASS



LENGTH: 2.88"


201540

20

2-4

12


1-2



LENGTH: 5.16"

LF479501/ LF479502


GASKET INCLUDED: 895060



SEAT USED: LF648270

12

1-2



LENGTH: 6.39"

426911/ 426912

GASKET INCLUDED: 895400


226911/ 226912 Stem Only



SEAT USED: 648370

12

1-2




LENGTH: 6.39"

438831

GASKET INCLUDED: 895550

238831 Stem Only




SEAT USED: 648370

12

1-2

FOR ARTISTIC BRASS




426941/ 426942



SEAT USED: LF648870


12
1-2



439410

239410 Stem Only



12
1-2




239690

12
1-2

FOR ATLAS



Send Your Orders To:


BARRY E.  ALTER  SR. CO.

E-mail: orderdesk@barrywalter.com

Fax: 1.800.886.9831


Phone: 1.800.767.5552

FOR AUBURN BRASS



GASKET: 890200 O-RING INCLUDED
403021/ 403022

16
2-3




409921/ 409922
GASKET: 890160 O-RING INCLUDED

16
2-3



LF480031/ LF480032


16
2-3



437611
GASKET: 891150 O-RING INCLUDED

16
2-3

FOR AUBURN BRASS




LENGTH: 6.00"

425811/ 425812
225811/ 225812 Stem Only
GASKET: 891150 O-RING INCLUDED



SEAT USED: LF647450

16
2-3



LENGTH: 6.00"


436611
225811 Stem Only
GASKET: 891150 O-RING INCLUDED



SEAT USED: LF647450

16
2-3

FOR A.Y. McDONALD




LENGTH: 2.17"

18
3-3

Chrome Plated Stem

LF261161
LF261162




LENGTH: 2.31"

18
3-3

Chrome Plated Stem

LF262341
LF262342







LENGTH: 2.49"

18
3-3


Chrome Plated Stem

LF264281
LF264282


FOR A.Y. McDONALD




FOR BANNER



FOR BARBER WILSON



FOR BARDES




LF254001
LF254002



LF464241
LF464242
LF264241 Stem Only
LF264242 Stem Only

FOR BARNES




GASKET: 895100

LF452051
LF452052




SEAT USED: LF648350



LF260131
LF260132



SEAT USED: LF648350




LF456051
LF456052




SEAT USED: LF648350


FOR BARNES




LF256101
LF256102




LF263101
LF263102




LF462061



LF266121
LF266122







LF269121
LF269122



LF268001
LF268002




FOR BARNES



FOR BARNES

LENGTH: 4.87"

Chrome Plated Stem



431610
231610 Stem Only


16
1-6

LENGTH: 4.88"

Chrome Plated Stem



SEAT USED: LF648350



412201
212201 Stem Only


16
1-6

LENGTH: 4.88"

Chrome Plated Stem



SEAT USED: LF648350




412251
212251 Stem Only

12
1-2

LENGTH: 5.32"





Chrome Plated Stem






418401
GASKET INCLUDED: 895320
218401 Stem Only

16
1-6

FOR BARNES




FOR BEAR BRAND




BARRY E.  ALTER  SR. CO.

FOR BELVEDERE




GASKET INCLUDED: 895150

LF456131
LF456132



SEAT USED: LF648500


FOR BLOCK BRASS



404701/ 404702

GASKET INCLUDED: 895290

204701/ 204702 Stem Only







404751/ 404752




GASKET INCLUDED: 895290

204751/ 204752 Stem Only

FOR BLOCK BRASS



FOR BLOCK BRASS



Send Your Orders To:

E-mail: orderdesk@barrywalter.com


Fax: 1.800.886.9831

Phone: 1.800.767.5552

FOR BORG-WARNER

LENGTH: 1.56"

Chrome Plated Stem




9

LF452861

GASKET: 890160 O-RING INCLUDED


LENGTH: 2.09"



12
1-2

LF459091/ LF459092


LENGTH: 4.19"



9

405011


LENGTH: 4.23"



9

LF470801

LENGTH: 4.38"




12
1-2

406311/ 406312

FOR BRADLEY


LENGTH: 1.78"




453201

OEM # 400-08190 or P402

LENGTH: 2.44"




LF173770



SEAT USED: LF647560


LENGTH: 2.46"



GASKET INCLUDED: 895100

LF126480

LENGTH: 2.98"




401731

201731 Stem Only


OEM # S21-020

LENGTH: 3.00"




201841

LENGTH: 3.34"



201771


FOR **BRADLEY**



202690
OEM # S21-065 (Old number: S21-040)


Special 12pt Broach w/
2 splines missing on each
side to make an 8pt Broach

8




230620

12
3-10



208331
OEM # BW-5

12




231530

12
3-10

FOR BRIGGS

LENGTH: 1.40"



18
3-3

Nickel Plated Gland

GASKET INCLUDED: 895100

LF452031

OEM # DIV10637 RH


LF452032

OEM # DIV10637 LH



SEAT USED: LF648120

LENGTH: 1.63"



18
3-3

GASKET INCLUDED: 895100


LF453031

OEM # DIV10636 RH

LF453032

OEM # DIV10636 LH

LENGTH: 1.75"



18
3-3

Nickel Plated Unit


GASKET INCLUDED: 895100

LF454101

OEM # DIV10653 RH


LF454102

OEM # DIV10653 LH




SEAT USED: LF648120

LENGTH: 1.95"



18
3-3


LENGTH: 2.00"



18
3-3

Chrome Plated Stem

LENGTH: 2.08"



GASKET INCLUDED: 895370

401461


201461 Stem Only

OEM # 3573



SEAT USED: 647650

LENGTH: 2.16"



18
3-3

GASKET INCLUDED: 895100

LF461011

OEM # DIV10535 RH

LF461012

OEM # DIV10535 LH



SEAT USED: LF648120

LF457131

LF457132

LF257131 Stem Only

OEM # 6647


LF257132 Stem Only

OEM # 6648



SEAT USED: LF648120


FOR BRIGGS



201221



SEAT USED: LF649790
OEM # 6761



LF463111


LF463112

LF263111 Stem Only


OEM # 22097

LF263112 Stem Only

OEM # 22098



SEAT USED: LF648120



LF464031


LF464032

LF264031 Stem Only


OEM # 22033

LF264032 Stem Only

OEM # 22034



SEAT USED: LF648250




LF263161


OEM # 2779

LF263162

OEM # 2781




SEAT USED: LF648950




201231

OEM # 2650




LF265201




LF465271

LF265271 Stem Only



SEAT USED: LF648250


FOR BRIGGS





LF267061/ LF267062
OEM # 6612 / 6613



Chrome Plated Stem




LF267121




402611
GASKET INCLUDED: 895370
202611 Stem Only
OEM # 6734


Chrome Plated Stem




LF269151/ LF269152



Chrome Plated Stem




LF269141



FOR BRIGGS




SEAT USED: LF648120




LENGTH: 3.99"

404111/ 404112

OEM # DIV10623



SEAT USED: 648510 or LF648120




LENGTH: 4.02"

IMPORT VERSION
BR20251


404101/ 404102

OEM # DIV10635

GASKET INCLUDED: 895150




SEAT USED: LF648250



LENGTH: 4.10"

LF271011/ LF271012



LENGTH: 4.17"


Chrome Plated Stem

405391

205391 Stem Only

GASKET INCLUDED: 895340

FOR BRIGGS




LENGTH: 4.42"

405902

GASKET INCLUDED: 895150
OEM # DIV10740

18
3-3



Chrome Plated Stem


LENGTH: 4.44"

LF471501


GASKET INCLUDED: 895180

LF271501 Stem Only

18
3-3



SEAT USED: 648950 or 648630



Chrome Plated Stem


LENGTH: 4.56"

407501/ 407502


GASKET INCLUDED: 895370

207501/ 207502 Stem Only

18
3-3



SEAT USED: 648950 or 648630



Chrome Plated Stem

LENGTH: 4.56"


407551/ 407552

GASKET INCLUDED: 895370

207551/ 207552 Stem Only


12
1-2

FOR BRIGGS



SEAT USED: 648950 or 648630

Chrome Plated Unit




LENGTH: 4.56"

407521/ 407522


GASKET INCLUDED: 895370

207501/ 207502 Stem Only

18
3-3



SEAT USED: LF648250




LENGTH: 4.69"


408701

GASKET INCLUDED: 895150

18
3-3



SEAT USED: LF648250




LENGTH: 4.69"

408751

GASKET INCLUDED: 895150

12
1-2



SEAT USED: LF648250

Chrome Plated Stem



LENGTH: 4.73"





Single Lead

LF275041





OEM # 6336

18
3-3


FOR BRIGGS



FOR BRIGGS



FOR BRIGGS



LENGTH: 4.88"


431502

GASKET INCLUDED: 895370

231502 Stem Only

OEM # 3136

18
3-3




LENGTH: 4.88"

431512

GASKET INCLUDED: 895370

231502 Stem Only

18
3-3



Chrome Plated Stem

LENGTH: 4.90"


SEAT USED: 648630

411401

GASKET INCLUDED: 895340

211401 Stem Only

18
3-3



Chrome Plated Stem

LENGTH: 4.90"


SEAT USED: 648630

411411

GASKET INCLUDED: 895340

211411 Stem Only

8



Chrome Plated Stem

LENGTH: 4.90"

SEAT USED: 648630

411451

GASKET INCLUDED: 895340


211451 Stem Only

12
1-2

FOR BRIGGS

Chrome Plated Stem

LENGTH: 4.91"



411901

GASKET INCLUDED: 895330


211901 Stem Only

OEM # 307

8

Chrome Plated Stem

LENGTH: 4.91"



411951

GASKET INCLUDED: 895330


211951 Stem Only

12

1-2

Chrome Plated Stem

LENGTH: 4.92"



414201

OEM # 5814


214201 Stem Only

18

3-3

Chrome Plated Stem

LENGTH: 4.92"







414251

214251 Stem Only

12


1-2

FOR BRIGGS



FOR BRIGGS

Chrome Plated Stem



LENGTH: 5.21"

414561

GASKET INCLUDED: 895180


214561 Stem Only

Supplied with
12pt. Broach



1-2

Chrome Plated Stem



LENGTH: 5.32"

417901


GASKET INCLUDED: 895370

OEM # DIV505

217901 Stem Only

OEM # 5857 (DIV502)

IMPORT VERSION
BR20252




SEAT USED: 648630



3-3

Chrome Plated Stem




LENGTH: 5.32"

417921

GASKET INCLUDED: 895370

217901 Stem Only




SEAT USED: 648630



3-3

Chrome Plated Unit
20 TPI Gland




LENGTH: 5.32"

417911

GASKET INCLUDED: 895370

217901 Stem Only




SEAT USED: 648630




3-3

FOR BRIGGS


Chrome Plated Unit
18 TPI Gland




Chrome Plated Stem




Chrome Plated Stem







Chrome Plated Stem







Chrome Plated Stem







FOR BRIGGS



FOR BRIGGS




FOR BRIGGS



FOR BRIGGS

Chrome Plated Unit

LENGTH: 6.05"



437512


GASKET INCLUDED: 895370

237502 Stem Only

18
3-3

Chrome Plated Stem

LENGTH: 6.50"



427141

GASKET INCLUDED: 895370


227141 Stem Only

18
3-3

SEAT USED: 648630

Chrome Plated Stem

LENGTH: 6.68"



439201


GASKET INCLUDED: 895340

239201 Stem Only

21/64

Chrome Plated Stem

LENGTH: 6.68"



439251


GASKET INCLUDED: 895340

239251 Stem Only

12
1-2

Chrome Plated Stem

LENGTH: 6.79"



427441





GASKET INCLUDED: 895340

227441 Stem Only

8

SEAT USED: 648630

FOR BRIGGS



FOR BROADWAY



GASKET INCLUDED: 895150


LF451151
LF451152



GASKET INCLUDED: 895160

LF463501
LF463502

Also available with polished chrome plated stem
LF463501-CP/ LF463502-CP



414321/ 414322

GASKET INCLUDED: 895570

OEM # 26.57760 605 & 26.57761 605


214321/ 214322 Stem Only

Also available with polished chrome plated stem

414321-CP/ 414322-CP

OEM # 26.57760 625 & 26.57761 625

214321-CP/ 214322-CP Stem Only



LF478881/ LF478882

GASKET INCLUDED: 890180

OEM # 26.57764 605 & 26.57765 605

LF278881/ LF278882 Stem Only

Also available with polished chrome plated stem


LF478881-CP/ LF478882-CP

GASKET INCLUDED: 890180

OEM # 26.57764 625 & 26.57765 625

LF278881-CP/ LF278882-CP Stem Only

FOR BROADWAY



LF478891/ LF478892

GASKET INCLUDED: 890180

OEM # 26.57764 605 & 26.57765 605

LF278891/ LF278892 Stem Only


Also available with polished chrome plated stem

LF478891-CP/ LF478892-CP

GASKET INCLUDED: 890180

OEM # 26.57764 625 & 26.57765 625

LF278891-CP/ LF278892-CP Stem Only



433221

OEM # 26.57759 605

GASKET INCLUDED: 895560

233221 Stem Only


Also available with polished chrome plated stem

433221-CP

GASKET INCLUDED: 895560

OEM # 26.57759 625

233221-CP Stem Only



420311/ 420312

GASKET INCLUDED: 895570


220311/ 220312 Stem Only

Also available with polished chrome plated stem

420311-CP/ 420312-CP

GASKET INCLUDED: 895570

220311-CP/ 220312-CP Stem Only



436321

GASKET INCLUDED: 895560




236321 Stem Only

Also available with polished chrome plated stem

436321-CP

236321-CP Stem Only


FOR BROADWAY



Send Your Orders To:
E-mail: orderdesk@barrywalter.com
Fax: 1.800.886.9831
Phone: 1.800.767.5552

FOR BURLINGTON

LENGTH: 1.26"




GASKET INCLUDED: 895100

LF450061
LF450062



SEAT USED: LF648700

LENGTH: 1.58"




LF253061
LF253062




SEAT USED: LF648700

LENGTH: 1.80"



LF255111
LF255112

LENGTH: 1.88"




LF457011
LF457012




SEAT USED: LF648700

LENGTH: 2.00"



LF260071
LF260072

LENGTH: 2.35"




LF462111
LF462112



SEAT USED: LF648700

FOR BURLINGTON

LENGTH: 3.27"




LF467071/ LF467072

GASKET INCLUDED: 895100



LENGTH: 4.27"




405811

GASKET INCLUDED: 895100

205811 Stem Only




LENGTH: 4.58"



430710

GASKET INCLUDED: 894620


230710 Stem Only

BARRY E.  **WALTER**  SR. CO.

FOR CALIFORNIA BRASS

Chrome Plated Stem

LENGTH: 2.33"



LF263141
LF263142


Supplied with
12pt. Broach



12
1-2

Chrome Plated Stem

LENGTH: 4.30"



405551


205551 Stem Only

Supplied with
12pt. Broach



12
1-2

FOR HOT & COLD STEM USE PRICE PFISTER 405111/405112



LENGTH: 4.88"

431701

GASKET INCLUDED: 895400


231701 Stem Only

12
1-2

FOR HOT & COLD STEM USE PRICE PFISTER 421601/421602

Chrome Plated Stem

LENGTH: 5.75"




434801

GASKET INCLUDED: 895400

234801 Stem Only

12
1-2

FOR CAMBRIDGE



GASKET: 890170 O-RING INCLUDED

LF452961


OEM # 060047A

LF452962

OEM # 060048A





SEAT USED: LF646940




LF460291

LF460292



SEAT USED: LF646940 or LF647420

FOR CASE



GASKET INCLUDED: 895290

LF467401

LF467402


LF267401 Stem Only

Speakman OEM # : G03-0175

LF267402 Stem Only

FOR CENTRAL

LENGTH: 1.44"




16
1-6

IMPORT VERSION
CB10368-LF
CB10369-LF


GASKET INCLUDED: 895100

LF451071
OEM # SU-357-K
LF451072



SEAT USED: LF648550

LENGTH: 1.50"




16
1-6

IMPORT VERSION
CB10370-LF
CB10371-LF


GASKET INCLUDED: 895100

LF452041
OEM # SU-353
LF452042
OEM # SU-353-EL



SEAT USED: LF648550

LENGTH: 1.88"




16
1-6

LF256111
OEM # SU-2714
LF256112



SEAT USED: LF648550

LENGTH: 2.00"



16
1-6

Plastic Retainer

GASKET INCLUDED: 895100

LF453501
OEM # SU-353-EWH
LF453502
OEM # SU-353-EWC


LENGTH: 2.01"



16
1-6

Chrome Plated Stem


LF258081
OEM # SU-1818/SU-2718-R
LF258082
OEM # SU-1818-L/ SU-2718-L



SEAT USED: LF648550


FOR CENTRAL

LENGTH: 2.13"




Chrome Plated Unit

LF460061
LF460062
LF260061 Stem Only
OEM # SU-1855/45
LF260062 Stem Only



SEAT USED: LF648550

LENGTH: 2.30"




Chrome Plated Bonnet

SEAT INCLUDED:
(Part of Barrel Assembly) LF647850

LF462051
LF462052

LENGTH: 2.30"




Chrome Plated Bonnet

SEAT INCLUDED:
(Part of Barrel Assembly) LF647850


LF462151
LF462152

LENGTH: 2.38"




Chrome Plated Stem

LF263311
OEM # SU-1858-R
LF263312
OEM # SU-1858-L



SEAT USED: LF648550

LENGTH: 2.40"




Chrome Plated Stem

LF263211
OEM # SU-1990
LF263211



SEAT USED: LF648550


LENGTH: 2.42"




Chrome Plated Stem

LF463201
LF463202


FOR CENTRAL



LF463211
OEM # P-221
LF463212





LF464101
LF464102
LF264101 Stem Only
OEM # SU-2127-R
LF264102 Stem Only
OEM # SU-2127-L




GASKET INCLUDED: 895100

LF464801
OEM # K-158-KR
LF464802
OEM # K-158-KL




GASKET INCLUDED: 895400

401611
201611 Stem Only



GASKET INCLUDED: 895400

401621
201611 Stem Only




GASKET INCLUDED: 895100


LF464811
OEM # G-458-KR
LF464812
OEM # G-458-KL




FOR CENTRAL





LF267150
OEM # SU-7101-AF



LF469021/ LF469022
LF269021/ LF269022 Stem Only
OEM # SU-1994





LF269201/ LF269202
OEM # SU-1885



404401/ 404402
GASKET INCLUDED: 895400
204401/ 204402 Stem Only
OEM # SU-1529



FOR CENTRAL




16
1-6

404411/ 404412

GASKET INCLUDED: 895400


204401/ 204402 Stem Only



404651

Supplied with
12pt. Broach


12
1-2



LF470351

GASKET INCLUDED: 895410

16
1-6







5/16
TAPERED





470771

GASKET INCLUDED: 895400





FOR CENTRAL







FOR CENTRAL



FOR CENTRAL




FOR CENTRAL



FOR CENTRAL

Chrome Plated Stem


LENGTH: 5.06"



214631
OEM # SU-1848

16
1-6

LENGTH: 5.08"




416811
GASKET INCLUDED: 895550
216811 Stem Only

16
1-6

LENGTH: 5.09"

SEAT INCLUDED:
(Part of Barrel Assembly)
LF647850




414811/ 414812
GASKET INCLUDED: 895340

16
1-6

LENGTH: 5.09"

SEAT INCLUDED:
(Part of Barrel Assembly)
LF647850




414821
GASKET INCLUDED: 895340

16
1-6

FOR CENTRAL

Chrome Plated Stem

LENGTH: 5.17"




215621

OEM # SU-1840-B

16
1-6

Chrome Plated Stem

LENGTH: 5.17"




217811

OEM # SU-1840


16
1-6

Chrome Plated Stem

LENGTH: 5.19"



SEAT USED: 648810




416801

GASKET INCLUDED: 895400


216801 Stem Only

OEM # SU-2087

16
1-6



SEAT USED:
648810 OR 648970



LENGTH: 5.20"

415811/ 415812


GASKET INCLUDED: 895400

OEM # K-2-CS


215801/ 215802 Stem Only

IMPORT VERSION
CB20331

16
1-6



SEAT USED:
648810 OR 648970



LENGTH: 5.20"

415801/ 415802

GASKET INCLUDED: 895400

OEM # K-2-CT

215801/ 215802 Stem Only

OEM # SU-1548-B

IMPORT VERSION
CB20332

Also available with chrome plated stem

415831/ 415832


GASKET INCLUDED: 895400

215821/ 215822 Stem Only


OEM # SU-1548-605

16
1-6

FOR CENTRAL



SEAT USED:
648810 OR 648970




415891

GASKET INCLUDED: 895400


215821 Stem Only

OEM # 1548-605

IMPORT VERSION
CB20336



SEAT USED:
648810 OR 648970




415821/ 415822

GASKET INCLUDED: 895400


215821/ 215822 Stem Only

OEM # 1548-605

IMPORT VERSION
CB20337



SEAT USED:
648810 OR 648970




415841


GASKET INCLUDED: 895400

OEM # 607

215821 Stem Only



SEAT USED:
648810 OR 648970



415851/ 415852


GASKET INCLUDED: 895400

215851/ 215852 Stem Only



FOR CENTRAL

Chrome Plated Stem




LENGTH: 5.28"

416931



LENGTH: 5.29"
STEM LENGTH: 5.00"




411021

GASKET INCLUDED: 895100



Chrome Plated Stem



LENGTH: 5.33"


LF480171

GASKET INCLUDED: 895400

LF280171 Stem Only



Chrome Plated Stem



LENGTH: 5.39"


419801

GASKET INCLUDED: 895570

219801 Stem Only



Chrome Plated Unit



LENGTH: 5.40"





419951

219951 Stem Only





Supplied with
12pt. Broach







FOR CENTRAL



FOR CENTRAL




FOR CENTRAL



FOR CENTRAL

SEAT INCLUDED
AS PART OF THE
BARREL ASSEMBLY
LF647850




LENGTH: 5.94"
STEM LENGTH: 5.30"

424711

GASKET INCLUDED: 895340
OEM # P-226

16
1-6

Chrome Plated Stem




STEM LENGTH: 5.76"

438741

238741 Stem Only

16
1-6

Chrome Plated Unit



STEM LENGTH: 5.76"


438671

238741 Stem Only

16
1-6

FOR CHASE

Chrome Plated Stem




LENGTH: 2.70"

LF264171

16
1-6

FOR CHG

Gland thread turns
clockwise
into valve body




GASKET INCLUDED: 895100

LF455411
LF455412




SEAT USED: LF648270

Gland thread turns
counter-clockwise
into valve body



GASKET INCLUDED: 895100

LF455462





SEAT USED: LF648270

Gland thread turns
clockwise
into valve body



Knurled lock ring also available

952900



GASKET USED: 895100

LF452901
LF452902


IMPORT VERSION - H & C PAIR
3057-STEM-PR-LF



SEAT USED: LF648270
OEM # 456000007
OEM # 456000008


Also available as chrome plated unit
LF452901-CP/ LF452902-CP

Gland thread turns
counter-clockwise
into valve body




GASKET INCLUDED: 895100

LF452922



SEAT USED: LF648270




GASKET INCLUDED: 895100

LF455401
OEM # 455000007
LF455402
OEM # 455000008



SEAT USED: LF648270


FOR CHG




LF462571
OEM # KL41-Y007
LF462572
OEM # KL41-Y006



LF462241
LF462242



LF463921
OEM # KL55-Y010
LF463922
OEM # KL55-Y011



LF466481
OEM # KL50-Y007
LF466482
OEM # KL50-Y006



Also available: Complete
Unit with Handle
LF466481-32955 Hot
LF466482-32955 Cold

FOR CHICAGO

CHICAGO MVP METERING




CH10323-LF
OEM # 667-080KJKABNF

CH10325-LF
OEM # 665-RKPABCP

Also Available with Complete Cartridge & Handle

SLOW COMPRESSION

LENGTH: 2.65"




Nickel Plated Stem
Chrome Plated Bonnet

CORK GASKET INCLUDED: 895200

LF464991
LF464992

SLOW COMPRESSION

LENGTH: 2.65"




Nickel Plated Stem

CORK GASKET INCLUDED: 895200

LF465001
LF465002

QUATURN

LENGTH: 2.65"



Nickel Plated Stem

CORK GASKET INCLUDED: 895200


LF465041
OEM # 1-99JK
LF465042
OEM # 1-100JK

IMPORT VERSION
CH10320-LF
CH10321-LF

FOR CHICAGO

QUATURN

LENGTH: 2.65"




Nickel Plated Stem
Chrome Plated Bonnet

CORK GASKET INCLUDED: 895200

LF465051
LF465052

SLOW COMPRESSION CONTROL-A-FLOW

LENGTH: 2.65"




Nickel Plated Stem

CORK GASKET INCLUDED: 895200

LF465231
OEM # 217-X245RKJKABNF
LF465232
OEM # 217-X245LKJKABNF

QUATURN CONTROL-A-FLOW

LENGTH: 2.65"




Nickel Plated Stem

CORK GASKET INCLUDED: 895200

LF465241
OEM # 1-099-245JKABNF
LF465242
OEM # 1-100-245JKABNF

NEW STYLE QUATURN

LENGTH: 2.65"




Nickel Plated Stem

CORK GASKET INCLUDED: 895200

LF465221
OEM # 1-099XTJKABNF
LF465222
OEM # 1-100XTJKABNF

NEW STYLE SLOW COMPRESSION

LENGTH: 2.65"




Nickel Plated Stem

CORK GASKET INCLUDED: 895200

LF465281
OEM # 217-XTRHJKABNF
LF465282
OEM # 217-XTLHJKABNF

QUATURN

LENGTH: 3.36"



Nickel Plated Stem


CORK GASKET INCLUDED: 895200

LF467091
OEM # 377-XRH
LF467092
OEM # 377-XLH

FOR CHICAGO

SLOW COMPRESSION

LENGTH: 3.36"




Nickel Plated Stem

CORK GASKET INCLUDED: 895200

LF467101
LF467102

QUATURN

LENGTH: 3.36"




Nickel Plated Stem

CORK GASKET INCLUDED: 895200

LF467181
LF467182

QUATURN

LENGTH: 3.36"




Nickel Plated Stem
Chrome Plated Bonnet

CORK GASKET INCLUDED: 895200

LF467191
LF467192

NEW STYLE QUATURN

LENGTH: 3.39"




Nickel Plated Stem

CORK GASKET INCLUDED: 895200

LF467131
OEM # 377-XTRHJKABNF
LF467132
OEM # 377-XTLHJKABNF

NEW STYLE
SLOW COMPRESSION

LENGTH: 3.39"




Nickel Plated Stem

CORK GASKET INCLUDED: 895200

LF467221
OEM # 274-XTRHJKABNF
LF467222
OEM # 274-XTLHJKABNF




LENGTH: 3.55"




Chrome Plated Cap Nut

LF468320
OEM # 355-XJKABNF

FOR CHICAGO




FOR CIFIAL



430871


GASKET: 891180 O-RING INCLUDED

FOR CLEVELAND




470791

FOR CONCINNITY




LENGTH: 0.94"

LF450111
OEM # 30336
LF450112
OEM # 30337




SEAT USED: 647140

LENGTH: 1.19"



LF450161
LF450162




SEAT USED: 647140




LENGTH: 2.00"


LF456160



BOTTOM VIEW



SEAT KIT USED: 106090



LENGTH: 4.71"

408621


GASKET INCLUDED: 895500

208621 Stem Only

16
1-6

FOR COYNE DELANEY

LENGTH: 1.93"




460302

GASKET INCLUDED: 895370

OEM # 89A-J


Chrome Plated Unit

FOR CRANE



LENGTH: 1.15"


400201
200201 Stem Only
 OEM # F12078



LENGTH: 1.15"

GASKET: 890160 O-RING INCLUDED


400211
 OEM # FB9238
200201 Stem Only
 OEM # F12078



LENGTH: 1.35"

GASKET INCLUDED: 895180


400411
 OEM # FB8358
400412
 OEM # FB8359




LENGTH: 1.43"

GASKET INCLUDED: 895180

LF451021
LF451022




SEAT USED: LF648200 or LF649770




LENGTH: 1.43"

GASKET INCLUDED: 895100

LF451061
 OEM # FB9137
LF451062
 OEM # FB9138




SEAT USED: LF649430



LENGTH: 1.57"


452821
252821 Stem Only
 OEM # FB9301



LENGTH: 1.74"


CORK GASKET INCLUDED: 895250

LF453300
 OEM # FB11285



LENGTH: 1.81"
 STEM LENGTH: 1.00"

STEM LENGTH: 0.87"




Shorter version stem available

LF103990

CORK GASKET INCLUDED: 895250

LF458700
 OEM # 355174
LF258700 Stem Only
 OEM # 301715




LENGTH: 1.97"

Also available with chrome plated bonnet


461541-CP

461541
261541 Stem Only


FOR CRANE




LF460041
OEM # FB197
LF460042
OEM # FB203




SEAT USED: LF648960 or LF649820




LF461041
LF461042
LF261041 Stem Only
OEM # FB9302
LF261042 Stem Only
OEM # FB9303



SEAT USED: LF649430 or LF649770




LF261151
LF261152




CORK GASKET INCLUDED: 895250


LF462011
OEM # FB8552
LF462012
OEM # FB8553
LF262011 Stem Only
OEM # 300108 OR F12535
LF262012 Stem Only
OEM # 300107 OR F12536




LF462131
LF262131 Stem Only




SEAT USED: LF648960 or LF648430




LF461931
LF261931 Stem Only




LF462611
LF462612



SEAT USED: LF649920




LF462071
OEM # FB68
LF462072
OEM # FB150




SEAT USED: LF648340



FOR CRANE




LF263401




LF263411
LF263412



LF264461



LF265140




LF456090


OEM # FB8401

LF256090 Stem Only

OEM # F12537



LF464461



GASKET INCLUDED: 895250

LF465121

OEM # FB8807 / 354014

LF465122


OEM # FB8808 / 354013

LF265121 Stem Only

OEM # 301142 or FB13167

LF265122 Stem Only

OEM # 301141 or FB13168



LF466051

OEM # FB168


LF466052

OEM # FB174

SEAT USED: LF648340

SEAT USED: LF648340

FOR CRANE




CORK GASKET INCLUDED: 895250

LF465150

OEM # FB8361 OR 355777


LF265150 Stem Only
OEM # F12539



CORK GASKET INCLUDED: 895250

LF465160


LF265150 Stem Only




CORK GASKET INCLUDED: 895250

402431


402432




430631



LF268091
LF268092



LF267161



GASKET INCLUDED: 895370


402731

202731 Stem Only

OEM # FB8368 or 355764



SEAT USED: LF648340




403121

203121 Stem Only

FOR CRANE



SEAT USED: LF648960



LENGTH: 4.05"

LF470211


GASKET INCLUDED: 895320



3-10




SEAT USED: LF648960



LENGTH: 4.05"

LF470221

GASKET INCLUDED: 895320



LENGTH: 4.05"

LF470261

GASKET INCLUDED: 895290



3-10



LENGTH: 4.12"





404631 / 404632

CORK GASKET INCLUDED: 895250




1-1


FOR CRANE



FOR CRANE



SEAT USED: LF648960



LF471121


GASKET INCLUDED: 895370

LF271121 Stem Only

12
1-2



SEAT USED: LF648200 or LF649770



LF473031/ LF473032


LF273031/ LF273032 Stem Only

OEM # 515L-5

16
1-6



SEAT USED: LF649430



430901

GASKET INCLUDED: 895320

OEM # FB9520

230901 Stem Only


OEM # FB9519

IMPORT VERSION
CR20341

12
1-2



SEAT USED: LF649430







408001

208001 Stem Only





OEM # FB11047 or FB16830 or FB13985

12

FOR CRANE




FOR CRANE



FOR CRANE

Chrome Plated Stem




LENGTH: 4.75"

212511

OEM # F4406



Chrome Plated Bonnet




LENGTH: 4.92"

11/32

411621

211621 Stem Only



LENGTH: 4.93"

SEAT USED: LF649430

431901


GASKET INCLUDED: 895550

OEM # 137-5B





231901 Stem Only







1-2

BARRY E.  ALTER SR. CO.





FOR CRANE







FOR CRANE






FOR CRANE



FOR CRANE







FOR CRANE




BARRY E.  WALTER SR. CO.

FOR CRANE



FOR CRANE

Chrome Plated Stem




5/16

423901

GASKET INCLUDED: 895440

223901 Stem Only

Chrome Plated Stem




12
1-2

423951

GASKET INCLUDED: 895440

223951 Stem Only

Chrome Plated Stem




23/64

424511/ 424512

GASKET INCLUDED: 895340

224511/ 224512 Stem Only

Chrome Plated Stem



12
1-2


424561

GASKET INCLUDED: 895340

224561 Stem Only


FOR CRANE

Chrome Plated Stem




422301
222301 Stem Only


Chrome Plated Stem



422351
222351 Stem Only







436000
GASKET INCLUDED: 895370
OEM # FB9199
236000 Stem Only




436010
GASKET: 890210 O-RING INCLUDED
236000 Stem Only

FOR CRANE




FOR CRANE

LENGTH: 5.95"



281522

Chrome Plated Stem



LENGTH: 6.23"


13/32 - 27 TPI

438601

GASKET INCLUDED: 895450

238601 Stem Only

Chrome Plated Stem



LENGTH: 6.23"


12
1-2

438651

GASKET INCLUDED: 895450

238651 Stem Only

Chrome Plated Stem



LENGTH: 6.24"

Supplied with
12pt. Broach

12
1-2


438550

GASKET INCLUDED: 895400

238550 Stem Only

FOR CRANE

Chrome Plated Stem



438850


238850 Stem Only

Supplied with
12pt. Broach



12
1-2

Chrome Plated Stem




438430

GASKET INCLUDED: 895560

238430 Stem Only

Chrome Plated Stem




438400

GASKET INCLUDED: 895560

238400 Stem Only

12
1-2

Chrome Plated Unit



LF480521


LF280521 Stem Only

OEM # 400-5

12
1-2

FOR CRANE

Chrome Plated Unit




LF480531

LF280531 Stem Only

OEM # 400TH-5

Chrome Plated Stem




427001

GASKET INCLUDED: 895340

OEM # FB1077


227001 Stem Only



SEAT USED: LF649660

12


Chrome Plated Stem



427031

GASKET INCLUDED: 895340


227031 Stem Only



SEAT USED: LF649660

23/64

Chrome Plated Stem



427041/ 427042

GASKET INCLUDED: 895340




227041/ 227042 Stem Only



SEAT USED: LF649660


12

FOR CRANE




BARRY E.  SR. CO.

FOR CRANE




GASKET INCLUDED: 895560

428001
228001 Stem Only



GASKET INCLUDED: 895560


428051
228051 Stem Only



GASKET INCLUDED: 895550


LF480911
LF480912
LF280911 Stem Only
LF280912 Stem Only

FOR CRANE



GASKET INCLUDED: 895340

LF480991
LF280991 Stem Only




227101



GASKET INCLUDED: 895550

LF481301




GASKET INCLUDED: 895340

428501
228501 Stem Only
OEM # 228501

FOR CUTHBERT

LENGTH: 1.80"



LF456971


LF256971 Stem Only



FOR DANFOSS

Old Style - Automatic

LENGTH: 3.59"




430790

GASKET: 894120 O-RING INCLUDED

New Style - Manual

LENGTH: 3.76"




430850

GASKET: 894120 O-RING INCLUDED


Old Style - Automatic with Brass Link

LENGTH: 4.09"



431130

GASKET: 894120 O-RING INCLUDED



Chrome plated handle & sleeve available

128540

FOR DANZE



GASKET: 890150 O-RING INCLUDED

400881
OEM # THU4125




431760
OEM # A607238



GASKET: 890160 O-RING INCLUDED

402031
OEM # DA603923



LENGTH: 3.95"


403672
GASKET: 891180 O-RING INCLUDED
OEM # DA507875

38
3-21




FOR DELTA

LENGTH: 1.14"




400671
OEM # RP16213

LENGTH: 1.20"



200141



GASKET INCLUDED: 895060

400151
OEM # RP2090

LENGTH: 1.79"



DE10427

LENGTH: 1.87"



DE10422

LENGTH: 1.91"



DE10428

ALSO AVAILABLE:
DE10428-2KIT
Includes 2 Each
Cartridges, Seats & Springs



LENGTH: 1.91"



DE10421

LENGTH: 1.91"




DE10423

LENGTH: 1.91"




DE10424

FOR DELTA



SEAT USED: LF647420 or LF646940



GASKET INCLUDED: 890160

LF460291
OEM # 060060A
LF460292
OEM # 060061A



NON-METERING

LF154110



DE10429



DE10493
OEM # RP19653




DE10425




DE10420



FOR DELTA





FOR DICK BROTHERS




LF253011
LF253012




LF253161
LF253162




LF252251



LF253151
LF253152



LF252151
LF252152




GASKET: 895100

LF457071
LF457072




FOR DICK BROTHERS

LENGTH: 1.84"



LF257001

LENGTH: 1.85"



16
1-6


Chrome Plated Stem

LF257061
LF257062



SEAT USED: LF649760

LENGTH: 1.91"




5/16

Chrome Plated Stem

258211

LENGTH: 1.97"




16
1-6

Chrome Plated Stem

LF257271
LF257272


LENGTH: 1.98"



5/16

LF256711

LENGTH: 2.00"



16
1-6

Chrome Plated Stem

LF256701
LF256702




SEAT USED: LF649760




SEAT USED: LF649760


FOR DICK BROTHERS





LF459901
LF259901 Stem Only




LF258111
LF258112




LF261061
LF261062



LF463091
LF263091 Stem Only




LF463841
LF463842
LF263841 Stem Only
LF263842 Stem Only



LF463851
LF263851 Stem Only

FOR DICK BROTHERS



Chrome Plated Stem

LENGTH: 3.56"




Single Lead

LF268211/ LF268212



Chrome Plated Stem

LENGTH: 3.56"




Double Lead

LF269031/ LF269032




Chrome Plated Stem

LENGTH: 3.57"




403011/ 403012
203011/ 203012 Stem Only



Chrome Plated Stem





LENGTH: 3.58"







LF269091/ LF269092








FOR DICK BROTHERS



FOR DICK BROTHERS




FOR DICK BROTHERS



FOR DICK BROTHERS

Chrome Plated Stem



LENGTH: 5.63"

435351

GASKET INCLUDED: 895350


235351 Stem Only

Supplied with
12pt. Broach



1-2

Chrome Plated Stem




LENGTH: 5.71"

435732

Supplied with
12pt. Broach



1-2



LENGTH: 5.79"

436301


GASKET INCLUDED: 895350

236301 Stem Only



1-6

Chrome Plated Stem



LENGTH: 6.05"

437851

GASKET INCLUDED: 895350


237851 Stem Only

Supplied with
12pt. Broach




1-2

FOR DISHMASTER




LF463051
LF463052



LF263191
LF263192





FOR DISNEY CRUISE




405722

GASKET INCLUDED: 895560

FOR DOLLY TRIM




FOR DOLLY TRIM




GASKET INCLUDED: 895400

428221
428222
228221 Stem Only
228222 Stem Only



GASKET INCLUDED: 895400

428391
428392
228391 Stem Only
228392 Stem Only




GASKET INCLUDED: 895550

439881
239881 Stem Only

FOR DORF

Chrome Plated Stem




438511

GASKET INCLUDED: 895550

FOR DORNBRACHT

LENGTH: 1.91"



GASKET: 890170 O-RING INCLUDED


LF456362

OEM # 9090030230190 or 03.90.03.020.00.60



SEAT USED: LF647110

LENGTH: 2.16"



GASKET INCLUDED: 895560


401082

OEM # 03.90.03.040.00.90 or 07.025



SEAT USED: LF647120


LENGTH: 2.20"



GASKET: 890170 O-RING INCLUDED

LF459512


OEM # 0390030210090



SEAT USED: LF647110

FOR DORNBRACHT


LENGTH: 2.52"




SEAT USED: LF647110

LF463872

GASKET: 890170 O-RING INCLUDED
OEM # 03.90.03.022.00.90



SEAT USED: LF647120




401762

GASKET INCLUDED: 895560
OEM # 03.90.03.041.00.90




**ALL DORNBRACHT UNITS
ON THIS PAGE COME
WITH THIS PLASTIC
BROACH ADAPTER**




Comes with 20pt
Dornbracht adapter: 103200

FOR DORNBRACHT



402242


GASKET: 890170 O-RING INCLUDED
OEM # 03.90.03.050.00.90




SEAT USED: LF647110



3-20



Comes with 20pt
Dornbrach adapter:
103200



402752


GASKET INCLUDED: 895560
OEM # 03.90.03.060.00.90



SEAT USED: LF647120




3-20




Comes with 20pt
Dornbrach adapter:
103200

Old Style - Automatic



430790

LENGTH: 3.59"




431630

GASKET: 891200 O-RING INCLUDED

LENGTH: 3.82"



3-20



Comes with 20pt
Dornbrach adapter:
103200



438520


OEM # 0430010130190

LENGTH: 6.23"





3-20


FOR DWYER



FOR EAST RIVER




FOR EAST RIVER



427211

GASKET INCLUDED: 895540


227211 Stem Only



427261


GASKET INCLUDED: 895540

227261 Stem Only



426771


226771 Stem Only



426721


226721 Stem Only

FOR ELECTROWAY




LF457141
LF457142

FOR ELIZABETHAN CLASSICS




GASKET: 890180 O-RING INCLUDED

430881



GASKET: 890180 O-RING INCLUDED


431052
OEM # P099-120502D



GASKET: 890180 O-RING INCLUDED


431552

FOR ELJER



GASKET INCLUDED: 895060

400101




LF450031


OEM # 490-5294-02

LF450032

OEM # 490-5294-01



SEAT USED: LF648320




LF450231


OEM # 490-6344-02

LF450232

OEM # 490-6344-01




SEAT USED: LF648320



GASKET: 890160 O-RING INCLUDED

400131




GASKET: 890160 O-RING INCLUDED


LF450851

OEM # 490-6339

LF450852




SEAT USED: LF648320




GASKET: 890160 O-RING INCLUDED

LF450861

LF450862



SEAT USED: LF648320




GASKET INCLUDED: 895100

400331


OEM # 490-2725-00

200331

OEM # 490-2727-00




400251



200351

FOR ELJER


LENGTH: 1.79"



20
3-24


GASKET: 890170 O-RING INCLUDED

LF455962
OEM # V491-2506



SEAT USED: LF647430


LENGTH 1.95"



20
3-20


GASKET INCLUDED: 895160

LF457242
OEM # 491-2506



SEAT USED: LF647690

LENGTH: 1.95"



16
3-15


GASKET INCLUDED: 895120

LF458101
OEM # 490-8105-02

LF458102
OEM # 490-8105-01


LF258101 Stem Only

LF258102 Stem Only



SEAT USED: LF648160

LENGTH: 2.12"




16
3-15

Nickel Plated Stem

LF460091
LF460092


LF260091 Stem Only

LF260092 Stem Only



SEAT USED: LF648160

LENGTH: 2.12"



16
3-15

Nickel Plated Stem
Chrome Plated Bonnet

LF460191
OEM # 490-2808-02

LF460192
OEM # 490-2808-01


LF260091 Stem Only

LF260092 Stem Only



SEAT USED: LF648160

LENGTH: 2.12"



16
3-15

Nickel Plated Stem

GASKET: 895120

LF460111
OEM # 490-8051-02

LF460112
OEM # 490-8051-01


LF260091 Stem Only

LF260092 Stem Only




SEAT USED: LF648160

FOR ELJER




GASKET INCLUDED: 895330

LF463071
LF463072
LF263071 Stem Only
LF263072 Stem Only




GASKET INCLUDED: 895120


LF463171
OEM # 490-8056-01
LF463172
OEM # 490-8056-02
LF263071 Stem Only
LF263072 Stem Only



SEATS USED: LF648160, LF648520 & LF648620




LF260201
LF260202




GASKET INCLUDED: 895160

401342
OEM # 491-2503-00




LF265171



GASKET: 890160 O-RING INCLUDED

LF465381
OEM # 490-6953-00




GASKET: 890160 O-RING INCLUDED

LF465391
LF465392
OEM # 490-7356-02
OEM # 490-7356-01




FOR ELJER




GASKET INCLUDED: 895330

LF465071
OEM # 490-2740-02
LF465072
LF265071 Stem Only
LF265072 Stem Only




GASKET INCLUDED: 895120

LF465571
OEM # 490-8143-01 RH
LF465572
OEM # 490-8143-01 LH
LF265071 Stem Only
LF265072 Stem Only




LF265601
LF265602
OEM # SU-1854/90




GASKET: 890160 O-RING INCLUDED

LF465801
OEM # 490-8419-02
LF465802
OEM # 490-8419-01



GASKET INCLUDED: 895100

401741
OEM # 490-7143-02
401742




GASKET INCLUDED: 895100

401791
OEM # 490-7432-02
401792




FOR ELJER




430271
GASKET INCLUDED: 895100
OEM # 490-7433-00

12
1-2





430281
GASKET INCLUDED: 895100
OEM # 490-7145-00

16
3-15



402012
GASKET INCLUDED: 895160
OEM # 491-2505-00

20
3-20



Chrome Plated Stem

Also available with polished brass stem
LF467111-PB/ LF467112-PB
LF267111-PB/ LF267112-PB Stem Only

16
3-15


LF467111/ LF467112
GASKET INCLUDED: 895330
OEM # 490-2740-06
LF267111/ LF267112 Stem Only
OEM # 490-2788-02/ 490-2788-01

FOR ELJER

Also available with polished brass stem


LF467611-PB/ LF467612-PB

LF267111-PB/ LF267112-PB Stem Only



SEAT USED: LF648520 or LF648620

Chrome Plated Stem




LENGTH: 3.36"

LF467611/ LF467612


GASKET INCLUDED: 895120

OEM # 490-6434-02/ 490-6434-01

LF267111/ LF267112 Stem Only



SEAT USED: LF648320



LENGTH: 3.60"


430131

GASKET INCLUDED: 895100

OEM # 490-8272-02



SEAT USED: LF647690



LENGTH: 3.65"


430192

GASKET INCLUDED: 895160

OEM # 491-2658-00 or 491-2507-0



SEAT USED: LF647690




LENGTH: 3.82"

403232

GASKET INCLUDED: 895160




FOR ELJER




430431

GASKET INCLUDED: 895150
OEM # 490-6391-00

230431 Stem Only
OEM # 490-6759




Chrome Plated Stem




430251

GASKET INCLUDED: 895320

230251 Stem Only



Chrome Plated Stem




404001/ 404002


GASKET INCLUDED: 895330
OEM # 490-2740-04/ 490-2740-03

204001/ 204002 Stem Only
OEM # 490-2749-02

Also available with polished brass stem
404001-PB/ 404002-PB
204001-PB/ 204002-PB Stem Only



Chrome Plated Stem




404021/ 404022

GASKET INCLUDED: 895120

204001/ 204002 Stem Only
OEM # 490-2749-02

Also available with polished brass stem
404021-PB/ 404022-PB
204001-PB/ 204002-PB Stem Only

FOR ELJER




404211

GASKET INCLUDED: 895100


204221 Stem Only



Chrome Plated Sleeve



SEAT USED: LF648320 or LF648160



404221/ 404222

GASKET INCLUDED: 895100


OEM # 490-6750-02

204221/ 204222 Stem Only


IMPORT VERSION
EL20528



Chrome Plated Sleeve



SEAT USED: LF648320 or LF648160




404241/ 404242

GASKET INCLUDED: 895100


204241/ 204242 Stem Only



Chrome Plated Sleeve



SEAT USED: LF648320 or LF648160



430221

GASKET INCLUDED: 895100

OEM # 490-6749-02

230221 Stem Only

OEM # 490-6751-02


IMPORT VERSION
EL20529




FOR ELJER

Chrome Plated Sleeve

LENGTH: 4.23"



SEAT USED: LF648320 or LF648160



12
1-2


430341

GASKET INCLUDED: 895100


OEM # 490-7452-02

230341 Stem Only

OEM # 490-7428-02



SEAT USED: LF647690




LENGTH: 4.35"

20
3-20


430552

GASKET INCLUDED: 895160



SEAT USED: LF649640

Chrome Plated Stem




LENGTH: 4.50"

16
3-15

411211/ 411212


GASKET INCLUDED: 895330

211211/ 211212 Stem Only



SEAT USED: LF649640

Chrome Plated Stem



LENGTH: 4.50"


16
3-15

411231/ 411232

GASKET INCLUDED: 895120

211211/ 211212 Stem Only

FOR ELJER




432071


GASKET INCLUDED: 895300

20

3-24



SEAT USED:
LF648320
or LF648160



LENGTH: 4.55"


407831/ 407832

GASKET INCLUDED: 895100

207801/ 207802 Stem Only


16

3-15



SEAT USED:
LF648320
or LF648160

Chrome Plated Sleeve



LENGTH: 4.55"

407801/ 407802

GASKET INCLUDED: 895100

OEM # 490-5264-02

207801/ 207802 Stem Only


OEM # 490-5264-01

IMPORT VERSION

EL20526 / EL20533


16

3-15



SEAT USED:
LF648320
or LF648160

Chrome Plated Sleeve



LENGTH: 4.55"

407851/ 407852

GASKET INCLUDED: 895100

207851/ 207852 Stem Only

12


1-2

FOR ELJER



Chrome Plated Gland

LENGTH: 4.55"



407821/ 407822

GASKET INCLUDED: 895100


207801/ 207802 Stem Only

IMPORT VERSION
EL20524



LENGTH 4.65"


Plastic Plunger End



432822

GASKET: 895160 INCLUDED

OEM # 490-2510-00



LENGTH: 4.72"

430321

GASKET INCLUDED: 895100

OEM # 490-8279-02


231001 Stem Only

OEM # 490-5266-00



Chrome Plated Sleeve

LENGTH: 4.72"



431001

GASKET INCLUDED: 895100

OEM # 490-5262-00

231001 Stem Only

OEM # 490-5266-00


IMPORT VERSION
EL20527



FOR ELJER

Chrome Plated Gland

LENGTH: 4.72"



431021


GASKET: 895100

OEM # 490-5262-00

231001 Stem Only

OEM # 490-5266-00

IMPORT VERSION
EL20525




SEAT USED: LF648320 or LF648160

16
3-15

Chrome Plated Stem

LENGTH: 4.79"



431301

GASKET INCLUDED: 895320


OEM # 490-5436-00

231301 Stem Only

Also available with
Polished Brass stem

431301-PB

231301-PB Stem Only




SEAT USED: LF649640

16
3-15

Chrome Plated Stem


LENGTH: 4.79"



431351

GASKET INCLUDED: 895320

231351 Stem Only




SEAT USED: LF649640

12
1-2

Chrome Plated Stem

LENGTH: 4.79"




431321

GASKET INCLUDED: 895150

OEM # 490-6391-00

231301 Stem Only





OEM # 490-5266-00




SEAT USED: LF648160

16
3-15

FOR ELJER




FOR ELK




LF261101
LF261102

FOR EMCO






GASKET INCLUDED: 895180

LF452701
OEM # 1057





LF184561
LF184631 Stem Only

FOR EMPIRE




FOR EMPIRE


Chrome Plated Stem




Chrome Plated Stem




Chrome Plated Stem



Chrome Plated Stem




FOR ENCORE



LENGTH: 2.24"

LF462800 Chrome Plated Gland
GASKET: 890170 O-RING INCLUDED
OEM # KL50-Y027-Z




Chrome Plated Stem & Gland

LENGTH: 2.85"

LF465491/ LF465492
GASKET: 890170 O-RING INCLUDED
OEM # KL34-Y007

FOR ENTERPRISE




416651
216651 Stem Only



SEAT USED: LF648350

LENGTH: 5.27"

Supplied with
12pt. Broach



1-2

FOR ENWARE




LENGTH: 2.20"

LF461600

Drinking Fountain
Push Button


FOR FANTINI



LENGTH: 2.17"

SEAT USED: LF647210

LF463332
GASKET: 890170 O-RING INCLUDED




LENGTH: 2.70"


402022
GASKET INCLUDED: 895350




FOR FEDERAL HUBER




LF266021
LF266022




202801




202851



202871





203101




203111


FOR FEDERAL HUBER




FOR FEDERAL HUBER




FOR FEDERAL HUBER



226631



439001




439921

FOR FIAT

Chrome Plated Unit

LENGTH: 2.61"



LF464201

GASKET INCLUDED: 895400
OEM # GRA-02




2-4

FOR FISHER

Chrome Plated Bonnet
Nickel Plated Stem

LENGTH: 2.25"



3-31

LF462201/ LF462202

LF262201/ LF262202 Stem Only

OEM # 3000-0011/ 3000-0010



Also available with handle ABRFI32601

LF462201-32601


OEM # 3000-0000

LF462202-32601

OEM # 3000-0001

Chrome Plated Bonnet
Nickel Plated Stem

LENGTH: 2.29"



3-31

LF462221/ LF462222

LF262221/ LF262222 Stem Only


OEM # 5000-00007/ 5000-00006

Chrome Plated Bonnet
Nickel Plated Stem

LENGTH: 2.26"



SEAT USED: LF649380



1-2

LF462031/ LF462032

LF262031/ LF262032 Stem Only




Also available with handle ABRFI32601

LF462031-32601

LF462032-32601

FOR FISHER

LENGTH: 2.25"




LF462211/ LF462212
LF262211/ LF262212 Stem Only
OEM # 2000-0000R/ 2000-0000L



Also available with handle ABRFI32601


LF462211-32601
LF462212-32601

LENGTH: 2.25"




LF462231/ LF462232
LF262231/ LF262232 Stem Only

Chrome Plated Unit






418301
218301 Stem Only

Chrome Plated Unit




418351
218351 Stem Only

FOR FOREST



FOR GERBER


LENGTH: 1.19"



GASKET INCLUDED: 895150


400381
OEM # 98-660

LENGTH: 1.45"




GASKET INCLUDED: 895150

LF451051
OEM # 98-682
LF451052




SEAT USED: LF649150

LENGTH: 1.45"



GASKET INCLUDED: 895150


LF451251
OEM # 98-688
LF451252
OEM # 98-689



SEAT USED: LF649150


IMPORT VERSION
GE10724-LF
GE10725-LF

LENGTH: 1.65"




GASKET INCLUDED: 895150

LF453171
LF453172




SEAT USED: LF649150

LENGTH: 1.75"




GASKET INCLUDED: 895150

LF453111
OEM # 98-684
LF453112
OEM # 98-685




SEAT USED: LF649150

LENGTH: 1.83"




GASKET INCLUDED: 895150

LF454131
OEM # 98-680
LF454132
OEM # 98-681




SEAT USED: LF649150

FOR GERBER




LF259021
LF259022




SEAT USED: LF649150

FOR DANZE / GERBER



GASKET: 890180 O-RING INCLUDED


402031
OEM # DA603923



LF261111
LF261112




SEAT USED: LF649150



LF263121
OEM # 90-292
LF263122
OEM # 90-291




SEAT USED: LF649150




GASKET INCLUDED: 895400

401241
OEM # 98-671
201241 Stem Only




LF266211
LF266212

Chrome Plated Stem



GASKET INCLUDED: 895180

402771
OEM # 98-999




SEAT USED: LF649140

FOR GERBER

Old Style - Automatic

LENGTH: 3.59"




430790

GASKET: 894120 O-RING INCLUDED

Old Style - Automatic with Brass Link

LENGTH: 3.76"




430850

GASKET: 894120 O-RING INCLUDED

New Style - Manual



LENGTH: 4.09"




431130

GASKET: 894120 O-RING INCLUDED

Chrome Plated
Handle & Sleeve Available
128540



SEAT USED: LF649140



LENGTH: 4.55"

LF473041/ LF473042

GASKET INCLUDED: 895180

OEM # 98-770



LF273041/ LF273042 Stem Only

OEM # 96-400

16

2-3

FOR GERBER




LF477021/ LF477022

GASKET: 890190 O-RING INCLUDED

LF277021/ LF277022 Stem Only

OEM # 96-408/ 96-409

16
2-3




413951

213951 Stem Only

Supplied with
12pt. Broach





12
1-2



Old Style, Use 413601

OEM # 98-677




413601

GASKET INCLUDED: 895370

213601 Stem Only

16
2-3


FOR GERBER



Old Style, Use 413301 or 413301-CP



SEAT USED: LF649150



Also available with chrome plated stem

413301-CP

LENGTH: 5.25"

413301/ 413302

GASKET INCLUDED: 895400

OEM # 98-673/ 98-674

213301/ 213302 Stem Only

OEM # 98-710

IMPORT VERSION


GE20778B/ GE20781



2-3



SEAT USED: LF649150



LENGTH: 5.00"

413311/ 413312

GASKET INCLUDED: 895400

OEM # 98-672

213311/ 213312 Stem Only


Also available with chrome plated stem

413311-CP/ 413312-CP

213311-CP/ 213312-CP Stem Only



2-3



Chrome Plated Stem

LENGTH: 5.38"

418911




GASKET INCLUDED: 895300

218911 Stem Only




2-3

FOR GERBER




Old Style, Use 434401 or 236411 stem only



FOR GERBER


Chrome Plated Stem




LENGTH: 5.78"

235900

16
2-3



Old Style, Use 433401



LENGTH: 5.67"

Also available with chrome plated stem

433441

16
2-3

433401


GASKET INCLUDED: 895560

OEM # 96-230 / 98-726


233401 Stem Only

OEM # 97-432 or 96-290

[IMPORT VERSION](#)
GE20779



SEAT USED: LF649150




Chrome Plated Stem

LENGTH: 5.80"

434401

GASKET INCLUDED: 895560

234401 Stem Only




SEAT USED: 649860

16
2-3

FOR GERBER

Chrome Plated Stem



LENGTH: 5.80"

434411

GASKET INCLUDED: 895560
OEM # 98-720

234401 Stem Only
OEM # 98-709




SEAT USED: 649860



2-3

Chrome Plated Stem



LENGTH: 5.82"


424411

GASKET INCLUDED: 895400

224411 Stem Only



2-3



Old Style, Use 433441 or 236401 stem only

Chrome Plated Stem




LENGTH: 5.92"

236401



2-3

Chrome Plated Stem



LENGTH: 6.30"

439271

GASKET INCLUDED: 895570


239271 Stem Only



2-3

FOR GLACIER BAY

LENGTH: 1.58"



400231

GASKET: 890150 O-RING INCLUDED

LENGTH: 4.72"



GB10654

OEM # RP22018



LENGTH: 5.28"




GB10655

OEM # RP70620




FOR GLAUBER SALTER



LF476501
LF276501 Stem Only

18
3-3

Chrome Plated Stem




412451
GASKET INCLUDED: 895370
212451 Stem Only

Supplied with
12pt. Broach



12
1-2

Chrome Plated Stem




415001
GASKET INCLUDED: 895370
215001 Stem Only

LENGTH: 5.15"

16
1-6

Chrome Plated Stem






415051
GASKET INCLUDED: 895370
215051 Stem Only

LENGTH: 5.15"

12
1-2

FOR GLAUBER SALTER




BARRY E.  SR. CO.

FOR GLAUBER WEST COAST

STEM LENGTH: 3.65"


Chrome Plated Unit



403891


203891 Stem Only

Chrome Plated Stem




203901

Chrome Plated Stem



203951


Chrome Plated Unit



408151





208151 Stem Only

Supplied with
12pt. Broach




1-2


FOR GLAUBER WEST COAST




FOR GLAUBER WEST COAST




416451
216451 Stem Only



418601
GASKET INCLUDED: 895570
218601 Stem Only




418651
GASKET INCLUDED: 895570
218651 Stem Only



422401
GASKET INCLUDED: 895550
222401 Stem Only

FOR GLAUBER WEST COAST

Chrome Plated Stem



LENGTH: 5.43"

422451


GASKET INCLUDED: 895550

222451 Stem Only



1-2

Chrome Plated Stem



LENGTH: 5.82"


436200

GASKET INCLUDED: 895570

236200 Stem Only

1/2 - 22 TPI

Chrome Plated Stem



LENGTH: 5.82"

436250


GASKET INCLUDED: 895570

236250 Stem Only



1-2

Chrome Plated Stem



LENGTH: 5.96"

437050

GASKET INCLUDED: 895570


237050 Stem Only

Supplied with
12pt. Broach



1-2

Chrome Plated Stem



LENGTH: 5.96"

424351

GASKET INCLUDED: 895550

224351 Stem Only


Supplied with
12pt. Broach



1-2

FOR GOETZ

Chrome Plated Unit




411511

GASKET INCLUDED: 895560

211221 Stem Only


Chrome Plated Unit



411561


GASKET INCLUDED: 895560

211551 Stem Only



SEAT USED: 648920


Chrome Plated Stem



411501


GASKET INCLUDED: 895560

212221 Stem Only



SEAT USED: 648920

Chrome Plated Stem




411551

GASKET INCLUDED: 895560

211551 Stem Only

FOR GOETZ

Chrome Plated Unit



412211


GASKET INCLUDED: 895370

212211 Stem Only

20

2-4

Chrome Plated Unit




412221

GASKET INCLUDED: 895370

212221 Stem Only

21/64

Chrome Plated Stem



416861


GASKET INCLUDED: 895450

216861 Stem Only

7/16 - 20 TPI

FOR GRAND HAVEN

LENGTH: 1.19"



12
1-2




SEAT USED:
LF649270

GASKET INCLUDED: 895160


LF450021

LENGTH: 1.56"



9

Chrome Plated Gland




SEAT USED:
LF649050

GASKET: 890160 O-RING INCLUDED

LF452861

LENGTH: 1.81"



12
1-2








SEAT USED:
LF649270

GASKET INCLUDED: 895100

LF456071
LF456072

FOR GRAND HAVEN



FOR GROHE


FOR GROHE



GASKET: 891160 O-RING INCLUDED

142790
OEM # 08.213


LENGTH: 1.94"



GASKET: 890170 O-RING INCLUDED

457282
OEM # 07.146

LENGTH: 2.15"




230650
OEM # 47.621



SEAT USED: LF647580



SEAT USED: LF647580




LENGTH: 3.38"


402642

GASKET: 890170 O-RING INCLUDED
OEM # 7.147

20
3-20



SEAT USED: 647130




LENGTH: 3.70"

402892

GASKET: 895440 INCLUDED
OEM # 7.151

20
3-32




LENGTH: 4.59"

430482





GASKET: 895520 INCLUDED
OEM # 6.188

20
3-32

FOR GROHE



FOR HAJOCA



FOR **HALSEY TAYLOR**



LF463670
OEM # 60-08240-51-640

Send Your Orders To:

BARRY E.  **ALTER** SR. CO.


E-mail: orderdesk@barrywalter.com

Fax: 1.800.886.9831

Phone: 1.800.767.5552

FOR HARCRAFT

LENGTH: 1.45"




12
1-2

Nickel Plated Nut

GASKET INCLUDED: 895040


LF451101

OEM # 3247



SEAT USED: LF648670

LENGTH: 1.45"



12
1-2

GASKET INCLUDED: 895100


LF451241

OEM # 3128

LF451242

OEM # 3129

LENGTH: 1.67"




12
1-2

Chrome Plated Stem

LF254021

LF254022

LENGTH: 1.90"




12
1-2

Chrome Plated Stem

LF257111

LF257112

LENGTH: 2.34"



12
1-2

GASKET INCLUDED: 895040


LF462091

OEM # 3467



SEAT USED: LF648670

LENGTH: 2.44"



12
1-2

430040

OEM # 3502


230040

OEM # 7454

Stem Only

FOR HARCRAFT


LENGTH: 2.52"



LF464021

GASKET INCLUDED: 895040
OEM # 3254


LENGTH: 2.98"



LF465411

GASKET INCLUDED: 895040



LENGTH: 3.45"



430140

230140 Stem Only

LENGTH: 3.46"



LF466131


GASKET INCLUDED: 895040
OEM # 3593

LF266131 Stem Only
OEM # 7176

FOR HARCRAFT


Chrome Plated Stem

LENGTH: 3.88"



LF270011/ LF270012

OEM # 3023/ 3022



LENGTH: 4.22"


430200

OEM # 3420


230200 Stem Only

OEM # 7217

IMPORT VERSION
HA20834



SEAT USED: LF648670




LENGTH: 4.40"

406001

GASKET INCLUDED: 895040

OEM # 3261

IMPORT VERSION
HA20831



LENGTH: 4.42"

430501


GASKET: 890170 O-RING INCLUDED

OEM # 3262

203501 Stem Only




FOR HARCRAFT




LF473021/ LF473022

OEM # 3020/ 3019


LF273021/ LF273022 Stem Only



161320



LF274031/ LF274032




LF475071

GASKET INCLUDED: 895040

OEM # 3413



FOR HARCRAFT



431801


GASKET INCLUDED: 895100

OEM # 3233

231801 Stem Only

OEM # 2795

12
1-2



431811


GASKET INCLUDED: 895100

OEM # 3141

231801 Stem Only

OEM # 2795

12
1-2





413501

OEM # 3038

213501 Stem Only

12
1-2



SEAT USED: 648690

413701


GASKET INCLUDED: 895100

OEM # 3140

213701 Stem Only


12
1-2

FOR HARCRAFT




LF480011/ LF480012
LF280011/ LF280012 Stem Only


12
1-2



423001
GASKET INCLUDED: 895100
223001 Stem Only




12
1-2



435721
GASKET INCLUDED: 895100
235721 Stem Only


12
1-2



424221
OEM # 3366


12
1-2

FOR HARDEN




LF463901/ LF463902

GASKET: 890210 O-RING INCLUDED




402421/ 402422

GASKET: 890210 O-RING INCLUDED



408031/ 408032

GASKET: 891140 O-RING INCLUDED



432920

OEM # 580040 or 133 DIV


232920 Stem Only




FOR HARDEN

3/4" Head

LENGTH: 5.32"




432930
232930 Stem Only




16
3-16

LENGTH: 5.75"




425111
GASKET INCLUDED: 895500
225111 Stem Only
OEM # 580150
Zurn # RK7000-50-ACL



SEAT KIT USED: 106090

16
3-16


LENGTH: 6.53"



439141
GASKET: 891180 O-RING INCLUDED
OEM # 580116

16
3-16


LENGTH: 6.77"




439221
OEM # OWC8JK

16
3-16


FOR HARDEN



439241




439730
239730 Stem Only




439760
239760 Stem Only

FOR HARDEN




GASKET: 891140 O-RING INCLUDED

439722




439740
OEM # 580070 or 136 DIV
239740 Stem Only



GASKET: 891180 O-RING INCLUDED


439911

FOR HASTINGS




230580

FOR HAWS




LF262161

FOR HELVEX






LF458992
OEM # SH-0001




430992


FOR HUDSON





FOR ILLINOIS




FOR IMPORT



456211
456212




LF454051
LF454052




LF456141



400801
400802




LF463302



GASKET INCLUDED: 891160


LF464391
LF464392

FOR IMPORT




GASKET INCLUDED: 895140

LF464602




GASKET: 891150 O-RING INCLUDED

LF464712




GASKET: 890180 O-RING INCLUDED

LF464962




GASKET INCLUDED: 895180

401722




430160

FOR IMPORT



LF466532

GASKET INCLUDED: 895160




402522

GASKET INCLUDED: 895450

12

1-2




LF466822

GASKET INCLUDED: 895100

24

3-28




430490

20


3-20

FOR INDIANA




GASKET: 890170 O-RING INCLUDED

450971




SEAT USED: LF648560




GASKET: 890170 O-RING INCLUDED

LF451011
OEM # 631C&D
LF451012
OEM # 625C&D




SEAT USED: LF648560




GASKET: 890170 O-RING INCLUDED

LF450501
LF450502




GASKET: 890170 O-RING INCLUDED

LF451121
LF451122




SEAT USED: LF648560




GASKET: 890180 O-RING INCLUDED

LF451141
LF451142




GASKET: 890170 O-RING INCLUDED


LF454031
LF454032



SEAT USED: LF648560




LF259031
LF259032




SEAT USED: LF648560

FOR INDIANA




GASKET: 890170 O-RING INCLUDED

LF461951
LF461952




GASKET: 890170 O-RING INCLUDED

LF464131
LF464132




SEAT USED: LF648560




GASKET INCLUDED: 895150

LF465061
LF465062




230030




GASKET INCLUDED: 895150

402901
OEM # 552-C-RH
402902
OEM # 552-C-LA

IMPORT VERSION
[IN20911/IN20912](#)







SEAT USED: LF649160




SEAT USED: 649300

FOR INDIANA



FOR INDIANA




432730

GASKET: 890180 O-RING INCLUDED

232730 Stem Only

OEM # 27610

18
3-3




434301

GASKET: 890200 O-RING INCLUDED

18
3-3

Chrome Plated Stem




437700

GASKET INCLUDED: 895150

237700 Stem Only

18
3-3

Chrome Plated Stem



439520

GASKET INCLUDED: 895150


239520 Stem Only

18
3-3


FOR I.W. INDUSTRIES

Wall and Deck Models


To identify a 4 or 5-Port Unit, look down the stem from the broach end at the dent bushing. Refer to the images below:




4-Port




5-Port



730560




Wall Model	
4-Port	230560
5-Port	230570
W/ 730560 Bonnet	
4-Port	430560
5-Port	430570



Deck Model	
4-Port	233980
5-Port	233990
W/ 730560 Bonnet	
4-Port	433980
5-Port	433990


FOR J.L. MOTT



405821

GASKET USED: 895160


205821 Stem Only



416211

GASKET USED: 895160


216211 Stem Only



LF479701

GASKET USED: 895320

LF279701 Stem Only



LF472161


GASKET USED: 895160

LF272161 Stem Only

FOR JACLO

Chrome Plated Stem & Gland

LENGTH: 5.15"



432431


GASKET: 891150 O-RING INCLUDED

24

3-19

Chrome Plated Stem & Gland

LENGTH: 5.15"



432511

GASKET: 890180 O-RING INCLUDED

24

3-19



438421


LENGTH: 6.02"

16

3-16

Chrome Plated Gland

LENGTH: 7.15"



439421

GASKET: 890180 O-RING INCLUDED

24

3-19

FOR JADO

LENGTH: 2.22"



431450

OEM # 913000.191

LENGTH: 5.04"




432961

20
3-20

FOR JAMECO

LENGTH: 3.20"




430392

GASKET: 890170 O-RING INCLUDED

20
3-20

FOR KALLISTA


Comes with handle screw:
899230



GASKET: 891180 O-RING INCLUDED

401072


Comes with handle screw:
899230



GASKET: 891150 O-RING INCLUDED

LF458502


Comes with handle screw:
899230



GASKET INCLUDED: 895350


LF463602

Comes with handle screw:
899230




GASKET: 891150 O-RING INCLUDED

LF459801
LF459802




SEAT USED: LF648850-M




GASKET: 890170 O-RING INCLUDED

LF460652




GASKET: 890170 O-RING INCLUDED

LF460672



GASKET INCLUDED: 895160


402762



GASKET INCLUDED: 895440


402792

FOR KALLISTA




430982

GASKET: 890210 O-RING INCLUDED




430642

GASKET: 890240 O-RING INCLUDED



430782


GASKET: 890240 O-RING INCLUDED



431622

GASKET: 890240 O-RING INCLUDED

FOR KALLISTA




434201

Comes with handle screw:
899230



3-22




437252

GASKET: 890240 O-RING INCLUDED




3-22



437112

GASKET: 890240 O-RING INCLUDED

9/32




437862

GASKET: 890240 O-RNG INCLUDED



3-20

FOR KINGSBURY



GASKET: 890170 O-RING INCLUDED

LF455972

FOR KOHLER

LENGTH: 1.13"




147250

INCLUDES 400691 & 400671
KOHLER OEM # 77148


400691

LENGTH: 1.14"



400671

LENGTH: 1.37"



SEAT USED: LF648070

GASKET INCLUDED: 895100

LF450051


OEM # 20786

LF450052

OEM # 20785

[IMPORT VERSION](#)
[KO11127-LF](#)
[KO11128-LF](#)

LENGTH: 1.80"




GASKET: 891140 O-RING INCLUDED

400921

200921 Stem Only

LENGTH: 1.94"



Chrome Plated Stem

SEAT USED: LF647230

LF458041

LF458042


LF258041 Stem Only

OEM # 34070

LF258042 Stem Only

OEM # 34071

LENGTH: 1.94"



Chrome Plated Stem & Bonnet

GASKET: 890210 O-RING INCLUDED

LF458241

LF458242


LF258041 Stem Only

OEM # 34070

LF258042 Stem Only


OEM # 34071

FOR KOHLER



GASKET: 891140 O-RING INCLUDED


400911
200911 Stem Only



LF459041
LF459042
LF259041 Stem Only
OEM # 33914
LF259042 Stem Only
OEM # 33915



SEAT USED: LF648730



SEAT: LF649460 INCLUDED


LF459101
OEM # 20656
LF459102
OEM # 20655

[IMPORT VERSION](#)
[KO11124-LF](#)
[KO11125-LF](#)

LF259101 Stem Only
LF259102 Stem Only


Also available with
Brass Plunger

LF459101-B / LF459102-B



GASKET: 890210 O-RING INCLUDED
SEAT: LF649460 INCLUDED


LF459141
LF459142
LF259101 Stem Only
LF259102 Stem Only



LF460161
LF460162
LF260161 Stem Only
OEM # 31871
LF260162 Stem Only
OEM # 31872



SEAT USED: LF648730




GASKET INCLUDED: 895060

LF462101
LF462102




SEAT USED: LF648070




GASKET INCLUDED: 895060

LF462141
LF462142



SEAT USED: LF648070



LF263151
OEM # 33491
LF263152
OEM # 37631



SEAT USED: LF647230

FOR KOHLER

LENGTH: 2.50"

19
1-7

Chrome Plated Stem
Plastic Plunger

Also available with
Brass Plunger

LF460051-B / LF460052-B
IMPORT VERSION
KO11124-LF / KO11125-LF

SEAT INCLUDED:
LF649460

LF460051
OEM # 30004
LF460052
OEM # 30002
LF260051 Stem Only
LF260052 Stem Only
OEM # 34320

IMPORT VERSION
KO11134-LF
KO11135-LF

LENGTH: 2.50"

19
1-7

Chrome Plated Stem
Brass Plunger

GASKET: 890210 O-RING INCLUDED
SEAT INCLUDED: LF649460

LF460251-B
LF460252-B
LF260051 Stem Only
LF260052 Stem Only
OEM # 34320

LENGTH: 2.50"

19
1-7

Chrome Plated Stem
Plastic Plunger

Also available with Brass Plunger

LF460151-B / LF460152-B

GASKET: 890180 O-RING INCLUDED
SEAT INCLUDED: LF649460

LF460151
LF460152
LF260051 Stem Only
LF260052 Stem Only
OEM # 34320

LENGTH: 2.50"

19
1-7

Chrome Plated Stem
Plastic Plunger

Also available with Brass Plunger

LF460261-B / LF460262-B

GASKET: 890180 O-RING INCLUDED
SEAT INCLUDED: LF649460

LF460261
LF460262
LF260051 Stem Only
LF260052 Stem Only
OEM # 34320

LENGTH: 2.60"

19
1-7

Chrome Plated Stem

LF264321

LENGTH: 2.82"

LF456190
FOR K13816 & K13960

LENGTH: 2.83"

16
1-6


Nickel Plated Gland

GASKET INCLUDED: 895060

LF465131
OEM # 20810-RP
LF465132
OEM # 20811-RP

SEAT USED: LF648070

FOR KOHLER



SEAT USED: 647220

Triple Lead Thread

LENGTH: 3.05"

202171
OEM # 22909



SEAT USED: LF649390

Chrome Plated Stem

LENGTH: 3.07"

LF265651/ LF265652



1-7



SEAT USED: LF649390


Chrome Plated Unit

LENGTH: 3.33"

LF467081/ LF467082
LF267081/ LF267082 Stem Only
OEM # 31585/ 31584




1-7



LENGTH: 3.50"


402991
202991 Stem Only

FOR KOHLER




431710

GASKET: 891150 O-RING INCLUDED
OEM # 89773




Triple Lead




202941


OEM # 22124



431370




Chrome Plated Stem



LF269081/ LF269082



FOR KOHLER




LENGTH: 3.91"

231151
OEM # 34470




1-7





SEAT USED: 647190

Triple Lead
Chrome Plated Stem




LENGTH: 3.95"

203211
OEM # 21712



SEAT USED: LF648070



LENGTH: 4.25"
STEM LENGTH: 4.07"

404331/ 404332


GASKET: 895150
OEM # 21076

204201/ 204202 Stem Only
OEM # 20901/ 20900



1-6

Chrome Plated Escutcheon Tube #111460



LENGTH: 4.25"
STEM LENGTH: 4.07"

404201/ 404202

GASKET: 895150
OEM # 20905 / 20904

204201/ 204202 Stem Only
OEM # 20901 / 20900

IMPORT VERSION
KO21102
KO21103



1-6




SEAT USED: LF648070

FOR KOHLER

Plastic Escutcheon Nipple #119040

LENGTH: 4.25"
STEM LENGTH: 4.07"



IMPORT VERSION
KO21101



404231/ 404232

GASKET: 895150


OEM # 30119

204201/ 204202 Stem Only

OEM # 20901 / 20900

Chrome Plated Stem / Plastic Plunger

LENGTH: 4.24"



SEAT INCLUDED: LF649460

LF470701/ LF470702

OEM # 30128/ 30127

LF270701/ LF270702 Stem Only


Also available with Brass Plunger
LF470701-B / LF470702-B

Also available with Brass Plunger &
Polished Gold stem

LF470701-PG / LF470702-PG
LF270701-PG / LF270702-PG Stem Only

Chrome Plated Stem / Plastic Plunger

LENGTH: 4.24"



SEAT INCLUDED: LF649460

LF470711/ LF470712

GASKET: 890180 O-RING INCLUDED

LF270701/ LF270702 Stem Only


Also available with Brass Plunger
LF470711-B / LF470712-B

Also available with Brass Plunger &
Polished Gold stem

LF470711-PG / LF470712-PG
LF270701-PG / LF270702-PG Stem Only

Chrome Plated Stem / Plastic Plunger

LENGTH: 4.24"



SEAT INCLUDED: LF649460

LF470721/ LF470722

GASKET: 890200 O-RING INCLUDED

LF270701/ LF270702 Stem Only

Also available with Brass Plunger
LF470721-B / LF470722-B


Also available with Brass Plunger &
Polished Gold stem

LF470721-PG / LF470722-PG
LF270701-PG / LF270702-PG Stem Only


FOR KOHLER

Quadruple Lead
Chrome Plated Stem


LENGTH: 4.34"



206161



LENGTH: 4.39"



LF273361/ LF273362




SEAT USED: LF648730



1-7

STEM LENGTH: 4.60"



LF474501/ LF474502


GASKET INCLUDED: 895350

INCLUDES BARREL:
647321/647322



1-7

LENGTH: 4.65"



433121

GASKET: 891150 O-RING INCLUDED
OEM # 70424

Also available with seat LF648070

433121-S



1-6



FOR KOHLER




LENGTH: 4.74"

431291



Plastic Escutcheon Nipple



LENGTH: 4.74"


430941

GASKET: 890170 O-RING INCLUDED
OEM # 40281, 30467, 21130

IMPORT VERSION
KO21111




Chrome Plated Stem



LENGTH: 4.75"

LF276011/ LF276012


OEM # 37646/ 37645



SEAT USED: LF648730



LENGTH: 4.89"




436180

GASKET: 890200 O-RING INCLUDED
OEM # 74392

FOR KOHLER

Chrome Plated Stem

LENGTH: 5.00"




LF277051/ LF277052



Chrome Plated Stem / Plastic Plunger

LENGTH: 5.04"



SEAT: LF649460 INCLUDED

407001/ 407002

OEM # 30137/ 20654

207001/ 207002 Stem Only
OEM # 20413

Also available with Brass Plunger

407001-B / 407002-B

OEM # 30137/ 30138


Also available with Brass Plunger &
Polished Gold stem

407001-PG / 407002-PG



Chrome Plated Stem / Plastic Plunger

LENGTH: 5.04"



SEAT: LF649460 INCLUDED

407021/ 407022

GASKET: 890210 O-RING INCLUDED

207001/ 207002 Stem Only


Also available with Brass Plunger

407021-B / 407022-B



Chrome Plated Stem / Plastic Plunger

LENGTH: 5.04"



SEAT: LF649460 INCLUDED

407031/ 407032

GASKET: 890210 O-RING INCLUDED

207001/ 207002 Stem Only

Also available with Brass Plunger

407031-B / 407032-B

Also available with Brass Plunger &
Polished Gold stem


407031-PG / 407032-PG



FOR KOHLER

Chrome Plated Stem / Brass Plunger

LENGTH: 5.04"




431412

19

1-7

Chrome Plated Stem / Brass Plunger

LENGTH: 5.04"



431422


19

1-7

GASKET: 890210 O-RING INCLUDED
OEM # 23070

Plastic Escutcheon Nipple

LENGTH: 5.08"




433171

IMPORT VERSION
KO21112

16

1-6

GASKET: 891150 O-RING INCLUDED
OEM # 30139



LENGTH: 5.08"

433181


16

1-6

GASKET: 891150 O-RING INCLUDED

Chrome Escutcheon Tube

LENGTH: 5.08"




433191

16


1-6

GASKET: 891150 O-RING INCLUDED

FOR KOHLER




432810
GASKET: 891150 O-RING INCLUDED
OEM # 42011




432910
GASKET: 891150 O-RING INCLUDED
OEM # 20868, 30050

IMPORT VERSION
KO21114



433211
GASKET: 891150 O-RING INCLUDED
OEM # 21131

16
1-6



433231
GASKET: 891150 O-RING INCLUDED

16
1-6

FOR KOHLER

Chrome Plated Gland

LENGTH: 5.41"




432830

GASKET: 891150 O-RING INCLUDED
OEM # 31439-BC

Chrome Plated Stem

LENGTH: 5.50"



LF280051/ LF280052

OEM # 39821/ 39863




SEAT USED: LF649190

19

1-7

Chrome Plated Stem / Brass Plunger

LENGTH: 5.51"



433412


OEM # 30123

19

1-7

Chrome Plated Stem & Bonnet / Brass Plunger

LENGTH: 5.51"



433422


GASKET: 890210 O-RING INCLUDED

19

1-7

FOR KOHLER

Chrome Plated Stem



LENGTH: 5.80"


425211

225211 Stem Only

19

1-7

Chrome Plated Stem



LENGTH: 5.82"

LF280061/ LF280062


OEM # 37618

19

1-7

SEAT USED: LF647500

Chrome Plated Stem



STEM LENGTH: 5.85"

USES BARREL:
647321

425931


GASKET INCLUDED: 895350

225901 Stem Only

OEM # 20242

19

1-7



STEM LENGTH: 5.85"

425921/ 425922

GASKET INCLUDED: 895350

225901/ 225902 Stem Only


OEM # 20242/ 22842-BC

19

1-7

FOR KOHLER

Chrome Plated Stem



STEM LENGTH: 5.85"

425951/ 425952


GASKET INCLUDED: 895350

225951/ 225952 Stem Only

INCLUDES BARREL:
647321/647322

12
1-2

Chrome Plated Stem & Packing Nut



STEM LENGTH: 5.85"

425961/ 425962

GASKET INCLUDED: 895350


225901/ 225902 Stem Only

OEM # 20242/ 22842-BC

INCLUDES BARREL:
647321/647322

19
1-7

Chrome Plated Stem



STEM LENGTH: 5.85"

425901/ 425902

GASKET INCLUDED: 895350


225901/ 225902 Stem Only

OEM # 20242/ 22842-BC

INCLUDES BARREL:
647321/647322

19
1-7

Chrome Plated Stem



STEM LENGTH: 5.85"

425911/ 425912

GASKET INCLUDED: 895350

225901/ 225902 Stem Only

OEM # 20242/ 22842-BC


INCLUDES BARREL:
647321/647322

IMPORT VERSION
KO21104

19
1-7

FOR KOHLER

Chrome Plated Stem




LENGTH: 5.98"

437311

GASKET INCLUDED: 895350

237311 Stem Only

OEM # 22881




SEAT USED: 649700

19

1-7

Chrome Plated Stem & Packing Nut




LENGTH: 5.98"

437321

GASKET INCLUDED: 895350

237311 Stem Only

OEM # 22881




SEAT USED: 649700

19

1-7

Chrome Plated Stem



LENGTH: 6.09"

437301


GASKET INCLUDED: 895350

237301 Stem Only

OEM # 22862

Also available with seat 649700


437301-S



19

1-7

Chrome Plated Stem



LENGTH: 6.09"

437331

GASKET INCLUDED: 895350

237301 Stem Only

OEM # 22862







SEAT USED: 649700

19


1-7

FOR KOHLER



FOR KOHLER

Chrome Plated Stem



STEM LENGTH: 6.24"

426511


GASKET INCLUDED: 895450

INCLUDES BARREL:
647331

19

1-7

Chrome Plated Stem




LENGTH: 6.25"

426901

GASKET INCLUDED: 895350

226901 Stem Only
OEM # 20140




SEAT USED: LF647230

19

1-7

Chrome Plated Stem



STEM LENGTH: 6.25"

426701

GASKET INCLUDED: 895350


226701 Stem Only

INCLUDES BARREL:
647321

19

1-7

Chrome Plated Stem



STEM LENGTH: 6.25"





LF480701

LF280701 Stem Only

19


1-7

FOR KOHLER



FOR KOHLER

LENGTH: 6.67"




434600

GASKET: 891150 O-RING INCLUDED
OEM # 42020-CP

Chrome Plated Stem

LENGTH: 6.83"




439312

19
1-7

Chrome Plated Stem

LENGTH: 6.83"




439322

19
1-7

Chrome Plated Stem

STEM LENGTH: 6.86"







426711

GASKET INCLUDED: 895350
226711 Stem Only


INCLUDES BARREL:
647321

19
1-7

FOR KOHLER


LENGTH: 8.87" 19 1-7  Chrome Plated Stem GASKET INCLUDED: 895450 439801 239801 Stem Only	LENGTH: 8.87" 12 1-2  Chrome Plated Stem GASKET INCLUDED: 895450 439851 239851 Stem Only	STEM LENGTH: 8.75" 19 1-7  INCLUDES BARREL: 647331 Chrome Plated Stem GASKET INCLUDED: 895450 428331 228331 Stem Only	STEM LENGTH: 8.75" 12 1-2  INCLUDES BARREL: 647331 Chrome Plated Stem GASKET INCLUDED: 895450 428381 228381 Stem Only
--	--	---	--

FOR LABONGE




LF466712

FOR LARDEN



454351

FOR LAWLER




LF200751

201021

FOR LENHART

Chrome Plated Stem




405741

GASKET INCLUDED: 895450

16

3-15

Chrome Plated Stem



410411


GASKET INCLUDED: 895450

210411 Stem Only

16

3-15

Chrome Plated Stem



425611


GASKET INCLUDED: 895370

225611 Stem Only

15

1-13

Chrome Plated Stem



425621

GASKET INCLUDED: 895370

225621 Stem Only

16

1-6

FOR LEONARD




LENGTH: 1.39"





LF400771
LF400771-P Pair



LF400701
LF400701-P Pair




FOR LEONARD




FOR LOGAN

Chrome Plated Stem



SEAT USED: 648800



LENGTH: 3.42"

402811


GASKET INCLUDED: 895400

202811 Stem Only


OEM # 2656-000-002



Chrome Plated Unit
Polished Chrome Nut



SEAT USED: 648800



LENGTH: 3.42"

402811-N


GASKET INCLUDED: 895400

202811 Stem Only

OEM # 2656-000-002



Chrome Plated Stem
1-1/8" - 18 TPI




LENGTH: 4.59"

410041

GASKET INCLUDED: 894620



Chrome Plated Stem
1.00" - 18 TPI



LENGTH: 4.59"


410011

GASKET INCLUDED: 895430

210011 Stem Only





FOR LOGAN




Also available in the following lengths:

THESE STEMS ARE ALL
CHROME PLATED

UNIT	STEM ONLY	LENGTH
427201	227201	6.50"
427501	227501	7.00"
428301	228301	8.00"
428401	228401	9.50"
429301	229301	12.00"
429501	229501	14.00"
429601	229601	16.00"
429701	229701	18.00"



FOR MANSFIELD




GASKET INCLUDED: 895100

LF450981

LF450982

FOR McCAMBRIDGE




408651

GASKET INCLUDED: 895160

208651 Stem Only


FOR MELCLIFF



405311

GASKET INCLUDED: 895550

205311 Stem Only




405361

GASKET INCLUDED: 895550


205361 Stem Only

FOR METCRAFT




GASKET: 890170 O-RING INCLUDED

LF400751




LF400441
OEM # 0660282A




GASKET: 895100 INCLUDED


LF400461



LF128000




LENGTH: 3.46"




LF114090
LF114020 Cartridge Only

FOR MICHIGAN BRASS



GASKET: 891120 O-RING INCLUDED

400621
400622




GASKET INCLUDED: 895140


LF455091
LF455092



SEAT USED: LF648210




LF454151
LF454152



LF456821
LF456822




SEAT USED: LF648210



LF457021
LF457022




SEAT USED: LF648210



LF464141
LF464142

FOR MICHIGAN BRASS

Chrome Plated Stem



LENGTH: 2.59


LF465321/ LF465322

16

LENGTH: 3.03"




SEAT USED: LF648210



LF466101/ LF466102

12
3-5

Chrome Plated Stem




LENGTH: 3.77"

403271

16

Chrome Plated Gland



LENGTH: 3.86"






SEAT USED: LF648210


403421/ 403422

GASKET: 890160 O-RING INCLUDED

12
3-5


FOR MICHIGAN BRASS



BARRY E.  WALTER SR. CO.


FOR MILWAUKEE

LENGTH: 1.04"




GASKET INCLUDED: 895100

LF450011
LF450012




SEAT USED: LF649040

LENGTH: 1.43"



GASKET INCLUDED: 895100

LF451301
LF451302




SEAT USED: LF649040

LENGTH: 1.43"



MW11325

LENGTH: 1.65"



201211
201212




SEAT USED: 648370

LENGTH: 1.65"



401211
401212

LENGTH: 1.74"




GASKET INCLUDED: 199930

LF453121
OEM # 5012
LF453122



SEAT USED: LF649040

LENGTH: 1.74"




GASKET INCLUDED: 199930

LF453241
LF453242



SEAT USED: LF649040


LENGTH: 1.75"




GASKET INCLUDED: 894670

LF455021
LF455022


FOR MILWAUKEE



LF256121
LF256122




SEAT USED: LF649040



GASKET INCLUDED: 199930


LF457301




SEAT USED: LF649040



MW11326




MW11327




LF259051
LF259052



SEAT USED: LF649040




459621 Red
459622 Blue



LF264231
LF264232



SEAT USED: LF649040




LF263181
LF263182




SEAT USED: LF649040

FOR MILWAUKEE



SEAT USED: LF649500



LENGTH: 3.37"

402591


GASKET INCLUDED: 199930



1-1



SEAT USED: LF649040



LENGTH: 3.56"

403001


GASKET INCLUDED: 199930

OEM # 8023

203001 Stem Only



3-15



LENGTH: 3.58"


403591

GASKET INCLUDED: 199930



3-15

Chrome Plated Stem




LENGTH: 3.88"

402632

202632 Stem Only

5/16

Chrome Plated Stem




LENGTH: 4.34"


205212

5/16

FOR MILWAUKEE



SEAT USED: LF649500




404901

GASKET INCLUDED: 199930
OEM # 5090

IMPORT VERSION
MW21323


16
3-15



207512

5/16


Chrome Plated Stem



403432

203432 Stem Only

5/16







430951


GASKET: 890200 O-RING INCLUDED

12
1-1


FOR MILWAUKEE



FOR MILWAUKEE



Chrome Plated Stem




410602


210602 Stem Only

GASKET: 894960 INCLUDED

5/16



Chrome Plated Stem




410652

210652 Stem Only

GASKET: 894960 INCLUDED

12

1-2




Chrome Plated Stem

419401

219401 Stem Only

16

3-15



Chrome Plated Stem


419451

219451 Stem Only

12

1-2


FOR MILWAUKEE



434721
GASKET: 890200 O-RING INCLUDED
OEM # 5091

16
3-15


Chrome Plated Stem



237420

5/16

Chrome Plated Stem




426312
226312 Stem Only


5/16

FOR MIXET


LENGTH: 1.60"




400721
OEM # MCSVS



GASKET: 895060 INCLUDED
400371
OEM # MCHK



400731
OEM # MSPC




400901

FOR MOEN




400011-KIT
OEM #130158




GASKET INCLUDED: 891140

400541




GASKET: 891140 O-RING INCLUDED

400421
OEM #12318




GASKET INCLUDED: 895110

400531




GASKET: 895110 INCLUDED

400311




GASKET: 895110 INCLUDED

400321



GASKET: 895110 INCLUDED

400341



GASKET: 890180 O-RING INCLUDED

LF455362




MO11301
OEM #1224



MO11300
OEM #1248

FOR MOEN

Chrome Plated Stem & Tube




LENGTH: 3.01"

430450

GASKET: 890190 O-RING INCLUDED

Chrome Plated Stem & Tube




LENGTH: 4.01"

430460

GASKET: 890190 O-RING INCLUDED

OEM # 1394



LENGTH: 4.13"


431540

MOEN INTERNATIONAL

20

3-14

Chrome Plated Stem & Tube



LENGTH: 5.01"

430590

GASKET: 890190 O-RING INCLUDED

OEM # 1198




436390

GASKET: 890170 O-RING INCLUDED

OEM # 94543


FOR MUELLER

LENGTH: 2.00"




LF459011
LF459012
LF259011 Stem Only
LF259012 Stem Only

LENGTH: 2.00"




LF459061
LF459062
LF259061 Stem Only
LF259062 Stem Only

LENGTH: 2.15"




201141

LENGTH: 2.40"




263341

LENGTH: 2.57"



401401
201401 Stem Only

LENGTH: 2.57"







401451
201451 Stem Only




SEAT USED: LF649190

FOR MUELLER



FOR MUELLER

LENGTH: 4.45"



406551
206551 Stem Only


Supplied with
12pt. Broach



1-2

Chrome Plated Stem

LENGTH: 4.78"



LF274061


Supplied with
12pt. Broach



1-2

Chrome Plated Stem

LENGTH: 4.87"



210021




1-6

Chrome Plated Stem

LENGTH: 5.03"



SEAT USED: LF649790







414801
214801 Stem Only







1-6

FOR MUELLER



FOR MUELLER



FOR MUELLER

Chrome Plated Stem

LENGTH: 5.30"



LF279511

12
1-2

Chrome Plated Unit

LENGTH: 5.43"



420251


220251 Stem Only

Supplied with
12pt. Broach

12
1-2

Chrome Plated Stem

LENGTH: 5.57"




434821

GASKET INCLUDED: 895440

16
1-6

Chrome Plated Stem

LENGTH: 5.57"



434871


GASKET INCLUDED: 895440

234871 Stem Only

12
1-2

FOR MUELLER

Chrome Plated Stem




OVERALL LENGTH: 5.90"
STEM LENGTH: 5.63"

423451
223451 Stem Only


USES BARREL:
623401

Supplied with
12pt. Broach




1-2

Chrome Plated Stem




LENGTH: 6.03"

426161
226161 Stem Only




Supplied with
12pt. Broach



1-2

Chrome Plated Stem




OVERALL LENGTH: 6.14"
STEM LENGTH: 5.50"

422701
GASKET: 891210 O-RING INCLUDED
222701 Stem Only



Chrome Plated Stem




OVERALL LENGTH: 6.14"
STEM LENGTH: 5.50"

422751
GASKET: 891210 O-RING INCLUDED
222751 Stem Only



1-2


FOR MUELLER



438200


GASKET INCLUDED: 895440

238200 Stem Only



438210

238200 Stem Only




439640

239640 Stem Only

FOR MURRAY & SORENSON

Chrome Plated Stem




LENGTH: 5.97"

426341

226331 Stem Only

GASKET: 895460 INCLUDED

Chrome Plated Stem



LENGTH: 5.99"

426331

226331 Stem Only

GASKET: 891180 O-RING INCLUDED

FOR NEWPORT BRASS




400791

GASKET: 891170 O-RING INCLUDED
OEM # 1-103

3-Hole - Plastic Body

LENGTH: 2.54"




230670

OEM # 1-075

20
3-20

Short Diverter Version


LENGTH: 2.60"




431271

GASKET: 890190 O-RING INCLUDED

20
3-20



SEAT USED: 647650



LENGTH: 5.56"

433371

GASKET: 890190 O-RING INCLUDED
OEM # VB1850




SEAT USED: 647650

16

FOR NEWPORT BRASS

Wall and Deck Models

LENGTH: 6.59"



3-Hole - Plastic Body
439160
239160
 OEM # NEWPORT - 1-021


LENGTH: 7.07"




GASKET: 890190 O-RING INCLUDED
439371

 SEAT USED: 647650

4-Port



5-Port




LENGTH: 8.17"



16
1-6

To identify a 4 or 5-Port Unit, look down the stem from the broach end at the dent bushing and refer to the images above

LENGTH: 6.05"



Wall Model	
4-Port	238320
5-Port	238330
W/ 730560 Bonnet	
4-Port	438320
5-Port	438330



Deck Model	
4-Port	239860
5-Port	239870
W/ 730560 Bonnet	
4-Port	439860
5-Port	439870

FOR NIBCO

LENGTH: 2.00"



17
3-7

Plastic Unit


NI11438
OEM # P22



Plastic Unit

NI11439
OEM # P22LH

LENGTH: 2.24"




12
1-2

GASKET INCLUDED: 895400

191041

LENGTH: 2.55"




17
3-7

230730
OEM # N2601-4D-0

FOR NORCA


Nickel Plated Unit



LENGTH: 1.72"

20
2-4

LF454181/ LF454182




LENGTH: 5.55"

12
1-2

421631
GASKET INCLUDED: 895400

FOR ORION

LENGTH: 2.18"




LF460601

GASKET INCLUDED: 895100

1-2

LENGTH: 4.47"




LF473101

12

1-2

LENGTH: 4.64"




408411

GASKET INCLUDED: 895100


12

1-2

BARRY E.  ALTER SR. CO.

FOR P.E. GUERIN

LENGTH: 1.88"




LF456321
LF456322

GASKET INCLUDED: 895100

16
1-6

Chrome Plated Stem




LENGTH: 3.99"

404421/ 404422

GASKET INCLUDED: 895400

16

Chrome Plated Stem




LENGTH: 3.99"

404431/ 404432

GASKET INCLUDED: 895400

16



SEAT USED: LF648130


LENGTH: 4.96"

412811

GASKET INCLUDED: 895400

212811 Stem Only

16
1-6



SEAT USED: LF648130


LENGTH: 5.03"

LF478701/ LF478702

GASKET INCLUDED: 895100

16
1-6


FOR PACIFIC



405921


GASKET INCLUDED: 895540

205921 Stem Only




406401

206401 Stem Only



406451

206451 Stem Only




413321


GASKET INCLUDED: 895540

213321 Stem Only


FOR PAUL




401861/ 401862
GASKET INCLUDED: 895400
201861/ 201862 Stem Only



401991/ 401992
GASKET INCLUDED: 895400
Threaded Escutcheon Adapter Only
155670



Chrome Plated Stem



417321

FOR PEGASUS



LENGTH: 2.68"


GASKET: 891150 O-RING INCLUDED
431391



LENGTH: 2.80"

GASKET: 891150 O-RING INCLUDED
431781

FOR PERLICK




OVERALL LENGTH: 2.36"
STEM LENGTH: 1.67"

GASKET: 890180 O-RING INCLUDED
LF463351
OEM # 43161
LF463352
LF463351-2 Pair
OEM # 43146


SEAT INCLUDED IN
ASSEMBLY: LF663350

FOR PHOENIX



LENGTH: 1.49"

GASKET INCLUDED: 895100
400431




LENGTH: 1.55"

GASKET: 890170 O-RING INCLUDED
LF451171
OEM # 40-5-0 / 960-0



SEAT USED: LF649190



LENGTH: 1.55"

GASKET: 890170 O-RING INCLUDED
LF451181



SEAT USED: LF649190




17
3-7

PH11560
OEM # 639-5-0

FOR PHOENIX

Single Lead



GASKET: 890170 O-RING INCLUDED

LF451211

OEM # 61-5-0


LF451212

OEM # 61-5-0LH



SEAT USED: LF648040

Single Lead




GASKET: 891150 O-RING INCLUDED

LF451221


OEM # 43-5-0

LF451222

OEM # 43-5-0LH




SEAT USED: LF649190




430771

GASKET: 890170 O-RING INCLUDED
OEM # 639-5-0



230370



431821

GASKET: 890170 O-RING INCLUDED
OEM # 1639-5-0



FOR PHYLRICH



Short Diverter Version

LENGTH: 2.60"



SEAT USED: 647650




431271

GASKET: 890190 O-RING INCLUDED


20
3-20

Polished Brass Stem

LENGTH: 4.70"



SEAT USED: LF648550



16
1-6

LF475091/ LF475092

GASKET INCLUDED: 895100


LF275091/ LF275092 Stem Only

Also available with chrome plated stem


LF475091-CP/ LF475092-CP

GASKET INCLUDED: 895100

LF275091-CP/ LF275092-CP Stem Only



SEAT USED: LF648550




LENGTH: 4.90"

16
1-6


411031/ 411032

GASKET INCLUDED: 895100

OEM # 1549HSB-001/ 1549CSB-001



SEAT USED: LF648550



LENGTH: 4.90"

16
1-6

431941


GASKET INCLUDED: 895100

Polished Brass Stem

LENGTH: 4.91"



SEAT USED: LF648550



16
1-6

411041/ 411042

GASKET INCLUDED: 895100

211041/ 211042 Stem Only

Also available with chrome plated stem

411041-CP/ 411042-CP

GASKET INCLUDED: 895100


211041-CP/ 211042-CP Stem Only

FOR PHYLRICH

Polished Brass Stem



SEAT USED: LF648550



LENGTH: 4.91"

16
1-6


431951

GASKET INCLUDED: 895100


Also available with chrome plated stem

431951-CP

GASKET INCLUDED: 895100



SEAT USED: 648970



LENGTH: 4.95"


16
1-6

415641/ 415642

GASKET INCLUDED: 895400



SEAT USED: 648970



LENGTH: 4.98"

16
1-6

415541-CP/ 415542-CP

GASKET INCLUDED: 895400

215541-CP/ 215542-CP Stem Only

Also available with Polished Brass stem

415541-PB/ 415542-PB


GASKET INCLUDED: 895400

215541-PB/ 215542-PB Stem Only

Polished Brass Stem



SEAT USED: LF648550



LENGTH: 5.05"

16
1-6

LF480191/ LF480192

GASKET INCLUDED: 895100

LF280191/ LF280192 Stem Only

Also available with chrome plated stem

LF480191-CP/ LF480192-CP


GASKET INCLUDED: 895100

LF280191-CP/ LF280192-CP Stem Only

Polished Brass Stem



SEAT USED: 647650



LENGTH: 5.31"

16
1-6

433361

GASKET: 890190 O-RING INCLUDED

Also available with chrome plated stem


433361-CP

FOR PHYLRICH

LENGTH: 5.56"



SEAT USED: 647650




433371

GASKET: 890190 O-RING INCLUDED

16
1-6

Chrome Plated Stem

LENGTH: 5.74"




435371

GASKET: 890190 O-RING INCLUDED

16
1-6



SEAT USED: 648970



LENGTH: 5.75"

436131

GASKET INCLUDED: 895370


OEM # 1526-D-SB

236101 Stem Only

16
1-6



SEAT USED: 648970



LENGTH: 5.75"


436171

GASKET INCLUDED: 895370

16
1-6



SEAT USED: 648970



LENGTH: 5.75"

436141

236101 Stem Only


GASKET INCLUDED: 895370

16
1-6


FOR PHYLRICH

Wall and Deck Models


To identify a 4 or 5-Port Unit, look down the stem from the broach end at the dent bushing. Refer to the images below:



4-Port




5-Port



Deck Model	
4-Port	238260
5-Port	238270
W/ 730560 Bonnet	
4-Port	438260
5-Port	438270

FOR PHYLRICH




GASKET INCLUDED: 895400

427321
427322




SEAT USED: 648970




GASKET INCLUDED: 895100

427241
427242




SEAT USED: LF648550




GASKET INCLUDED: 895100

439621



SEAT USED: LF648550



GASKET INCLUDED: 895370


439681



SEAT USED: 648970

FOR PIAZZA


LENGTH: 1.85"



GASKET: 890180 O-RING INCLUDED

LF460802


LENGTH: 2.37"



GASKET: 890180 O-RING INCLUDED

LF463702


LENGTH: 3.07"



GASKET INCLUDED: 895150

401811

LENGTH: 3.26"




GASKET: 890180 O-RING INCLUDED

402252

FOR PILOT

Chrome Plated Sleeve & Push Button




LENGTH: 4.82"

475700

GASKET: 894650 INCLUDED

FOR PORCHER

LENGTH: 2.02"



Chrome Plated Gland

LF458602

FOR POWERS

LENGTH: 1.25"



402111
OEM # 900-050


FOR POWERS



GASKET: 890180 O-RING INCLUDED

400831
OEM # 141.000

LENGTH: 1.73"




Also available as chrome plated unit

400471-CP
200471-CP Stem Only

GASKET: 891230 O-RING INCLUDED


400471
200471 Stem Only
500470-KIT Retainer & Spring Only
OEM # 230-079

LENGTH: 2.28"




201181
OEM # 277-079

LENGTH: 2.28"




201201
OEM # 420-122

LENGTH: 2.60"



201531
OEM # 420-139

LENGTH: 3.05"




Chrome Plated Stem

24


201870

LENGTH: 3.37"



Chrome Plated Stem


117520



FOR PRECISION

3-Hole - Plastic Body

LENGTH: 2.54"



230670

OEM # NEWPORT 1-075

20
3-20

1-Hole - Plastic Body

LENGTH: 2.54"



231670

20
3-20

3-Hole - Plastic Body

LENGTH: 5.38"



233560

20
3-20

3-Hole - Plastic Body

LENGTH: 6.59"



439160

239160

OEM # ALTMANS - ODC8

OEM # NEWPORT - 1-021

16
3-16

1-Hole - Plastic Body

LENGTH: 6.59"



439190

239190 Stem Only


16
3-16

FOR PRICE PFISTER



GASKET: 891130 O-RING INCLUDED


400501
OEM # 910-014



STEM LENGTH: 1.21"

400301
OEM # 910-671
200301 Stem Only

LENGTH: 1.41"




12

1-2
Nickel Plated Gland


GASKET INCLUDED: 895100

LF451031
OEM # 910-072
LF451032
OEM # 910-082



SEAT USED: LF648270

LENGTH: 1.42"




12

1-2
Nickel Plated Gland


GASKET INCLUDED: 895100

LF451041
LF451042



SEAT USED: LF648270

LENGTH: 1.53"




12
1-2

Nickel Plated Stem

GASKET INCLUDED: 895100

LF450951
LF450952


LENGTH: 1.63"



12
1-2

LF252401

LENGTH: 1.63"



12
1-2

IMPORT VERSION
PP11635-LF

GASKET INCLUDED: 895100


LF453051
OEM # 910-392
LF453052



SEAT USED: LF648270

FOR PRICE PFISTER

LENGTH: 1.63"




SEAT INCLUDED: LF648310

LF451001

GASKET INCLUDED: 895100
OEM # 910-394

LENGTH: 1.73"



GASKET INCLUDED: 895100

LF454121

OEM # 910-282


LF454122

OEM # 910-292




SEAT USED: LF648270

LENGTH: 1.75"




LF255161

LF255162



SEAT USED: LF648270

LENGTH: 1.76"




Chrome Plated Stem

LF255061
LF255062



SEAT USED: LF648270

LENGTH: 1.77"



GASKET INCLUDED: 895400


400741

OEM # 910-192

200741 Stem Only

OEM # 910-191

LENGTH: 1.81"



GASKET INCLUDED: 895100


LF456041

OEM # 910-402




SEAT USED: LF648270


FOR PRICE PFISTER




LF256251



LF257051
LF257052




SEAT USED: LF648270



GASKET INCLUDED: 895190

LF457201
OEM # 910-681
LF457202
OEM # 910-691
[IMPORT VERSION](#)
[PP11636-LF](#)
[PP11637-LF](#)




GASKET INCLUDED: 895190

LF457221
LF457222



PP11632
OEM # 974-013




GASKET INCLUDED: 895060

LF458051
OEM # 910-492




SEAT USED: LF648270


FOR PRICE PFISTER




LF458072
GASKET INCLUDED: 895100
OEM # 910-651



LF260081
LF260082




LF259251



GASKET INCLUDED: 895060

LF461031
OEM # 910-202
LF461032
OEM # 910-212




GASKET INCLUDED: 895060

LF461231
OEM # 910-412




FOR PRICE PFISTER

LENGTH: 2.45"



401321
201351 Stem Only


LENGTH: 2.45"




401351
201351 Stem Only

Supplied with
12pt. Broach


LENGTH: 2.59"



GASKET INCLUDED: 895400




LENGTH: 2.65"



LF265031
LF265032



LENGTH: 2.65"




GASKET INCLUDED: 895060

LF465091
OEM # 910-262
LF465092
OEM # 910-272



LENGTH: 2.74"




GASKET INCLUDED: 895060

LF465291
OEM # 910-422



FOR PRICE PFISTER




GASKET INCLUDED: 895550

430071-NS
OEM # 910-662



SEAT USED: 648370




GASKET INCLUDED: 895550

430071




SEAT USED: 648370




GASKET INCLUDED: 895060

LF467051
OEM # 910-222
LF467052
OEM # 910-232




SEAT USED: LF648270




GASKET INCLUDED: 895400

402311
OEM # 910-413




SEAT USED: 648290



LF467301
OEM # 910-830
LF467302
OEM # 910-835

IMPORT VERSION
PP11665-LF
PP1666-LF



GASKET INCLUDED: 895060


LF467251
OEM # 910-432



SEAT USED: LF648270

FOR PRICE PFISTER

LENGTH: 3.22"




402621

GASKET INCLUDED: 895400

202621 Stem Only

LENGTH: 3.22"




402671

GASKET INCLUDED: 895400

OEM # 910-033

202621 Stem Only


LENGTH: 3.58"



430091

GASKET INCLUDED: 895550

OEM # 910-121




SEAT USED: 648370

12
1-2

LENGTH: 3.97"

Chrome Plated Unit



403551


203551 Stem Only

12
1-2


FOR PRICE PFISTER

Chrome Plated Stem

LENGTH: 4.22"



LF271071



LENGTH: 4.24"

405101/ 405102


GASKET INCLUDED: 895400

OEM # 910-013/ 910-034


205101/ 205102 Stem Only

OEM # 910-011/ 910-035

IMPORT VERSION
PP21655



SEAT USED: 648370



LENGTH: 4.24"

405111/ 405112

GASKET INCLUDED: 895400


OEM # 910-015

205101/ 205102 Stem Only

OEM # 910-011/ 910-035



SEAT USED: 648370



LENGTH: 4.24"

430301


GASKET: 895550

OEM # 910-021

230301 Stem Only

OEM # 910-022




IMPORT VERSION
PP21656



SEAT USED: 648370




FOR PRICE PFISTER



FOR PRICE PFISTER


LENGTH: 4.55"



LF474011/ LF474012

GASKET INCLUDED: 895060
OEM # 910-300


SEAT USED: LF648270



LENGTH: 4.69"

208971

Supplied with
12pt. Broach




Nickel Plated Stem

LENGTH: 4.85"



LF477201/ LF477202



LENGTH: 5.12"

LF479401/ LF479402


GASKET INCLUDED: 895060
OEM # 910-333/ 910-334

SEAT USED: LF648270



Nickel Plated Stem

LENGTH: 5.42"




LF480381/ LF480382

OEM # 910-825/ 910-683



FOR PRICE PFISTER


Chrome Plated Stem & Esc Tube



LENGTH: 4.98"

412901

GASKET INCLUDED: 895400
OEM # 910-044




SEAT USED: 648370

12

1-2

Chrome Plated Stem




LENGTH: 5.09"

236260

OEM # 974-700

12


1-2



LENGTH: 5.16"

LF479501/ LF479502

GASKET INCLUDED: 895060




SEAT USED: LF648270

12

1-2

Chrome Plated Stem



LENGTH: 5.17"

415301/ 415302

GASKET INCLUDED: 895400
OEM # 910-043

215301/ 215302 Stem Only

OEM # 910-041




SEAT USED: 648370

12

1-2

FOR PRICE PFISTER

Chrome Plated Stem



415311/ 415312


GASKET INCLUDED: 895400

215301/ 215302 Stem Only



12
1-2

Chrome Plated Stem



432001

GASKET INCLUDED: 895560

OEM # 910-052


232001 Stem Only

OEM # 910-051



12
1-2

Chrome Plated Stem



432011

GASKET INCLUDED: 895560


232001 Stem Only

OEM # 910-051



12
1-2

Chrome Plated Stem



232651


Supplied with
12pt. Broach



12
1-2

FOR PRICE PFISTER

Nickel Plated Stem




LENGTH: 5.36"

LF480401/ LF480402
OEM # 910-701/ 910-710




Chrome Plated Stem




LENGTH: 5.45"

418951
218951 Stem Only



Old Style Bonnet

Chrome Plated Stem




LENGTH: 5.47"

Single Lead


420151
220151 Stem Only

Supplied with
12pt. Broach



Old Style Bonnet

Chrome Plated Stem



LENGTH: 5.47"





Double Lead

421351
221351 Stem Only





Supplied with
12pt. Broach







FOR PRICE PFISTER



FOR PRICE PFISTER




FOR PRICE PFISTER



FOR PRICE PFISTER


Chrome Plated Stem



LENGTH: 6.01"


438050
238050 Stem Only

Supplied with
12pt. Broach



1-2

Chrome Plated Stem




LENGTH: 6.17"

438301
GASKET INCLUDED: 895450
238301 Stem Only

18

Old Style
Price Pfister


Chrome Plated Stem



LENGTH: 6.17"

438351
GASKET INCLUDED: 895450
238351 Stem Only

Supplied with
12pt. Broach



1-2

Chrome Plated Stem




LENGTH: 6.17"

Old Style Price Pfister

239152
GASKET INCLUDED: 895450

18

Chrome Plated Unit



LENGTH: 6.78"

439350
239350 Stem Only


Supplied with
12pt. Broach



1-2

FOR PRINCIPE


LENGTH: 2.16"



FOR PUBCO


Chrome Plated Stem

LENGTH: 2.25"




Chrome Plated Unit

LENGTH: 4.93"







Chrome Plated Stem






LENGTH: 4.93"



FOR PUBCO





FOR PUBCO



FOR QUEEN CITY

Chrome Plated Stem



LENGTH: 5.75"



16
1-6

Chrome Plated Stem



LENGTH: 5.75"



12
1-2

Chrome Plated Stem



LENGTH: 5.87"



16
1-6

Chrome Plated Stem



LENGTH: 5.87"



12
1-2


Chrome Plated Stem

LENGTH: 5.89"



16
1-6

FOR RAPETTI




432071

GASKET INCLUDED: 895320

20

3-24

FOR REID WATSON




GASKET: 890170 O-RING INCLUDED

LF464501/ LF464502

16

1-5



Teflon Sleeve



LENGTH: 3.04"

230470



16

1-5



FOR REID WATSON





16
1-5



16
1-5




16
1-5




16
1-5



FOR RICHMOND RHEEM



LF458131
LF458132




SEAT USED: LF648700 or LF647620




GASKET INCLUDED: 895100

LF465081
LF465082




SEAT USED: LF648130



LF465111
LF465112




SEAT USED: LF648560



GASKET INCLUDED: 895100


LF465191
OEM # 02-A17 RH
LF465192
OEM # A17 LH



SEAT USED: LF648130

FOR ROBERTS BRASS

Chrome Plated Stem & Pkg Nut




420711

GASKET INCLUDED: 895450

220711 Stem Only

Chrome Plated Stem & Pkg Nut




424721


GASKET INCLUDED: 895320

224721 Stem Only


FOR RODAC




LF479801/ LF479802
GASKET: 890170 O-RING INCLUDED





410991/ 410992
GASKET INCLUDED: 895100



431931
GASKET INCLUDED: 895100



436151
GASKET INCLUDED: 895370
236151 Stem Only




421711/ 421712
GASKET INCLUDED: 895400
221711/ 221712 Stem Only



FOR ROHL

New Style - Manual




LENGTH: 3.76"

430850

GASKET: 894120 O-RING INCLUDED

OEM # 3104-0800


Old Style - Automatic with Brass Link



LENGTH: 4.09"

431130

GASKET: 894120 O-RING INCLUDED




Chrome plated handle
& sleeve available

128540

FOR ROSS & GADE

Chrome Plated Stem



LENGTH: 4.04"


404131

GASKET INCLUDED: 895320

204131 Stem Only

5/16

Chrome Plated Stem



LENGTH: 5.00"


412241

GASKET INCLUDED: 895430

212241 Stem Only

5/16

FOR ROYAL BRASS




GASKET: 890160 O-RING INCLUDED

LF451131


OEM # U-185-R

LF451132

OEM # U-185-L



SEAT USED: LF648260 or LF648440




LF461831


LF461832

LF261831 Stem Only

LF261832 Stem Only



SEAT USED: LF648260



LF461841


LF461842

LF261841 Stem Only


LF261842 Stem Only

OEM # U-651-R

OEM # U-651-L



SEAT USED: LF648260




LF461881


LF461882

LF261831 Stem Only

LF261832 Stem Only



SEAT USED: LF648260




LF461891


LF461892

LF261841 Stem Only

LF261842 Stem Only




SEAT USED: LF648260



LF115960


FOR ROYAL BRASS

LENGTH: 2.40"




LF463221
LF463222
LF263221 Stem Only
LF263222 Stem Only

LENGTH: 2.40"




LF463251
LF463252
LF263251 Stem Only
OEM # U667R
LF263252 Stem Only
OEM # U667L

LENGTH: 2.55"




GASKET INCLUDED: 895100

LF463861
OEM # U-2092




SEAT USED: LF648260

LENGTH: 2.60"




LF264411
LF264412




SEAT USED: LF648260

LENGTH: 2.60"




LF464401
LF464402
LF264401 Stem Only
OEM # U-652-R
LF264402 Stem Only
OEM # U-652-L




SEAT USED: LF648260

LENGTH: 2.63"







LF264700
OEM # U-663







SEAT USED: LF648260





FOR ROYAL BRASS



FOR ROYAL BRASS




FOR ROYAL BRASS



FOR ROYAL BRASS

Chrome Plated Stem




LENGTH: 5.95"

426001

GASKET INCLUDED: 895560


226001 Stem Only



SEAT USED: 649850

18
3-3

Chrome Plated Stem




LENGTH: 5.95"

426011

GASKET INCLUDED: 895560

OEM # U678-4019LG


226001 Stem Only



SEAT USED: 649850

18
3-3

Chrome Plated Stem




LENGTH: 6.44"

239420

16

1-6

Chrome Plated Stem



LENGTH: 6.44"


439400

GASKET INCLUDED: 895560

239400 Stem Only

18
3-3

Chrome Plated Stem



LENGTH: 6.565"

439630


GASKET INCLUDED: 895560

OEM # ROYU-099

239630 Stem Only

18
3-3


FOR RUGO



GASKET: 895100


LF458301

FOR SAVOY



GASKET INCLUDED: 895100

400291



GASKET INCLUDED: 895150

LF452201


OEM # A-68

LF452202

OEM # 02-A68



SEAT USED: LF649740




GASKET INCLUDED: 895150


LF452211

OEM # A-69

LF452212



SEAT USED: LF649740



SEAT INCLUDED: LF648850

GASKET INCLUDED: 895150

LF459631

OEM # 02-A-55 R

LF459632


OEM # 02-A-55 L

Also available with Monel Seat
SEAT USED: LF648850-M

LF459631-M

LF459632-M


FOR SAVOY



LF462121
GASKET INCLUDED: 895100
OEM # A-16


15
1-13

Chrome Plated Unit




LF462081/ LF462082
GASKET INCLUDED: 895400
OEM # A-8/ 02-A8 LH (A-8)

15
1-13



LF465211/ LF465212
GASKET INCLUDED: 895100
OEM # A-9

15
1-13




LF468051/ LF468052
GASKET INCLUDED: 895100
OEM # A-21 RH/ A-21 LH

15
1-13




FOR SAVOY




LENGTH: 3.47"

402831

GASKET INCLUDED: 895400
OEM # 02-A60 (A-60)



SEAT USED: LF648130




Chrome Plated Stem

LENGTH: 3.49"

LF468021/ LF468022

GASKET INCLUDED: 895100
OEM # 02-A-12 R/ 02-A-12 L

15
1-13



SEAT USED: LF648130



LENGTH: 3.66"

403321


GASKET INCLUDED: 895400
OEM # 02-A70

IMPORT VERSION
SV21970

15
1-13



SEAT USED: LF648130







LENGTH: 3.74"

LF468801/ LF468802





GASKET INCLUDED: 895100
OEM # A48

15
1-13





FOR SAVOY



FOR SAVOY




FOR SAVOY



FOR SAVOY

Chrome Plated Stem



412711


GASKET INCLUDED: 895400

212801 Stem Only

OEM # 22

15
1-13

Chrome Plated Stem



412721


GASKET INCLUDED: 895400

212801 Stem Only

OEM # 22

15
1-13

Chrome Plated Stem



412731


GASKET INCLUDED: 895400

212801 Stem Only

OEM # 22

15
1-13

Chrome Plated Stem & Esc Tube



412741

GASKET INCLUDED: 895400


212801 Stem Only

OEM # 22

IMPORT VERSION
SV21961

15
1-13

Chrome Plated Stem & Esc Tube



412801

GASKET INCLUDED: 895400

OEM # 02-A1


212801 Stem Only

OEM # 22

15
1-13

FOR SAVOY

Chrome Plated Stem & Esc Tube



412821


GASKET: 895400

OEM # 02-A2

212801 Stem Only



Chrome Plated Stem




412821-LT

GASKET: 895400

212801 Stem Only



Chrome Plated Stem & Esc Tube




412831

GASKET: 895400

212801 Stem Only



Chrome Plated Stem & Esc Tube
5/8 Retainer







412841

GASKET: 895400





212841 Stem Only



FOR SAVOY




FOR SAVOY



FOR SAVOY

Chrome Plated Stem & Esc Tube



LENGTH: 5.77"

423211

GASKET INCLUDED: 895400


223411 Stem Only



SEAT USED: LF648130

15
1-13

Chrome Plated Stem & Esc Tube



LENGTH: 5.77"


423411

GASKET INCLUDED: 895400

OEM # A-24

223411 Stem Only


IMPORT VERSION
SV21968



SEAT USED: LF648130

15
1-13

Chrome Plated Stem



LENGTH: 5.77"

423411-LT

GASKET INCLUDED: 895400


223411 Stem Only



SEAT USED: LF648130

15
1-13

Chrome Plated Stem & Esc Tube




LENGTH: 5.77"

423511

GASKET INCLUDED: 895400

223411 Stem Only




SEAT USED: LF648130



15
1-13

FOR SAVOY

Chrome Plated Stem & Esc Holder



Chrome Plated Stem & Esc Tube




Chrome Plated Stem



FOR SAVOY

Chrome Plated Stem & Esc Tube

LENGTH: 6.05"



7/8-16 Thread

438931

GASKET INCLUDED: 895400


238931 Stem Only



1-13

Chrome Plated Stem & Esc Tube

LENGTH: 6.16"



438911

GASKET INCLUDED: 895400

OEM # A-7


238911 Stem Only



1-13

Chrome Plated Stem & Esc Tube

LENGTH: 6.16"



7/8-16 Thread


438941

GASKET INCLUDED: 895400

238911 Stem Only



1-13



LENGTH: 6.16"

438951

GASKET INCLUDED: 895400

238951 Stem Only



1-13


FOR SAVOY



426741

GASKET INCLUDED: 895400

226741 Stem Only




SEAT USED: LF648130

15

1-13

Chrome Plated Stem




LF480561

GASKET INCLUDED: 895100

OEM # A-19

LF280561 Stem Only




SEAT USED: LF648130

15

1-13

Chrome Plated Stem & Esc Tube



7/8-20 Thread

438901

GASKET INCLUDED: 895400


OEM # A-7K

238901 Stem Only

15

1-13

Chrome Plated Stem & Esc Tube



15/16-18 Thread

439121


GASKET INCLUDED: 895320

239121 Stem Only

15

1-13


FOR SAVOY



439131
GASKET INCLUDED: 895320
239131 Stem Only




414491
GASKET INCLUDED: 895400



427081
GASKET INCLUDED: 895400




FOR SAYCO



Nickel Plated Stem

GASKET: 890160 O-RING INCLUDED

400121
OEM # 8C 516887



LENGTH: 1.36"


16

2-3


Nickel Plated Gland

GASKET: 890160 O-RING INCLUDED

LF450091
OEM # P068 or K4500R
LF450092
OEM # P069 or K4500L
IMPORT VERSION
SA11938-LF
SA11939-LF



SEAT USED: LF647450 or LF647610



LENGTH: 1.36"


16

2-3

Nickel Plated Gland


GASKET: 890160 O-RING INCLUDED

LF451271
LF451272



SEAT USED: LF647450

LENGTH: 1.37"



Nickel Plated Gland


GASKET: 890160 O-RING INCLUDED

400271
OEM # 247




SEAT USED: LF647450

LENGTH: 1.37"



GASKET: 890170 O-RING INCLUDED

400281




LENGTH: 1.87"

16

2-3


GASKET INCLUDED: 895100

LF456081
LF456082




SEAT USED: LF647450

FOR SAYCO





GASKET INCLUDED: 895100

LF458061
LF458062
LF258061 Stem Only
OEM # 45
LF258062 Stem Only




GASKET INCLUDED: 895100

LF459081
LF459082
LF258061 Stem Only
LF258062 Stem Only




GASKET: 890160 O-RING INCLUDED
SEAT INCLUDED: 652360

LF452361
LF452362




GASKET: 890170 O-RING INCLUDED

LF459111
LF459112



GASKET INCLUDED: 895100

LF466091
LF466092
LF266091 Stem Only
LF266092 Stem Only





GASKET INCLUDED: 895100

LF466191
LF466192
LF266091 Stem Only
LF266092 Stem Only



FOR SAYCO




403031

GASKET: 890160 O-RING INCLUDED

203031 Stem Only




SEAT INCLUDED:
609910



409911/ 409912



GASKET: 890160 O-RING INCLUDED
OEM # P1024/ P1025



LF470951/ LF470952

GASKET INCLUDED: 895100

LF270951/ LF270952 Stem Only





407201/ 407202

GASKET: 890160 O-RING INCLUDED
OEM # P002 or K 1-3/ P004

207201/ 207202 Stem Only
OEM # A027/ A038

IMPORT VERSION
SA21951
SA21952





407251/ 407252

GASKET: 890160 O-RING INCLUDED

207251/ 207252 Stem Only



FOR SAYCO





430701

GASKET: 890160 O-RING INCLUDED
OEM # P006 or KDA49

230701 Stem Only (Includes Cage)
OEM # 1D-1116

IMPORT VERSION
SA21953

16




430751

GASKET: 890160 O-RING INCLUDED

207251 Stem Only

12
1-2




LF474051/ LF474052

GASKET USED: 895100
OEM # P178R / P178L

LF274051/ LF274052 Stem Only
OEM # 214

16
2-3



409601




GASKET USED: 895100
OEM # K1-1116/SBS1035

209601 Stem Only
OEM # 1-1116


IMPORT VERSION
SA21957

16
2-3

FOR SAYCO



FOR SAYCO



431201

GASKET INCLUDED: 895100


OEM # K1D-1116

231201 Stem Only

OEM # OS-1D

16
2-3

Chrome Plated Esc Tube





431221

GASKET INCLUDED: 895100

231201 Stem Only

16
2-3

Chrome Plated Stem



431401

GASKET USED: 895400

OEM # KLOS-1D

231401 Stem Only


OEM # LOS-1D

Stem also available less cage

231401-1

16
2-3

Chrome Plated Stem








LF476051/ LF476052

GASKET USED: 895100

LF276051/ LF276052 Stem Only


16
2-3

FOR SCOVILLE



FOR SEARS - U/R - ELKAY

LENGTH: 1.50"




GASKET: 890180 O-RING INCLUDED

LF451091
LF451092




LENGTH: 1.63"



GASKET: 890180 O-RING INCLUDED

400261
OEM # 32406L


LENGTH: 1.74"



LF254141
LF254142



LENGTH: 1.75"




GASKET INCLUDED: 895150

LF454171
LF454172




LENGTH: 1.75"



LF454221
LF454222




LENGTH: 1.75"



LF454231
LF454232



FOR SEARS - U/R - ELKAY




GASKET INCLUDED: 894670

LF455021
LF455022




SEAT USED: LF648700




LF455041
LF455042




SEAT USED: LF648700




LF255101
LF255102




SEAT USED: LF648700




400361



LF458131
LF458132



SEAT USED: LF647620 or LF648700




GASKET: 890170 O-RING INCLUDED

LF458281
LF458282


FOR SEARS - U/R - ELKAY

LENGTH: 2.18"



459461 Red
459462 Blue

LENGTH: 2.22"




LF463021
LF263021 Stem Only




SEAT USED: LF648700

LENGTH: 2.22"



LF463031
LF463032
LF263031 Stem Only
LF263032 Stem Only



SEAT USED: LF648700


LENGTH: 2.25"



LF459621
LF459622

Also available with Bonnet Nut 759620
LF459621-N/ LF459622-N


LENGTH: 2.37"




LF461081
OEM # P32008-R
LF461082
OEM # P32008-L

Also available less seat
LF461081-LS/ LF461082-LS


LENGTH: 2.37"




LF461181
LF461182




LF648000



LF648570







LF648680







LF649620

SEATS USED: LF648000, LF648570, LF648680 & LF649620


FOR SEARS - U/R - ELKAY



FOR SEARS - U/R - ELKAY




FOR SEARS - U/R - ELKAY



LENGTH: 5.44"

434741


GASKET INCLUDED: 890200



LENGTH: 5.44"

434841

GASKET INCLUDED: 890200




LENGTH: 6.08"

437011

OEM # 400-D0211



3-10




LENGTH: 6.08"

437021



3-10



LENGTH: 6.19"


438411

OEM # XP7499



3-10

FOR SEPCO




434371

GASKET INCLUDED: 890190

15

3-27

FOR SHERLE WAGNER




LF467501/ LF467502

GASKET INCLUDED: 895100


16

3-15

Polished Brass Stem



SEAT USED: LF648620




LF467111-PB/ LF467112-PB


GASKET INCLUDED: 895330

16

3-15




LF648520



LF648620

SEAT USED: LF648520 or LF648620



LF467611-PB/ LF467612-PB

GASKET INCLUDED: 895120

16

3-15

FOR SHERLE WAGNER



LENGTH: 3.90"

LF476081/ LF476082

GASKET: 891170 O-RING INCLUDED



FOR SIGMA

Chrome Plated Retainer



402121

OEM # 18.30.895



GASKET: 890150 O-RING INCLUDED


400681

OEM # 18.30.156

FOR SIGN OF THE CRAB

Chrome Bonnet
available separately

757500




Chrome Plated Stem

Also available with polished brass stem

LF457501-PB / LF457502-PB


GASKET: 890160 O-RING INCLUDED

LF457501
OEM # PP0106H
LF457502
OEM # PP0106C



GASKET: 890180 O-RING INCLUDED


LF457721
OEM # PP0105H
LF457722
OEM # PP0105C



Chrome Plated Stem

GASKET: 890180 O-RING INCLUDED


LF464151
OEM # PP0101H
LF464152
OEM # PP0101C



Chrome Plated Stem


GASKET: 891150 O-RING INCLUDED

430761
OEM # 167034



404841/ 404842

GASKET: 895390 INCLUDED
OEM # PP0102C/ PP0103C




430971

GASKET: 895570 INCLUDED
OEM # PP0102C

FOR SPEAKMAN

LENGTH: 1.07"



Nickel Plated Stem
Chrome Plated Pkg Nut


LF400111

OEM # G03-0206 & 01-0513

LF200111 Stem Only


OEM # G03-0206

LENGTH: 1.24"



400220

LENGTH: 1.48"



20

2-4

Nickel Plated Gland


GASKET INCLUDED: 895150

LF451081

OEM # G05-0349


LF451082

OEM # G05-0350



SEAT USED: LF648760

LENGTH: 1.63"



20


2-4

LF253071
LF253072



SEAT USED: LF648760

LENGTH: 1.64"




Chrome Plated Stem

252911

OEM # G03-0205

LENGTH: 1.75"



20

2-4


Chrome Plated Stem

LF256011
LF256012



SEAT USED: LF648760

LENGTH: 1.85"



20

2-4

Chrome Plated Unit

LF456061
LF456062

GASKET INCLUDED: 895150


LF256061 Stem Only

LF256062 Stem Only




SEAT USED: LF648930

FOR SPEAKMAN




LF457121
LF457122
LF257121 Stem Only
LF257122 Stem Only




401131
OEM # 03-0257
201131 Stem Only
OEM # 03-0352

SEAT USED: 648190




LF263041
LF263042

SEAT USED: LF648930




LF463731
GASKET INCLUDED: 895400
LF263731 Stem Only




201301
OEM # 03-0389

SEAT USED: 648190



LF264081
LF264082


SEAT USED: LF648760



LF264430
OEM # 03-0434

FOR SPEAKMAN

LENGTH: 2.54"



GASKET INCLUDED: 895180

LF464051

OEM # G05-0199

LF464052


LF264051 Stem Only

LF264052 Stem Only



SEAT USED: LF648930

LENGTH: 2.60"




GASKET INCLUDED: 895550

LF464071

LF264071 Stem Only


LENGTH: 2.63"



264331


OEM # 03-0237

LENGTH: 2.79"



LF265421


LENGTH: 2.88"



201510


OEM # G03-0259

LENGTH: 2.88"




201540


FOR SPEAKMAN



201681
OEM # 03-0347
401681




201701
OEM # 03-0278





GASKET INCLUDED: 895400

LF467171
OEM # G03-0285
LF467172
LF267171 Stem Only
OEM # G03-0175
LF267172 Stem Only




GASKET INCLUDED: 895450

402071
OEM # G03-0158
202071 Stem Only
OEM # G03-0113








401901
201901 Stem Only
OEM # G03-0187



402201
202201 Stem Only
OEM # 03-0334




FOR SPEAKMAN



FOR SPEAKMAN

LENGTH: 3.37"



430111

GASKET INCLUDED: 895160


230111 Stem Only

OEM # 03-0335

20

2-4

LENGTH: 3.40"



LF468501



LF268501 Stem Only

OEM # G03-0199

20

2-4


LENGTH: 3.44"



LF267900

Chrome Plated Stem

LENGTH: 3.69"




202980

20

2-4


4

FOR SPEAKMAN




403301
203301 Stem Only
OEM # G03-0169

20
2-4





403351
203351 Stem Only

12
1-2



403241
GASKET INCLUDED: 895160
OEM # G05-0357
203241 Stem Only
OEM # G03-0200

20
2-4




403401
203401 Stem Only

FOR SPEAKMAN

Chrome Plated Stem

LENGTH: 3.88"




203470
OEM # G03-0365

20

2-4

20


3-14




SEAT USED: LF648930

Chrome Plated Stem

LENGTH: 3.88"




403531
GASKET INCLUDED: 895400
203531 Stem Only



SEAT USED: LF648760

LENGTH: 3.88"




4

403781
GASKET: 890150 O-RING INCLUDED
OEM # G05-0407

Chrome Plated Stem

LENGTH: 4.00"



204030



20

2-4

20

3-14

FOR SPEAKMAN



LF470101/ LF470102

GASKET: 890180 O-RING INCLUDED


OEM # G05-0313

LF270101/ LF270102 Stem Only

OEM # G03-0189

20

2-4




406631

GASKET INCLUDED: 895400

206631 Stem Only

11/32





403681

GASKET INCLUDED: 895180

20

2-4



430121

GASKET INCLUDED: 895160

230121 Stem Only


OEM # G03-0172

20

2-4

FOR SPEAKMAN

Chrome Plated Stem




LENGTH: 4.14"

204511
OEM # 03-0304



SEAT USED: LF648760



LENGTH: 4.19"

430381
OEM # G05-0408




Chrome Plated Stem




LENGTH: 4.33"

205611



SEAT USED: 648180




Chrome Plated Stem

LENGTH: 4.52"


407011
GASKET INCLUDED: 895450
207011 Stem Only



FOR SPEAKMAN



SEAT USED: LF648930



407701

GASKET INCLUDED: 895400

207701 Stem Only


Also available with
12pt. Price Pfister Broach

407751


207751 Stem Only



1-2




SEAT USED: 649110



LF274070



SEAT USED: LF648930



LF475011/ LF475012

GASKET: 890180 O-RING INCLUDED


LF275011/ LF275012 Stem Only



2-4



SEAT USED: LF648930



LF475111/ LF475112

GASKET: 890180 O-RING INCLUDED


OEM # G05-0418 RH/ G05-0419 LH

LF275111/ LF275112 Stem Only

OEM # G03-0219 RH/ G03-0220 LH


11/32

FOR SPEAKMAN



SEAT USED: 648180

Chrome Plated Stem



LENGTH: 4.68"

408801

GASKET INCLUDED: 895450

208801 Stem Only


20

2-4



SEAT USED: 648180

Chrome Plated Stem



LENGTH: 4.68"

408851

GASKET INCLUDED: 895450

OEM # G05-0162


208851 Stem Only

OEM # G03-0122

12

1-2

Chrome Plated Stem



LENGTH: 4.68"


407701

.310



SEAT USED: LF648930

Chrome Plated Stem



LENGTH: 4.70"

LF475081/ LF475082





GASKET INCLUDED: 895160

LF275081/ LF275082 Stem Only





20

2-4





FOR SPEAKMAN







FOR SPEAKMAN







FOR SPEAKMAN







FOR SPEAKMAN




FOR SPEAKMAN



FOR SPEAKMAN




FOR SPEAKMAN




417151
217151 Stem Only

12
1-2




433001
GASKET INCLUDED: 895450
233001 Stem Only

20
2-4



433201
OEM # G05-0305
233201 Stem Only
OEM # G03-0167





20
2-4







435821
GASKET INCLUDED: 895450
235821 Stem Only
OEM # 03-0232

20
2-4


FOR SPEAKMAN



FOR SPEAKMAN




FOR SPEAKMAN



GASKET INCLUDED: 895450


428321
228321 Stem Only



SEAT USED: 648180




LF480321




GASKET INCLUDED: 895450

428341
228341 Stem Only




SEAT USED: LF648930 or 648180



GASKET INCLUDED: 895450

428421
228421 Stem Only




SEAT USED: LF648930 or 648180

FOR SPHINX

Chrome Plated Stem

LENGTH: 3.90"





202221/ 202222

18
3-3

Chrome Plated Stem

LENGTH: 3.90"





202271/ 202272

12
1-2

Chrome Plated Handle


LENGTH: 4.35"




430240

Chrome Plated Unit

LENGTH: 5.19"



SEAT USED:
LF647941 FOR 416361
LF647942 FOR 416362




416361/ 416362
216361/ 216362 Stem Only


12
1-2

Chrome Plated Unit

LENGTH: 5.84"



SEAT USED:
LF647941 FOR 416361
LF647942 FOR 416362





436381
236381 Stem Only

12
1-2


FOR STANDARD SANITARY

SPECIAL ORDER ONLY
Many different variations
available




GASKET INCLUDED: 895440

427111



GASKET INCLUDED: 895500

427801




GASKET INCLUDED: 895500

427851

FOR STERLING BRASS

Chrome Plated Stem

LENGTH: 2.40"




LF263511



Chrome Plated Stem

LENGTH: 2.40"




LF263521/ LF463522



Chrome Plated Stem

LENGTH: 3.99"



403961/ 403962


GASKET INCLUDED: 895370

203961/ 203962 Stem Only



Chrome Plated Unit


LENGTH: 4.65"



415151

215151 Stem Only

Supplied with
12pt. Broach







LENGTH: 5.00"

430812

GASKET INCLUDED: 895430




FOR STERLING BRASS



FOR **STERLING BRASS**

Chrome Plated Unit

LENGTH: 5.55"



421951
221951 Stem Only


Supplied with 12pt. Broach



12
1-2

Chrome Plated Stem

LENGTH: 5.71"



435732
GASKET INCLUDED: 895430
235732 Stem Only


Supplied with 12pt. Broach



12
1-2

Chrome Plated Stem

LENGTH: 5.72"



425401
GASKET INCLUDED: 895370
225401 Stem Only


7/16 - 20 TPI



9/32

Chrome Plated Stem

LENGTH: 5.72"





425451
GASKET INCLUDED: 895370
225451 Stem Only

Supplied with 12pt. Broach





12
1-2

FOR STERLING BRASS




Not Available, Use 438101



FOR STERLING FAUCET




400851




GASKET INCLUDED: 895110

400181




GASKET: 890180 O-RING INCLUDED


LF450401
LF450402



400511
OEM # A8109
400512
OEM # A8110




SEAT USED: LF648170




GASKET: 890180 O-RING INCLUDED

LF451401
LF451402




GASKET: 890180 O-RING INCLUDED

452290



GASKET: 890180 O-RING INCLUDED

LF452300
OEM # 99B0796
252300 Stem Only




GASKET INCLUDED: 895160

LF452091
OEM # A8079
LF452092
OEM # A8080



SEAT USED: LF648170







GASKET INCLUDED: 895160

LF452951
OEM # A2698
LF452952
OEM # A2699



SEAT USED: LF648170


FOR STERLING FAUCET



Also available as nickel plated unit
LF454111/ LF454112


GASKET INCLUDED: 895160

400711
OEM # A1868
400712
OEM # A1869




SEAT USED: LF648170

LF455131
OEM # A8282
LF455132




SEAT USED: LF648170

LF454161
OEM # A8171
LF454162
OEM # A8172




SEAT USED: LF648170

454241
OEM # A8358
454242
OEM # A8359



SEAT USED: LF648170




GASKET INCLUDED: 895160

LF455031
OEM # A8114
LF455032




SEAT USED: LF648170




GASKET INCLUDED: 895160


LF455051
OEM # A8062
LF455052
OEM # A8063



SEAT USED: LF648170




LF455071
OEM # A8125
LF455072
OEM # A8126




SEAT USED: LF648170

FOR STERLING FAUCET





GASKET INCLUDED: 895160



LF453081
OEM # A8153
LF453082
OEM # A8154





LF458091
LF458092
LF258091 Stem Only
LF458092 Stem Only



LF459071
LF459072
LF259071 Stem Only
LF259072 Stem Only





LF460101
LF460102



LF261051
OEM # 99S0064
LF261052




FOR STERLING FAUCET




GASKET INCLUDED: 895160

401111 [IMPORT VERSION](#)
OEM # A8133 [SL11965](#)
401112
OEM # A8132




SEAT USED: LF648170


LF265011
LF265012




SEAT USED: LF648170



LF264861
LF264862




LF264871
LF264872



LF465621
LF465622


FOR STERLING FAUCET



LF466061/ LF466062


OEM # A8032/ A8033

LF266061/ LF266062 Stem Only



LF465631/ LF465632


GASKET INCLUDED: 895100



LF466111/ LF466112

GASKET INCLUDED: 895160

OEM # A8243/ A8244



402411


GASKET INCLUDED: 895150



FOR STERLING FAUCET



SEAT USED: LF648170



LENGTH: 3.43"


402821

GASKET: 890170 O-RING INCLUDED
OEM # A1656

16
1-5



SEAT USED: LF648170




LENGTH: 3.47"

LF268161/ LF268162

OEM # 99S0235

16
1-5



LENGTH: 3.59"

403220

203220 Stem Only

GASKET: 890190 O-RING INCLUDED

5/16



LENGTH: 3.59"

SL21995


5/16

FOR STERLING FAUCET

SEAT USED: LF648170



Chrome Plated Stem



LENGTH: 3.83"



LF269041/ LF269042
OEM # 99S0160



16

1-5

SEAT USED: LF648170



LENGTH: 3.88"



430181
GASKET INCLUDED: 895150



16

1-5

SEAT USED: LF648170





LENGTH: 3.91"

403931/ 403932
GASKET: 890170 O-RING INCLUDED
OEM # A2614



5/16

SEAT USED: LF648170



LENGTH: 3.92"


403331
GASKET: 890170 O-RING INCLUDED
OEM # A1656



16

1-5


FOR STERLING FAUCET



403511/ 403512

GASKET INCLUDED: 895150


16
1-5



403921

GASKET: 890170 O-RING INCLUDED

16
1-5



5/16

404810

204810 Stem Only

GASKET: 890190 O-RING INCLUDED



5/16


404890

GASKET: 890190 O-RING INCLUDED

IMPORT VERSION
SL21994

FOR STERLING FAUCET

LENGTH: 4.30"




LF471001/ LF471002

GASKET: 890170 O-RING INCLUDED
OEM # A8136



LENGTH: 4.35"




405181

GASKET: 890170 O-RING INCLUDED
OEM # 00A2361

IMPORT VERSION
SL21986



LENGTH: 4.38"




430231

GASKET: 890170 O-RING INCLUDED
OEM # A1657



LENGTH: 4.38"







430261




GASKET: 890170 O-RING INCLUDED
OEM # 00A2064







FOR STERLING FAUCET



FOR STERLING FAUCET




FOR STERLING FAUCET



FOR STERLING FAUCET

Chrome Plated Stem


LENGTH: 5.32"



418231

GASKET INCLUDED: 895400


218201 Stem Only



Not Available, Use 434001

Chrome Plated Stem

LENGTH: 5.47"



434001

GASKET INCLUDED: 895560

OEM # A8006 or 99S8006


234001 Stem Only

OEM # 99S0725



Chrome Plated Stem

LENGTH: 5.47"




434011

GASKET INCLUDED: 895560

234001 Stem Only




FOR STREAMLINER



GASKET INCLUDED: 895100


LF450131
LF450132

FOR STREAMWAY




GASKET INCLUDED: 895100

LF451161
OEM # 960-0
LF451162
OEM # 5-118-0 LH




SEAT USED: LF649190




GASKET: 890170 O-RING INCLUDED

LF451171
OEM # 40-5-0 / 960-0
LF251111 Stem Only




SEAT USED: LF649190



GASKET INCLUDED: 895100


LF452171
OEM # 5-108-0 RH
LF452172
OEM # 5-108-0 LH

IMPORT VERSION
SW11911
SW11912




SEAT USED: LF649190

FOR STREAMWAY




GASKET: 891150 O-RING INCLUDED

LF454302
OEM # 5-P60




GASKET: 890170 O-RING INCLUDED

430010
230010 Stem Only



GASKET: 891150 O-RING INCLUDED

454041
OEM # 14800
454042




GASKET INCLUDED: 895100

LF464121
LF464122



SEAT USED: LF648040




GASKET INCLUDED: 895100

LF464161
LF464162



SEAT USED: LF648040




GASKET: 890170 O-RING INCLUDED

430050
230050 Stem Only

FOR STREAMWAY

Chrome Plated Stem



LENGTH: 3.12"

401832

GASKET: 891150 O-RING INCLUDED


17

3-7

18 TPI Gland



SEAT USED: LF648040



LENGTH: 3.43"


402711/ 402712

GASKET INCLUDED: 895100
OEM # 90181


17

3-7

20 TPI Gland



SEAT USED: LF648040



LENGTH: 3.43"


402721

GASKET: 890170 O-RING INCLUDED
OEM # 1610-5-0

17

3-7

Plastic Stem



LENGTH: 3.45"

431430


GASKET: 890170 O-RING INCLUDED

17

3-7

FOR STREAMWAY

LENGTH: 3.48"



430060

GASKET: 890170 O-RING INCLUDED

OEM # MOEN 94614


230060 Stem Only

OEM # 94614 STEM

17

3-7

LENGTH: 3.48"



Plastic Stem

430080


GASKET: 890170 O-RING INCLUDED

230080 Stem Only

17

3-7

LENGTH: 4.49"




430521

GASKET: 891160 O-RING INCLUDED

17

3-7

LENGTH: 4.80"



431310


GASKET: 890170 O-RING INCLUDED

231310 Stem Only

17

3-7

FOR STREAMWAY




LENGTH: 4.95"

431821

GASKET: 890170 O-RING INCLUDED

17
3-7




LENGTH: 5.32"

432940

GASKET: 890170 O-RING INCLUDED

17
3-7



LENGTH: 5.45"


431821

GASKET: 890170 O-RING INCLUDED

234810 Stem Only

17
3-7

FOR SUNRISE / PRO PLUS



LENGTH: 1.67"

12
1-2

GASKET INCLUDED: 895100

LF453251
LF453252


FOR SYMMONS



LENGTH: 1.24"

Stop Unit for C-5
Replacement for
C32-11 & C32B-11

400521



LENGTH: 1.75"

400661
OEM # T-52
200661 Stem Only
OEM # T-52A or NS-18

LENGTH: 2.34"



Diverter / Volume Spindle

160500
OEM # TA-25A


LENGTH: 2.34"



Volume Spindle


154340
OEM # TA-25B

Chrome Plated Push Button




LENGTH: 4.11"

430360
GASKET: 895350 INCLUDED
OEM # TS-30



SEAT KIT USED: 106090




LENGTH: 4.27"

205511 Stem Only
GASKET: 895500 INCLUDED
OEM # TA-10

Bonnet Assmby Only
705511
OEM # T-12A

12


Symmons Small



Complete unit with Bonnet
Assembly also available
405511

Also available:
SPINDLE MAX FLOW
205511-MF
GASKET: 895500 INCLUDED
OEM # TA-10-NYC

FOR SYMMONS




431840

GASKET: 891180 O-RING INCLUDED
Diverter for 4-458 & 4-459

12

Symmons Small




431160

GASKET: 891220 O-RING INCLUDED
OEM # LD-7RR

231160 Stem Only

12

Symmons Small




431170

GASKET: 891220 O-RING INCLUDED
OEM # LD-7RRE

231160 Stem Only

12

Symmons Small




231640

12

Symmons Small

Chrome Plated Push Button




430720


GASKET INCLUDED: 895150
OEM # NTS-30

LENGTH: 4.47"

FOR SYMMONS



SEAT KIT USED: 130540




LENGTH: 4.52"


207231
OEM # J-4

12

Symmons Small



SEAT USED: 647970




Chrome Plated Stem

LENGTH: 4.55"

408311
GASKET INCLUDED: 895300
OEM # WO-50
208311 Stem Only

12


Symmons Large




Chrome Plated Push Button

LENGTH: 4.63"

430830
GASKET INCLUDED: 895350
OEM # SD-20



SEAT USED: 647640



LENGTH: 4.99"


212111
OEM # C-5

12

Symmons Large

FOR SYMMONS

C-5 Spindle for Acorn



LENGTH: 4.99"


212171

OEM # 2450-103-199



Symmons Large

Chrome Plated Gland & Push Button




LENGTH: 5.12"

415410

OEM # NS-1

Chrome Plated Stem




LENGTH: 5.12"


423441

223441 Stem Only

3/8



SEAT KIT USED: 106090



LENGTH: 5.26"

217701 Stem Only

GASKET INCLUDED: 895500


OEM # TA-10-EXT-1



Symmons Large

Bonnet Assembly Only


717701




Complete unit
also available

417701

FOR SYMMONS




Old Style, Use 433281



SEAT USED: 647970

Chrome Plated Stem



LENGTH: 5.29"

423421


GASKET: 895500 INCLUDED

OEM # TS-50

223421 Stem Only


12

Symmons Large



SEAT USED: 647970

Chrome Plated Stem



LENGTH: 5.31"

423431

GASKET INCLUDED: 895500


OEM # TS-4 & TS-3

223431 Stem Only

OEM # TS-4

5/16

Chrome Plated Stem



LENGTH: 5.56"

423531


GASKET INCLUDED: 895500

OEM # NTS-50


223531 Stem Only

5/16


FOR SYMMONS



GASKET INCLUDED: 895350
435781
OEM # LLD-20 (NEW STYLE)



GASKET INCLUDED: 895350
435791
OEM # LLD-20E




GASKET INCLUDED: 895350
433281
OEM # LLD-20 (OLD STYLE)




GASKET: 8991170 & 891180 O-RING INCLUDED
439440

FOR T & S



LF107910



LF458201

OEM # 009753-24

LF458202

OEM # 009754-24

LF258201


OEM # 000800-25

LF258202

OEM # 000801-25


Stem Only

Stem Only



SEAT USED: LF647700

Also available
w/ White Plastic Button



GASKET INCLUDED: 895260


LF462400

OEM # 002856-40

With White Plastic Button

LF462400-P

OEM # 002983-40



USES BARREL: LF664061/LF664062

LF464181-LB

OEM # 001907-25

LF464182-LB

OEM # 001908-25

LF264181


Stem W/
Spring & Retainer

OEM # 001907-25 W/SEAT & SPRING

LF264182

Stem W/
Spring & Retainer

OEM # 001908-25 W/SEAT & SPRING



Also available:
Cap Nut Assembly Only

LF764060

Also available:
Complete Unit w/ Handle



LF464181-3341

LF464182-3341

IMPORT VERSION W/ HANDLE

TS12013-LF

TS12014-LF

LF464181

OEM # 012443-40

LF464181

OEM # 012442-40

IMPORT VERSION

TS12009-LF

TS12010-LF

FOR T & S

New Style

Also available:
Cap Nut Assembly Only
LF764060-NS



Chrome Plated
Stem & Bonnet

LF464181-NS
OEM # 012443-40NS
LF464181-NS
OEM # 012442-40NS

Also available:
Complete Unit w/ Handle
LF464181-NS-3341
LF464182-NS-3341


Handle Pair
available with
these 3 stem units

TS33410



Also available: Complete
Unit with Handle
LF464061-3341
LF464062-3341
[IMPORT VERSION W/ HANDLE](#)
TS12015-LF
TS12016-LF

Also available: Complete
New Style Unit with Handle
LF464061-NS-3341
LF464062-NS-3341



Chrome Plated Stem
[IMPORT VERSION](#)
TS12207-LF
TS12208-LF

USES BARREL: LF664061/LF664062

LF464061-LB

OEM # 000811-25

LF464062-LB


OEM # 000812-25

LF264061 Stem Only

OEM # 000811-25

LF264062 Stem Only

OEM # 000812-25



Also available:
Cap Nut Assembly Only
LF764060

Chrome Plated
Stem & Bonnet

INCLUDES BARREL: LF664061/LF664062

LF464061

OEM # 005960-40

LF464062


OEM # 005959-40

LF264061 Stem Only

OEM # 000811-25

LF264062 Stem Only

OEM # 000812-25



Also available:
Cap Nut Assembly Only
LF764060-NS

Chrome Plated
Stem & Bonnet

INCLUDES BARREL: LF664061/LF664062

LF464061-NS

OEM # 005960-40NS

LF464062-NS

OEM # 005959-40NS


LF264061 Stem Only

OEM # 000811-25


LF264062 Stem Only

OEM # 000812-25



FOR T & S



LF465021/ LF465022
OEM # 015294-40
LF265021/ LF265022 Stem Only
OEM # 015295-40 / 012370-25




LF465181
LF265181 Stem Only



LF268401

FOR TANNER

LENGTH: 2.29"




462561

GASKET INCLUDED: 895400

5/16

Tapered

LENGTH: 2.31"




468031

GASKET INCLUDED: 895370

5/16

Tapered

LENGTH: 2.77"




465251

GASKET INCLUDED: 894860

5/16

Tapered

LENGTH: 3.01"




466341

GASKET INCLUDED: 894860

5/16


Tapered

FOR TANNER




466371

GASKET INCLUDED: 894860



466601

GASKET INCLUDED: 895540



470811

GASKET INCLUDED: 894860

FOR TECK




OEM # 7725701

FOR TEMPRESS

Old Style - Automatic

LENGTH: 3.59"




430790

GASKET: 894120 O-RING INCLUDED
OEM # 1533-6000 / 1-043 / 18.30.069

New Style - Manual

LENGTH: 3.76"




THREAD
M8 X 1.25

430850

GASKET: 894120 O-RING INCLUDED

Old Style - NO LONGER AVAILABLE - Use 430850

LENGTH: 4.09"




THREAD
M8 X 1.25

OEM # 47689000

Chrome plated handle
& sleeve available

128540




LENGTH: 4.71"

THREAD
M8 X 1.25

432850

GASKET: 894120 O-RING INCLUDED


FOR TOTO



400881

GASKET: 890150 O-RING INCLUDED

FOR TWYFORD BATH



LENGTH: 2.35"


401372

GASKET INCLUDED: 895370



FOR UNION BRASS / GOPHER

LENGTH: 1.38"



18
3-3

IMPORT VERSION
UN12101-LF
UN12102-LF


GASKET INCLUDED: 895100

LF450071

OEM # 1837 AH/80037


LF450072

OEM # 1837 AC/80038



SEATS USED: LF649720,
LF649780, LF649890,
LF649900 or LF649940

LENGTH: 1.75"




18
3-3

Nickel Plated Unit

GASKET INCLUDED: 895100


LF455011

LF455012



SEAT USED: LF648480

LENGTH: 1.81"



18
3-3

Nickel Plated Unit

LF455121

LF455122

LF255121 Stem Only


OEM # P-107

LF255122 Stem Only



SEAT USED: LF648480

LENGTH: 2.39"



18
3-3

Chrome Plated Stem

LF264191


LF264192




USE
402001
402002

or Import Versions


LENGTH: 3.13"



18
3-3



LF648090



LF649890

SEATS USED: LF648090 or LF649890

IMPORT VERSION
UN22110
UN22111

GASKET INCLUDED: 895100





402001

OEM # 80039 (1840A-H)





402002

OEM # 80040 (1840A-C)


FOR UNION BRASS / GOPHER



FOR UNION BRASS / GOPHER




FOR UNION BRASS / GOPHER




431280

18
3-3




LF477031/ LF477032
LF277031/ LF277032 Stem Only
GASKET INCLUDED: 895150
OEM # P-139

18
3-3



416021
216021 Stem Only

18
3-3




416071
216071 Stem Only


12
1-2

FOR UNION BRASS / GOPHER


LENGTH: 5.10"




LENGTH: 5.10"



LENGTH: 5.18"




LENGTH: 5.27"



FOR UNION BRASS / GOPHER

Chrome Plated Stem
18 TPI Gland




LENGTH: 5.27"

418751

GASKET INCLUDED: 895370


218751 Stem Only



SEAT USED: LF649930

12
1-2

Chrome Plated Stem
20 TPI Gland




LENGTH: 5.27"

418711

GASKET INCLUDED: 895370


218701 Stem Only



SEAT USED: LF649930

18
3-3

Chrome Plated Stem




LENGTH: 5.60"

435200

235200 Stem Only

18
3-3




LENGTH: 5.67"

434910

234910 Stem Only

Chrome Plated Stem



LENGTH: 6.10"

437900



GASKET INCLUDED: 895330

237900 Stem Only



18
3-3

FOR UNITED

LENGTH: 5.08"




FOR UNIVERSAL BRASS




FOR URREA

FOR WATTS




LF453401



GASKET INCLUDED: 895180

LF458401



130990

FOR VALLEY



VA12249
OEM # V6804




VA12241
OEM # V6860




VA12242
OEM # V6856BG

FOR **WATER SAVER**




LF251341
OEM # BV112B-R




SEAT INCLUDED: LF648600

LF461301
OEM # BNV100-RH
LF461302
OEM # BNV100-LH




SEAT INCLUDED: LF648600

LF461311
OEM # BNV200-RH
LF461312
OEM # BNV200-LH




761300



SEAT INCLUDED: LF649880


LF464041
OEM # BNV100AC-RH
LF464042
OEM # BNV100AC-LH




SEAT INCLUDED: LF649880

LF464441
OEM # BNV200AC-RH
LF464442
OEM # BNV200AC-LH

FOR WEST BRASS




LF252111
LF252112




SEAT USED: LF649600

FOR WEST BRASS (ITALY)




GASKET INCLUDED: 895100

LF450121
LF450122




SEAT USED: LF649600

FOR WEST BRASS (JAPAN)



GASKET INCLUDED: 895100

LF450081
LF450082




SEAT USED: LF649600

FOR WILLOUGHBY

REPAIR KIT AVAILABLE
145450

KIT INCLUDES:
BEVELED BIBB WASHER
15.5MM x 3MM O-RING
.312 x .187 x .062 O-RING
.84 x .625 x .105 WASHER
6-32 x 1/4" BIBB SCREW


LENGTH: 1.66"



GASKET: 890190 O-RING INCLUDED


LF400451
OEM # 600089

LENGTH: 2.56"



LF465480
OEM # 600275

LENGTH: 2.65"



LF465470
OEM # 600276

Send Your Orders To:

BARRY E.  **ALTER** SR. CO.


E-mail: orderdesk@barrywalter.com

Fax: 1.800.886.9831

Phone: 1.800.767.5552

FOR **WOLVERINE**

LENGTH: 1.90"



15
3-27


Chrome Plated Stem
Nickel Plated Bonnet

LF457161
LF457162
LF257161 Stem Only
LF257162 Stem Only



SEAT USED: LF649200

LENGTH: 1.92"



15
3-27

Chrome Plated Stem
Nickel Plated Gland & Bonnet


GASKET: 890190 O-RING INCLUDED

LF457081
LF457082



SEAT USED: LF649200

LENGTH: 2.25"



15
3-27

Chrome Plated Stem
Nickel Plated Bonnet


LF463081
LF463082
LF263081 Stem Only
LF263082 Stem Only




SEAT USED: LF649200

LENGTH: 2.47"

Chrome Plated Unit



15
3-27




SEAT USED: LF648320

LF463581/ LF463582

GASKET INCLUDED: 890160
OEM # 490-6953-00

Chrome Plated Gland

LENGTH: 3.86"



403541/ 403542




SEAT USED: LF648210

12
3-5

Chrome Plated Stem

LENGTH: 4.40"




LF271081/ LF271082



SEAT USED: LF649200

15
3-27


FOR WOLVERINE



431071

15

3-27




SEAT USED: LF649200

407901

GASKET INCLUDED: 895150

15

3-27



SEAT USED: 649690

Chrome Plated Stem


410101/ 410102

GASKET INCLUDED: 895450

210101/ 210102 Stem Only

16

3-26



SEAT USED: 649690

Chrome Plated Stem

410151/ 410152


GASKET INCLUDED: 895450

210151/ 210152 Stem Only

12

1-2


FOR WOLVERINE



431240


GASKET: 890160 O-RING INCLUDED

12
3-5




215921

15
3-27



215971

12
1-2




LF280021/ LF280022

15
3-27

FOR **WOLVERINE**

Chrome Plated Stem


LENGTH: 5.20"



LF279821/ LF279822

15
3-27

LENGTH: 5.31"




433381

GASKET INCLUDED: 895550

233381 Stem Only

16
3-26

LENGTH: 5.50"




418311

GASKET INCLUDED: 895150

SEAT USED: LF649200

15
3-27

LENGTH: 5.50"



418361


GASKET INCLUDED: 895150

SEAT USED: LF649200

12
1-2

FOR WOLVERINE

Chrome Plated Stem



LENGTH: 5.63"

422011/ 422012

GASKET INCLUDED: 895450

222011/ 222012 Stem Only




SEAT USED: 649690

16

3-26

Chrome Plated Stem



LENGTH: 5.63"

422061/ 422062

GASKET INCLUDED: 895450


222061/ 222062 Stem Only



SEAT USED: 649690

12

1-2



LENGTH: 5.88"


436711

GASKET INCLUDED: 895400

15

3-27

Chrome Plated Stem




LENGTH: 6.00"

426201

GASKET INCLUDED: 895450

226201 Stem Only






SEAT USED: 649690


16

3-26



FOR **WOLVERINE**




FOR **YUGO**




FOR ZURN



SEAT KIT USED: 106090



205511 Stem Only
GASKET: 895500 INCLUDED
OEM # TA-10/Zurn RK7000-50



LENGTH: 4.27"

12

Symmons Small

Also available with
bonnet assembly
#705511
405511

UNKNOWN

LENGTH: 1.19"



401001

UNKNOWN
LENGTH: 1.29"



400781


UNKNOWN
STEM LENGTH: 1.39"



GASKET INCLUDED: 895110


400761

LENGTH: 1.66"



200611

LENGTH 1.70"




24

GASKET: 890170 O-RING INCLUDED

LF455942

LENGTH: 1.75"




24
3-18

GASKET: 890170 O-RING INCLUDED

LF455422

LENGTH: 1.76"




16
1-6

GASKET: 890170 O-RING INCLUDED

LF453281
LF453282

LENGTH: 1.78"



16
1-6

Nickel Plated Stem
Chrome Plated Gland

GASKET INCLUDED: 895100

LF455141
LF455142

LENGTH: 1.82"



16
1-6

GASKET: 890170 O-RING INCLUDED


LF455701
LF455702

UNKNOWN
LENGTH: 1.82"




200841

UNKNOWN



GASKET: 890170 O-RING INCLUDED

LF456422




GASKET: 890170 O-RING INCLUDED

LF456462




431580




GASKET: 890180 O-RING INCLUDED

LF459482




GASKET: 890180 O-RING INCLUDED

LF460272



201191
201192




201331




GASKET: 890170 & 890190 O-RING INCLUDED

431720



483511




152981

UNKNOWN



LENGTH: 2.45"

483491




LENGTH: 2.45"

20
3-20

Chrome Plated Stem

GASKET: 891150 O-RING INCLUDED


431100



LENGTH: 2.52"

24
3-19

430680
230680 Stem Only



LENGTH: 2.53"


24
3-19

230890



LENGTH: 2.64"


465971



LENGTH: 2.78"

16
1-6

230860



LENGTH: 2.85"

20
3-32

Chrome Plated Stem

231090


UNKNOWN

LENGTH: 2.90"



LF465500


LENGTH: 2.98"



GASKET INCLUDED: 895330

LF465702


LENGTH: 3.00"



GASKET INCLUDED: 895500

465991

LENGTH: 3.15"




Chrome Plated Stem

GASKET INCLUDED: 895100

LF466811


LENGTH: 3.18"



GASKET INCLUDED: 895330

401751





LENGTH: 3.25"




GASKET: 890170 O-RING INCLUDED

402472

UNKNOWN




UNKNOWN



403062


GASKET INCLUDED: 895560



204381



203721







431491

GASKET INCLUDED: 895560




15

3-27





UNKNOWN






UNKNOWN







UNKNOWN







UNKNOWN







UNKNOWN







UNKNOWN




UNKNOWN



UNKNOWN




UNKNOWN




219161/ 219162

Supplied with
12pt. Broach




1-2




224151

Supplied with
12pt. Broach




1-2



219151

Supplied with
12pt. Broach



1-2







223751



1-2

UNKNOWN



UNKNOWN

Chrome Plated Stem

LENGTH: 5.68"




224331

16
1-6

Chrome Plated Stem

LENGTH: 5.87"




425971

GASKET: 891180 O-RING INCLUDED

.310

Chrome Plated Stem

LENGTH: 5.88"



426261

GASKET INCLUDED: 895320

19/64

LENGTH: 5.90"



237080

16
1-6

UNKNOWN

